

VIN Number	WVWM12164DA571469	Engine Code	CLCB
Sales Type	162262	Transmission Code	NFP
Model Year	2013	Finaldrive Ident	6S
Model	JE	Interior Trim Code	JP
Model Designation	jetta	Roof Color	8E
Date of Production	02.01.2013	Exterior Color/Paint Code	8E/A7W
Order Number			

### **PR Numbers**

A8B AV0	Basic equipment Driving on the left
AW1	Version (high)
B3E	Component parts set, complying with
	vehicle type for India, various parts
B79	Type approval India
C11	Operating permit, alteration
CK4	Alloy wheels 6.5J x 16
D91	4-cyl. turbo diesel engine 2.0 l/103 kW
	(4V) TDI common rail; Base engine: TG3/
	TJ3/TU3/TU4/TL4/TP4/TM3/TW3/TR4/TS1/TN5
EOA	No special edition
EA0	Without subsequent warranty
FOA	No special purpose vehicle, standard
	equipment
FC0	Without customized installation
G0K	6-speed manual transmission
G57	Front shock absorption
HH7	Tires 205/55 R16 91V
J1L	Battery 280 A (60 Ah)
K8B	Notchback
KA0	Without camera systems/accident sensors
KH6	Electronically controlled air
	conditioning system
KL0	Standard license plate lighting
KP2	With additional switch
LOR	Right-hand drive vehicle
L57	Suspension range 57
	installation control only, no
	requirement forecast
NOB	Fabric seat covering
NY0	Standard battery/alternator capacity
PA1	
PH3	
PUJ	
QD3	Nameplates for sales name
QG0	Without service interval prolongation
QI4	Service indicator 15000 km or 1 year ( fix )
QJ0	Without aluminum/chrome work package
QN0	Without drawers under front seats
QN0	Without drawers under front seats



PR Numb
---------

QR0       Without compass/traffic sign (sequint)         Y       Without dectronic map cooling system         QV0       W/o TV reception/digital radio reception         RF       T         TP4       4-cylinder diesel engine 2.01         unit 031.P       USA         INF       Instrument insert, km/h speedometer         UG1       Hill hold control         VA       Tirst w/o specification of tire brand         VF0       Standard pedestrian protection measures         0A22       4 doors         0AH       Front stabilizer         0BH       Rear stabilizer         0BH       Installation differentiation for transmission MQ 350         velicle components       velicle components         0BK       Without stockes and badges         0NA       Hink rear suspension         0RB       Ignition/starter switch locking system         0SS       Labels/plates in English and French         0VF       Information kit in English         0VF       Tropical zones and high-		
QS0       Without detectronic map cooling system         QV0       W/o TV reception/digital radio reception         RF         TP4       4-cylinder diesel engine 2.01 <ul> <li>unit 031P</li> <li>UF0</li> <li>Without electric interface</li> <li>UF0</li> <li>Without electric interface</li> <li>UG1</li> <li>Hill hold control</li> <li>VF0</li> <li>Standard podal cluster</li> <li>UF0</li> <li>Standard podal cluster</li> <li>VF0</li> <li>Standard podal cluster</li> <li>Velot standard podal cluster</li> <li>Velot components</li> <li>Velot components</li> <li>Velot components</li> <li>Velot cluster standiges</li> <li>Vithout fold starter switch locking system</li> <li>Velot fold starter switch locking system</li> <li>Velot fold starter standiges<td>QR0</td><td></td></li></ul>	QR0	
QV0         W/o TV reception/digital radio reception           RB7           TP4         4-cylinder diesel engine 2.01 unit 03P           USA         Instrument insert, km/h speedometer           UF0         Without electric interface           UG1         Hill hold control           V0A         Trees w/o specification of the brand           V10         Standard pedal cluster           V11         Rear stabilizer           V11         Rear stabilizer           V11         Rear stabilizer           V11         Rear stabilizer           V11         Hort stabilizer           V11         Hort stabilize		8 8
RB7		
TP4       4-cylinder diesel engine 2.01         unit 03L.P         USA       Instrument insert, km/h speedometer         UF0       Without electric interface         UG1       Hill hold control         V0A       Tires w/o specification of tire brand         V10       Standard pedal cluster         V11       Restallation differentiation for         transmission MQ 350       velicic components         0F5       Fuel system for diesel engine         0KA       Without stickers and badges         0N4       4-link rear suspension         0RB       Ignition/starter switch locking system         0SS       Labels/plates in English and French		W/o TV reception/digital radio reception
unit 03L.P           USA         Instrument insert, km/h speedometer           UF0         Without electric interface           UG1         Hill hold control           VA         Tirse w/o specification of tire brand           VF0         Standard pedal cluster           0A1         Front stabilizer           0B1         Rear stabilizer           0E1         Installation differentiation for           transmission M/Q 350         vehicle components           0F5         Fuel system for diesel engine           0K0         Without stickers and badges           0K1         44 ink rear suspension           0R8         Ignition/starter switch locking system           0S5         Labels/plates in English and French           0V7         Tropical zones and high-water country           0V7         Tropical zones and high-water country           0V7         Tropical		
USA UF0Instrument insert, km/h speedometerUF0Without electric interfaceUG1Hill hold controlV0ATires w/o specification of tire brandV10Standard pedal clusterV10Standard pedal clusterV11Standard pedal clusterV124 doorsV14Front stabilizer08HRear stabilizer08HRear stabilizer08HRear stabilizer08HStallation differentiation for transmission MQ 350 vehicle components08KWithout alternative drive module08KWithout alternative drive module08KWithout stickers and badges08KIgnition/starter switch locking system08SLabels/plates in English and French07AWithout floor mats08FInformation kit in English07FInformation kit in English07FTropical zones and high-water country07FInformation kit in English08FInfereze up to -35 degree clusts tolerance up to -40 degree C12AAttfreeze up to -35 degree clusts tolerance up to -40 degree C13AElectronic stabilization porgram (ESP)14CWithout activated charcoal canister14FSpeed-identification plate equipment tires<	TP4	
UF0Without electric interfaceUG1Hill hold controlVATires w/o specification of tire brandVF0Standard pedal clusterVL0Standard pedal crian protection measures0A24 doors0A3Front stabilizer0B41Front stabilizer0B51Rear stabilizer0B75Freud system for diesel engine0K0Without alternative drive module0K1Without alternative drive module0K1Without stickers and badges0K3Link rear suspension0K4Without foor mats0K5Freud-system for disesel engine0K4Without in English and French0K7Tropical zones and high-water country0Y7Tropical zones and high-water country0Y7VTopical zones and high-water country0Y7Without railer hitch1D8Nameplate set "TDI"1C2Antifreze up to -35 degree celsius tolerance up to -35 degree celsius tolerance up to -40 degree C1D0Without tailer hitch1D3Nameplate set "TDI"1E9Speed-reliated thronginal equipment frees1JBRear shock absorption for rough-road design1K8Disc brakes, rear (Geomet D)1K4Disc brakes, rear (Geomet D)1K4Uithout activated charoal canister1E9Speed-related variable steering assist (Servoronic)1K4Disc brakes, rear (Geomet D)1K4Disc brakes, rear (Geomet D)1K4Disc brakes, rear (Geome		
UC1Hill hold controlV0ATires w/o specification of tire brandV10Standard pedel clusterV10Standard pedel clusterV10Standard pedel clusterV11Standard pedestrian protection measures0A1Front stabilizer0BHRear stabilizer0BHWithout alternative drive module0KAWithout alternative drive module0V0Manufacturing sequence Aurangabad0V7Torpical zones and high-water country0VFInformation kit in English0VFInformation kit in English0VFInformation control only, no requirement forecast1ATElectronic stabilization program (ESP) <td></td> <td></td>		
VVATires w/o specification of tire brandVF0Standard pedal clusterVL0Standard pedal clusterVL0Standard pedal settrian protection measures0A24 doorsOAHFront stabilizer0BHRear stabilizer0ENInstallation differentiation for transmission MQ 350 vehicle components0F5Fuel system for diesel engine0K0Without slickers and badges0K4Without slickers and badges0K4Hink rear suspension0R8Ignition/starter switch locking system088Labels/plates in English and French074Without mats075Information kit in English076Information kit in English077Tropical zones and high-water country078Vieight range 5 installation control only, no requirement forecast1ATElectronic stabilization program (ESP)1C2Antifreeze up to -36 degree cleisus tolerance up to -40 degree C1D0Without tativated charcoal canister1EYSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1J8Rear shock absorption for rough-road design1K5Disc brakes, rear (Geomet D)1K4Covers for alloy wheels1F9Standard devide of or steering wheel		
VF0Standard peda clusterVL0Standard pedestrian protection measures0A24 doors0AHFront stabilizer0BHRear stabilizer0BHRear stabilizer0ENInstallation differentiation for transmission MQ 350 vehicle components0F5Fuel system for diesel engine0K0Without stickers and badges0K4Without stickers and badges0K4Without stickers and badges0K4Without stickers and badges0K4Without stickers and badges0K5Labels/plates in English and French0K6Without find mats0K7Information kit in English0K8Labels/plates in English and French0K9Manufacturing sequence Aurangabad0V7Information kit in English0V8Weight range 5 installation control only, no requirement forecast1ATElectronic stabilization program (ESP)1C2Antifrezez up to -35 degree celsius tolerance up to -40 degree C1D6Without ratiler hitch1DGNameplate set "TDI"1E0Without activated charcoal canister1EYSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1J8Rear shock absorption for rough-road design1K8Disc brakes, rear (Geomet D)1K4Covers for alloy wheels1F9Standard wheel bolts1P0Without adamper for steering wheel<		
VL0Standard pedestrian protection measures0A24 doors0AHFront stabilizer0BHRear stabilizer0BNInstallation differentiation for transmission MQ 350 vehicle components0FSFuel system for diesel engine0KAWithout alternative drive module0KAWithout alternative drive module0KAWithout alternative drive module0KAWithout stickers and badges0RBIgnition/starter switch locking system0RSLabels/plates in English and French0TAWithout floor mats0V0Manufacturing sequence Aurangabad0V7Tropical zones and high-water country0Y7Tropical zones and high-water country0Y8Leletronic stabilization program (ESP)1C2Antifereze up to -35 degree celsius tolerance up to -40 degree C1D0Without activated charcoal canister1EYSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1J8Rear shock absorption for rough-road design1KSDise brakes, rear (Geomet D)1KXCovers for alloy wheels1F9Standard wheel bolts100Without activates estering assist (Servotronic)1K1Covers for alloy wheels	1	
0A2       4 doors         0AH       Front stabilizer         0BH       Rear stabilizer         0BH       Rear stabilizer         0EN       Installation differentiation for transmission MQ 350 vehicle components         0F5       Fuel system for diesel engine         0K0       Without stickers and badges         0N4       4-link rear suspension         0RB       Ignition/starter switch locking system         0SS       Labels/plates in English and French         0TA       Without floor mats         0V0       Manufacturing sequence Aurangabad         0VF       Information kit in English         0Y7       Tropical zones and high-water country         0V7       Tropical zones and high-water country         0V7       Topical zones and high-water country         0V8       Weight range 5         installation control only, no       requirement forecast         1AT       Electronic stabilization program (ESP)         1C2       Antifreze up to -40 degrece C      <	1	1
0AHFront stabilizer0BHRear stabilizer0BNInstallation differentiation for transmission MQ 350 vehicle components0F5Fuel system for diesel engine0KAWithout alternative drive module0KAWithout forers suppose0RBIgnition/starter switch locking system0RSLabels/plates in English and French0TAWithout floor mats0V0Manufacturing sequence Aurangabad0V7Tropical zones and high-water country0V8Weight range 5 installation control only, no requirement forecast1ATElectronic stabilization program (ESP)1C2Antifreze up to -30 degree C1D0Without trailer hitch1D6Nameplate set "TDI"1E0Without stated charcoal canister1EYSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original 	1	
0BH       Rear stabilizer         0EN       Installation differentiation for         transmission MQ 350       vehicle components         0F5       Fuel system for diesel engine         0K0       Without stickers and badges         0K4       Without stickers and badges         0N4       4-link rear suspension         0RB       Ignition/starter switch locking system         0SS       Labels/plates in English and French         0VA       Without accurring sequence Aurangabad         0VF       Information kit in English         0YF       Veight range 5         installation control only, no         requirement forecast         1AT       Electronic stabilization program (ESP)         1C2       Antifreze up to -35 degree celsius         tolerance up to -40 degree C         1D0       Without trailer hitch         1DG       Nithout activated charcoal canister         1EY       Special identification plate         with weight data, but without general       operating permit (ROW)         1G2       Steel spare wheel with original <tr< th=""><td>1</td><td></td></tr<>	1	
0EN       Installation differentiation for transmission MQ 350 vehicle components         0F5       Fuel system for diesel engine         0KA       Without alternative drive module         0KA       Without alternative drive module         0N4       4-link rear suspension         0RB       Ignition/starter switch locking system         0RS       Labels/plates in English and French         0TA       Without floor mats         0V0       Manufacturing sequence Aurangabad         0V7       Tropical zones and high-water country         0V8       Without stice transmission program (ESP)         1C2       Antifrezer up to -35 degree celsius tolerance up to -40 degree C         1D0       Without trailer hitch         DG       Nameplate set "TDI"         1E0       Without activated charcoal canister         1EY       Special identification plate with weight data, but without general operating permit (ROW)         1G2       Steel spare wheel with original equipment tires         1JB       Rear shock absorption for rough-road design         1KS       Disc brakes, rear (Geomet D)         1MV       Leather steering wheel         1N3       Speed-related variable steering assist (Servotronic)         1N4       Covers for alloy wheels<	1	
transmission MQ 350         vehicle components         0F5       Fuel system for diesel engine         0K0       Without alternative drive module         0KA       Without stickers and badges         0KA       Without stickers and badges         0KA       Without stickers and badges         0RB       Ignition/starter switch locking system         0RB       Ignition/starter switch locking system         0SS       Labels/plates in English and French         0TA       Without floor mats         0V0       Manufacturing sequence Aurangabad         0VF       Information kit in English         0V7       Tropical zones and high-water country         0YE       Weight range 5         installation control only, no         requirement forecast         1AT       Electronic stabilization program (ESP)         1C2       Antifreeze up to -35 degree celsius         tolerance up to -40 degree C         1DG       Nameplates et "TDI"         1E0       Without activated charcoal canister         1E7       Special identification plate         with weight data, but without general       operating permit (ROW)         1G2       Steel spare wheel with original         equipment fires	1	
<ul> <li>vehicle components</li> <li>OF5 Fuel system for diesel engine</li> <li>OK0 Without alternative drive module</li> <li>OKA Without stickers and badges</li> <li>ON4 4-link rear suspension</li> <li>ORB Ignition/starter switch locking system</li> <li>OSS Labels/plates in English and French</li> <li>OTA Without floor mats</li> <li>OV0 Manufacturing sequence Aurangabad</li> <li>OVF Information kit in English</li> <li>OY7 Tropical zones and high-water country</li> <li>OYE Weight range 5         <ul> <li>installation control only, no requirement forecast</li> <li>IAT Electronic stabilization program (ESP)</li> </ul> </li> <li>IC2 Antifreeze up to -35 degree celsius         <ul> <li>tolerance up to -40 degree C</li> <li>Without attivated charcoal canister</li> <li>IEY Special identification plate</li></ul></li></ul>	UEIN	
0F5Fuel system for diesel engine0K0Without alternative drive module0KAWithout stickers and badges0N44-link rear suspension0RBIgnition/starter switch locking system0SSLabels/plates in English and French0TAWithout floor mats0V0Manufacturing sequence Aurangabad0VFInformation kit in English0Y7Tropical zones and high-water country0YEWeight range 5installation control only, no requirement forecast1ATElectronic stabilization program (ESP)1C2Antifreeze up to -35 degree celsius tolerance up to -40 degree C1D0Without activated charcoal canister1EYSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1JBRear shock absorption for rough-road design1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1N4Covers for alloy wheels1P6Without mase damper for steering wheel		-
0K0Without alternative drive module0KAWithout stickers and badges0K44-link rear suspension0RBIgnition/starter switch locking system0SSLabels/plates in English and French0TAWithout floor mats0TAWithout floor mats0V0Manufacturing sequence Aurangabad0V7Information kit in English0Y7Tropical zones and high-water country0Y7Tropical zones and high-water country0Y7Tropical zones and high-water country0Y6Weight range 5installation control only, no requirement forecast1ATElectronic stabilization program (ESP)1C2Antifrezze up to -35 degree celsius tolerance up to -40 degree C1D0Without trailer hitch1DGNameplate set "TDI"1E0Without activated charcoal canister1EYSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1JBRear shock absorption for rough-road design1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1N4Covers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel	OF5	
0KAWithout stickers and badges0N44-link rear suspension0RBIgnition/starter switch locking system0SSLabels/plates in English and French0TAWithout floor mats0V0Manufacturing sequence Aurangabad0V7Information kit in English0Y7Tropical zones and high-water country0YEWeight range 5installation control only, no requirement forecast1ATElectronic stabilization program (ESP)1C2Antifreeze up to -30 degree celsius tolerance up to -40 degree C1D0Without trailer hitch1D6Nameplate set "TDI"1E0Without stivated charcoal canister1EYSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1JBRear shock absorption for rough-road design1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel		
0N4       4-link rear suspension         0R8       Ignition/starter switch locking system         0SS       Labels/plates in English and French         0TA       Without floor mats         0V0       Manufacturing sequence Aurangabad         0V7       Information kit in English         0V7       Tropical zones and high-water country         0V8       Weight range 5         installation control only, no         requirement forecast         1AT       Electronic stabilization program (ESP)         1C2       Antifreeze up to -35 degree celsius         tolerance up to -40 degree C         1D0       Without trailer hitch         1DG       Nameplate set "TDI"         1E0       Without activated charcoal canister         1EY       Special identification plate         with weight data, but without general       operating permit (ROW)         1G2       Steel spare wheel with original         equipment tires       IJB         1JB       Rear shock absorption for rough-road         design       IKS         1KS       Disc brakes, rear (Geomet D)         1MV       Leather steering wheel         1NV       Leather steering wheels         1NV       Leather st		
0RB       Ignition/starter switch locking system         0SS       Labels/plates in English and French         0TA       Without floor mats         0V0       Manufacturing sequence Aurangabad         0VF       Information kit in English         0V7       Tropical zones and high-water country         0YE       Weight range 5         installation control only, no         requirement forecast         1AT       Electronic stabilization program (ESP)         1C2       Antifreeze up to -35 degree celsius         tolerance up to -40 degree C         1D0       Without trailer hitch         1DG       Nameplate set "TDI"         1E0       Without activated charcoal canister         1EY       Special identification plate         with weight data, but without general       operating permit (ROW)         1G2       Steel spare wheel with original         equipment tires       1JB         1JB       Rear shock absorption for rough-road         design       Iso brakes, rear (Geomet D)         1MV       Leather steering wheel         1NX       Speed-related variable steering assist         (Servotronic)       INL         Covers for alloy wheels         1PF       Stan		
0SSLabels/plates in English and French0TAWithout floor mats0V0Manufacturing sequence Aurangabad0VFInformation kit in English0Y7Tropical zones and high-water country0YEWeight range 5installation control only, no requirement forecast1ATElectronic stabilization program (ESP)1C2Antifreeze up to -35 degree celsius tolerance up to -40 degree C1D0Without trailer hitch1DGNameplate set "TDI"1E0Without activated charcoal canister1EYSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1JBRear shock absorption for rough-road design1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N1Covers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel		
OTAWithout floor matsOV0Manufacturing sequence AurangabadOVFInformation kit in EnglishOV7Tropical zones and high-water countryOY2Weight range 5installation control only, no requirement forecast1ATElectronic stabilization program (ESP)IC2Antifreeze up to -35 degree celsius tolerance up to -40 degree CID0Without trailer hitchIDGNameplate set "TDI"IE0Without activated charcoal canisterIEYSpecial identification plate with weight data, but without general operating permit (ROW)IG2Steel spare wheel with original equipment tiresIJBRear shock absorption for rough-road designIKSDisc brakes, rear (Geomet D)IMVLeather steering wheelIN3Speed-related variable steering assist (Servotronic)INLCovers for alloy wheelsIPFStandard wheel boltsIQ0Without mass damper for steering wheel	1	
0V0Manufacturing sequence Aurangabad0VFInformation kit in English0Y7Tropical zones and high-water country0YEWeight range 5installation control only, no requirement forecast1ATElectronic stabilization program (ESP)1C2Antifreze up to -35 degree celsius tolerance up to -40 degree C1D0Without trailer hitch1D6Nameplate set "TDI"1E0Without activated charcoal canister1E7Special identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1JBRear shock absorption for rough-road design1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel	1	
0VFInformation kit in English0V7Tropical zones and high-water country0VEWeight range 5 installation control only, no requirement forecast1ATElectronic stabilization program (ESP)1C2Antifreeze up to -35 degree celsius tolerance up to -40 degree C1D0Without trailer hitch1D6Nameplate set "TDI"1E0Without activated charcoal canister1EYSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1JBRear shock absorption for rough-road design1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel		
0Y7Tropical zones and high-water country0YEWeight range 5 installation control only, no requirement forecast1ATElectronic stabilization program (ESP)1C2Antifreeze up to -35 degree celsius tolerance up to -40 degree C1D0Without trailer hitch1DGNameplate set "TDI"1EVSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1JBRear shock absorption for rough-road design1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1PFStandard wheel bolts1Q0Without mass damper for steering wheel		
0YE       Weight range 5         installation control only, no         requirement forecast         1AT         Electronic stabilization program (ESP)         1C2         Antifreeze up to -35 degree celsius         tolerance up to -40 degree C         1D0       Without trailer hitch         1DG       Nameplate set "TDI"         1E0       Without activated charcoal canister         1EY       Special identification plate         with weight data, but without general       operating permit (ROW)         1G2       Steel spare wheel with original         equipment tires       IJB         1JB       Rear shock absorption for rough-road         design       IKS         1KS       Disc brakes, rear (Geomet D)         1MV       Leather steering wheel         1N3       Speed-related variable steering assist         (Servotronic)       INL         Covers for alloy wheels         1FF       Standard wheel bolts         1Q0       Without mass damper for steering wheel	1	
<ul> <li>installation control only, no requirement forecast</li> <li>1AT Electronic stabilization program (ESP)</li> <li>1C2 Antifreze up to -35 degree celsius tolerance up to -40 degree C</li> <li>1D0 Without trailer hitch</li> <li>1DG Nameplate set "TDI"</li> <li>1E0 Without activated charcoal canister</li> <li>1EY Special identification plate with weight data, but without general operating permit (ROW)</li> <li>1G2 Steel spare wheel with original equipment tires</li> <li>1JB Rear shock absorption for rough-road design</li> <li>1KS Disc brakes, rear (Geomet D)</li> <li>1MV Leather steering wheel</li> <li>1N3 Speed-related variable steering assist (Servotronic)</li> <li>1NL Covers for alloy wheels</li> <li>1PF Standard wheel bolts</li> <li>1Q0 Without mass damper for steering wheel</li> </ul>	1	
<ul> <li>requirement forecast</li> <li>1AT Electronic stabilization program (ESP)</li> <li>1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C</li> <li>1D0 Without trailer hitch</li> <li>1DG Nameplate set "TDI"</li> <li>1E0 Without activated charcoal canister</li> <li>1EY Special identification plate with weight data, but without general operating permit (ROW)</li> <li>1G2 Steel spare wheel with original equipment tires</li> <li>1JB Rear shock absorption for rough-road design</li> <li>1KS Disc brakes, rear (Geomet D)</li> <li>1MV Leather steering wheel</li> <li>1N3 Speed-related variable steering assist (Servotronic)</li> <li>1NL Covers for alloy wheels</li> <li>1PF Standard wheel bolts</li> <li>1Q0 Without mass damper for steering wheel</li> </ul>		
<ul> <li>1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C</li> <li>1D0 Without trailer hitch</li> <li>1DG Nameplate set "TDI"</li> <li>1E0 Without activated charcoal canister</li> <li>1EY Special identification plate with weight data, but without general operating permit (ROW)</li> <li>1G2 Steel spare wheel with original equipment tires</li> <li>1JB Rear shock absorption for rough-road design</li> <li>1KS Disc brakes, rear (Geomet D)</li> <li>1MV Leather steering wheel</li> <li>1N3 Speed-related variable steering assist (Servotronic)</li> <li>1NL Covers for alloy wheels</li> <li>1PF Standard wheel bolts</li> <li>1Q0 Without mass damper for steering wheel</li> </ul>		requirement forecast
tolerance up to -40 degree C         1D0       Without trailer hitch         1DG       Nameplate set "TDI"         1E0       Without activated charcoal canister         1EY       Special identification plate with weight data, but without general operating permit (ROW)         1G2       Steel spare wheel with original equipment tires         1JB       Rear shock absorption for rough-road design         1KS       Disc brakes, rear (Geomet D)         1MV       Leather steering wheel         1N3       Speed-related variable steering assist (Servotronic)         1NL       Covers for alloy wheels         1PF       Standard wheel bolts         1Q0       Without mass damper for steering wheel	1AT	Electronic stabilization program (ESP)
1D0Without trailer hitch1DGNameplate set "TDI"1E0Without activated charcoal canister1EYSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1JBRear shock absorption for rough-road design1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel	1C2	Antifreeze up to -35 degree celsius
1DGNameplate set "TDI"1E0Without activated charcoal canister1EYSpecial identification plate with weight data, but without general operating permit (ROW)1G2Steel spare wheel with original equipment tires1JBRear shock absorption for rough-road design1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel		tolerance up to -40 degree C
<ul> <li>1E0 Without activated charcoal canister</li> <li>1EY Special identification plate <ul> <li>with weight data, but without general</li> <li>operating permit (ROW)</li> </ul> </li> <li>1G2 Steel spare wheel with original <ul> <li>equipment tires</li> </ul> </li> <li>1JB Rear shock absorption for rough-road <ul> <li>design</li> </ul> </li> <li>1KS Disc brakes, rear (Geomet D)</li> <li>1MV Leather steering wheel</li> <li>1N3 Speed-related variable steering assist <ul> <li>(Servotronic)</li> </ul> </li> <li>1NL Covers for alloy wheels</li> <li>1PF Standard wheel bolts</li> <li>1Q0 Without mass damper for steering wheel</li> </ul>	1D0	Without trailer hitch
<ul> <li>1EY Special identification plate with weight data, but without general operating permit (ROW)</li> <li>1G2 Steel spare wheel with original equipment tires</li> <li>1JB Rear shock absorption for rough-road design</li> <li>1KS Disc brakes, rear (Geomet D)</li> <li>1MV Leather steering wheel</li> <li>1N3 Speed-related variable steering assist (Servotronic)</li> <li>1NL Covers for alloy wheels</li> <li>1PF Standard wheel bolts</li> <li>1Q0 Without mass damper for steering wheel</li> </ul>		Nameplate set "TDI"
<ul> <li>with weight data, but without general operating permit (ROW)</li> <li>1G2 Steel spare wheel with original equipment tires</li> <li>1JB Rear shock absorption for rough-road design</li> <li>1KS Disc brakes, rear (Geomet D)</li> <li>1MV Leather steering wheel</li> <li>1N3 Speed-related variable steering assist (Servotronic)</li> <li>1NL Covers for alloy wheels</li> <li>1PF Standard wheel bolts</li> <li>1Q0 Without mass damper for steering wheel</li> </ul>		
<ul> <li>operating permit (ROW)</li> <li>1G2 Steel spare wheel with original equipment tires</li> <li>1JB Rear shock absorption for rough-road design</li> <li>1KS Disc brakes, rear (Geomet D)</li> <li>1MV Leather steering wheel</li> <li>1N3 Speed-related variable steering assist (Servotronic)</li> <li>1NL Covers for alloy wheels</li> <li>1PF Standard wheel bolts</li> <li>1Q0 Without mass damper for steering wheel</li> </ul>	1EY	
1G2Steel spare wheel with original equipment tires1JBRear shock absorption for rough-road design1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel		
<ul> <li>equipment tires</li> <li>1JB Rear shock absorption for rough-road design</li> <li>1KS Disc brakes, rear (Geomet D)</li> <li>1MV Leather steering wheel</li> <li>1N3 Speed-related variable steering assist (Servotronic)</li> <li>1NL Covers for alloy wheels</li> <li>1PF Standard wheel bolts</li> <li>1Q0 Without mass damper for steering wheel</li> </ul>		
1JBRear shock absorption for rough-road design1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel	1G2	
design         1KS       Disc brakes, rear (Geomet D)         1MV       Leather steering wheel         1N3       Speed-related variable steering assist (Servotronic)         1NL       Covers for alloy wheels         1PF       Standard wheel bolts         1Q0       Without mass damper for steering wheel		
1KSDisc brakes, rear (Geomet D)1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel	1JB	
1MVLeather steering wheel1N3Speed-related variable steering assist (Servotronic)1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel	4170	
1N3Speed-related variable steering assist (Servotronic)1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel		
(Servotronic)1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel		
1NLCovers for alloy wheels1PFStandard wheel bolts1Q0Without mass damper for steering wheel	1N3	
1PFStandard wheel bolts1Q0Without mass damper for steering wheel	1.11	
1Q0 Without mass damper for steering wheel		
	1	
	101	I VVI MI UIU JUCA



#### **PR Numbers**

PK Nulliber	15
1SB	Additional front underbody guard
1T3	First aid kit with warning triangle
1W2	Glove compartment cooling system
1X0	Front wheel drive
1Z0	Initial standard fuel filling
1ZE	Disc brakes, front (Geomet D)
2B0	Without additional exterior noise
	suppression
2C5	Axial and vertical adjustable steering
	column
2G5	Filler neck module 1 without insert
2JG	Body-colored bumpers
2LD	Fuel tank without differentiation of
	special material treatment
	(fluorination/co-extrusion)
2UB	Rough-road design
2V1	Dust and pollen filter
2WA	Without additional tires
<b>3B4</b>	Child seat anchor for
	child seat system ISOFIX
3C7	3-point seat belt for center rear seat
3FA	Without roof insert (standard roof)
3G0	Without child seat anchor front (ISOFIX)
3H0	Without backrest release for front seats
3J1	Height-adjustable headrests for front
	seats
3KA	Rear seat bench unsplit, backrest split
21.2	folding Manual height a director of fam from the state
3L3	Manual height adjustment for front seats
3LD 3MF	Door and side trim panel Diloung floor covoring with couff guard
3P1	Dilours floor covering with scuff guard Bracket for first aid kit and warning
511	triangle
3QT	3-point seat belts with tensioner and
JUI	height adjustment, front
3SB	Standard seat, front right
35D 3T2	Three rear headrests
3TE	Standard seat, front left
3W0	Without additional noise suppression
0.00	measures for passenger compartment
3YQ	Door pockets without insert mats
3ZU	3-point seat belts, outer rear with ECE
	label
4A0	Without seat heater
4E2	Tailgate/trunk lid release
	from inside (electrically)
4GF	Windshield in heat-insulating glass
4K3	Radio remote controlled central locking
	operated from inside and safe securing
4KC	Side and rear windows in heat-insulating
	glass
4L2	Dipping breakaway interior rear view
	mirror
1	



**PR Numbers** 

4M2	Cup holder in center console front and
	in tray rear
4N3	Comfort dashboard
4P1	Rear floor panel module, type 2
4R4	Power windows with comfort operation and circuit breaker
4SD	Left vanity mirror, illuminated
4TD	Right vanity mirror illuminated
4U0	Without luggage nets/pockets
	on backrests
4UF	Driver's and front passenger air bag
	with front passenger air bag
	deactivation
4X3	Side air bag front with curtain air bag
4Z3	Lockable glove compartment door, with
	light
4ZA	Standard moldings
5A2	Comfort trunk lining
5C0	Without special body measures
5D1	Carrier frequency 433.92 MHz-434.42 Mhz
5J0	Without rear spoiler
5K7	Transport protection film (minimum
	protection) with additional transport
	protection measures
5MJ	Decorative inserts
5RD	Right exterior mirror, aspherical
	(India)
5SD	Left exterior mirror, convex (India)
6A0	Without fire extinguisher
6E3	Front center armrest
6FF	Body-colored exterior mirror housings
	and various add-on parts
6KA	Radiator grille
6M0	Without tie down straps/net/pocket
6P1	License plate carrier rear (ECE)
6PE	Leather hand brake lever handle
6Q2	Leather gearshift knob/handle
6SF	Standard trunk floor covering
6W1	License plate carrier front (large)
6XN	Exterior mirrors: electrically
	adjustable, separately heated
7A0	Without CD changer/CD player
7B5	12-volt socket(s)
7E0	W/o heat accumulator/auxiliary heating
7G0	Without preparation for VTS
	(vehicle tracking system)
7K0	Without tire pressure warning light
7KK	Vehicle class differentiation -160-
7L3	Without start/stop system without
	regenerative braking
7M5	Without protective film for scuff plate
7ML	Emission standard, EU4 IND Bharat Stage 4
7N1	Tray on roof liner



PR	Numbers
----	---------

PR Numbers	S
7P0	Without lumbar support
	in seat backrests
7PA	Platform group class 1
7Q0	Without navigation device
7QA	Without CD/DVD for navigation
7R3	Side turn signal lights (white)
7X0	Without park distance control
8G0	Without light assistant
8GU	Alternator 140 A
8ID	Halogen twin headlights
8K0	Without special headlight
	activation
8N4	Windshield wiper intermittent control
	with potentiometer (four speeds)
8Q1	Headlight-range adjustment
8RM	8 speakers (passive)
8S0	Without reading light
8SA	Taillight assemblies, standard design
8T0	Without cruise control system (CCS)
8TD	Rear fog light for driving on the left
8UP	Ultralow radio China
8W0	Without washer fluid level indicator
8WA	Without front fog light
8X0	Without headlight washer system
8Y2	Horn for extreme demands
8Z6	Hot country
8ZG	Antenna for AM/FM reception
9JA	Non-smoking package
9M0	Without auxiliary/parking heater
9P3	Seat belt reminder, electric contact in
	buckle
9Q1	Multi-function display/on-board computer
9T0	Without heated washer nozzles
9TC	Additional reflectors (door area)
9U1	Brake pad wear indicator
9V0	Without anti-theft protection system
9W0	W/o car phone preparation/installation
9WL	Multimedia socket for external audio
	source

9Z0 Operating voltage 12V