



# Car data

|  |  |
|--|--|
|  |  |
|--|--|

|                    |                          |                           |               |
|--------------------|--------------------------|---------------------------|---------------|
| VIN Number         | <b>TMBBBL3T0BA303612</b> | Engine Code               | <b>CDAA</b>   |
| Sales Type         | <b>3T43L5</b>            | Transmission Code         | <b>NMY</b>    |
| Model Year         | <b>2012</b>              | Finaldrive Ident          | <b>6S</b>     |
| Model              | <b>SUP</b>               | Interior Trim Code        | <b>LE</b>     |
| Model Designation  | <b>superb elegance</b>   | Roof Color                | <b>X7</b>     |
| Date of Production | <b>09.12.2011</b>        | Exterior Color/Paint Code | <b>X7/F3X</b> |
| Order Number       |                          |                           |               |

**PR Numbers**

|            |  |
|------------|--|
| <b>A8D</b> | <b>Luxury equipment</b>  |
| <b>AZ0</b> | <b>Vehicle with standard production scope</b>  |
| <b>B3E</b> | <b>Component parts set, complying with vehicle type for India, various parts</b>                                   |
| <b>B79</b> | <b>Type approval India</b>   |
| <b>C00</b> | <b>Operating permit, initial registration</b>  |
| <b>CB6</b> | <b>Alloy wheels 7J x 16</b>  |
| <b>D67</b> | <b>4-cyl. gasoline engine 1.8 l/118 kW 16V turbo FSI, homogeneous<br/>Base engine: TJ2/TT2/TE6/TH2/TF6/TW2/TH6</b> |
| <b>E0A</b> | <b>No special edition</b>  |
| <b>EA0</b> | <b>Without subsequent warranty</b>   |
| <b>F0A</b> | <b>No special purpose vehicle, standard equipment</b>  |
| <b>FB0</b> | <b>Standard paint coating</b>  |
| <b>G0K</b> | <b>6-speed manual transmission</b>   |
| <b>G55</b> | <b>Front shock absorption</b>  |
| <b>GR0</b> | <b>Without emergency tire inflator</b>   |
| <b>HH7</b> | <b>Tires 205/55 R16 91V</b>  |
| <b>J1L</b> | <b>Battery 280 A (60 Ah)</b>   |
| <b>K8L</b> | <b>Notchback - long wheelbase</b>  |
| <b>L0R</b> | <b>Right-hand drive vehicle</b>  |
| <b>L18</b> | <b>Suspension range 18<br/>installation control only, no requirement forecast</b>                                  |
| <b>N1A</b> | <b>Leather seat covering</b>   |
| <b>ND0</b> | <b>Without adapter</b>   |
| <b>NG0</b> | <b>Without top carrier</b>   |
| <b>Q2J</b> | <b>Comfort front seats</b>   |
| <b>QA0</b> | <b>Without child seat</b>  |
| <b>QE0</b> | <b>Without tray areas package/box</b>  |
| <b>QG1</b> | <b>Service interval prolongation</b>   |
| <b>QJ1</b> | <b>Chrome work package</b>   |
| <b>QN0</b> | <b>Without drawers under front seats</b>   |
| <b>QV0</b> | <b>W/o TV reception/digital radio reception</b>  |
| <b>TE6</b> | <b>4-cylinder gasoline engine 1.8 l unit 06J.3</b>   |
| <b>U5A</b> | <b>Instrument insert, km/h speedometer</b>   |
| <b>UF0</b> | <b>Without electric interface</b>  |
| <b>UG1</b> | <b>Hill hold control</b>   |
| <b>VF0</b> | <b>Standard pedal cluster</b>  |



|  |  |
|--|--|
|  |  |
|--|--|

## PR Numbers

|            |  |
|------------|--|
| <b>VL0</b> | <b>Standard pedestrian protection measures</b>                                 |
| <b>0AF</b> | <b>Front stabilizer</b>  |
| <b>0BE</b> | <b>Rear stabilizer</b>   |
| <b>0C0</b> | <b>Standard</b>  |
| <b>0EJ</b> | <b>Installation differentiation for transmission MQ 250 vehicle components</b> |
| <b>0KA</b> | <b>Without stickers and badges</b>   |
| <b>0NM</b> | <b>Without engine designation and nameplate set</b>                            |
| <b>0P2</b> | <b>Exhaust tailpipe with trim</b>  |
| <b>0RA</b> | <b>Without ignition/starter switch locking system</b>                          |
| <b>0SS</b> | <b>Labels/plates in English and French</b>                                     |
| <b>0TR</b> | <b>Front and rear floor mats, wedge-shaped rear</b>                            |
| <b>0V2</b> | <b>Manufacturing sequence Ustkamenogorsk</b>                                   |
| <b>0VF</b> | <b>Information kit in English</b>  |
| <b>0Y2</b> | <b>Tropical zones</b>  |
| <b>0YD</b> | <b>Weight range 4 installation control only, no requirement forecast</b>       |
| <b>1A5</b> | <b>Fuel system for fuel-injected engine</b>                                    |
| <b>1AT</b> | <b>Electronic stabilization program (ESP)</b>                                  |
| <b>1CM</b> | <b>Vehicle class differentiation 3T0</b>                                       |
| <b>1D0</b> | <b>Without trailer hitch</b>   |
| <b>1E1</b> | <b>Activated carbon canister</b>   |
| <b>1ED</b> | <b>Special identification plate</b>  |
| <b>1G2</b> | <b>Steel spare wheel with original equipment tires</b>                         |
| <b>1JB</b> | <b>Rear shock absorption for rough-road design</b>                             |
| <b>1KJ</b> | <b>Disc brakes, rear</b>   |
| <b>1N3</b> | <b>Speed-related variable steering assist (Servotronic)</b>                    |
| <b>1NL</b> | <b>Covers for alloy wheels</b>   |
| <b>1PF</b> | <b>Standard wheel bolts</b>  |
| <b>1Q0</b> | <b>Without mass damper for steering wheel</b>                                  |
| <b>1S1</b> | <b>Tool kit and jack</b>   |
| <b>1SK</b> | <b>Additional engine and transmission guard and underbody stone guard</b>      |
| <b>1T2</b> | <b>Warning triangle</b>  |
| <b>1VG</b> | <b>Installation parts for four-cylinder engine</b>                             |
| <b>1W2</b> | <b>Glove compartment cooling system</b>  |
| <b>1X0</b> | <b>Front wheel drive</b>   |
| <b>1Z0</b> | <b>Initial standard fuel filling</b>   |
| <b>1ZA</b> | <b>Disc brakes, front</b>  |
| <b>2A0</b> | <b>Without delivery equipment</b>  |
| <b>2G7</b> | <b>Filler neck module 1 with insert</b>  |
| <b>2JV</b> | <b>Body-colored bumpers</b>  |
| <b>2LC</b> | <b>Fuel tank with special material treatment (coextrusion)</b>                 |



|  |  |
|--|--|
|  |  |
|--|--|

## PR Numbers

|     |  |
|-----|--|
| 2T1 | Double-sized standard (DIN)  |
| 2UB | Rough-road design  |
| 2V6 | Fresh air intake with dust filter  |
| 2W3 | Fuel filler cap remote unlocking   |
| 2ZA | Multi-function steering wheel  |
| 3B3 | Child seat anchor  |
| 3CA | Without partition  |
| 3D4 | Center console   |
| 3FE | Electric slide/tilt sunroof<br>with sun screen/sunblind                            |
| 3G0 | Without child seat anchor front (ISOFIX)   |
| 3GD | Plane rear cargo area  |
| 3J1 | Height-adjustable headrests for front<br>seats                                     |
| 3L6 | Electric seat adjustment for both front<br>seats, driver's seat with memory system |
| 3N1 | Stowage box in luggage boot  |
| 3NU | Rear seat bench unsplit, backrest split<br>folding with center armrest             |
| 3Q6 | Three rear headrests   |
| 3S4 | Preparation for roof load rack   |
| 3U1 | Foldable trunk cover   |
| 3W0 | Without additional noise suppression<br>measures for passenger compartment         |
| 3X0 | Without load-through provision   |
| 3Y3 | Roll-up sun screen for rear window and<br>rear side windows                        |
| 3ZM | 3-point seat belts, outer rear   |
| 4A0 | Without seat heater  |
| 4AT | Door and side trim panel in leatherette<br>over the full surface                   |
| 4B1 | Protective side molding  |
| 4D0 | Without seat ventilation/massage seat  |
| 4E2 | Tailgate/trunk lid release<br>from inside (electrically)                           |
| 4GF | Windshield in heat-insulating glass  |
| 4K3 | Radio remote controlled central locking<br>operated from inside and safe securing  |
| 4KC | Side and rear windows in heat-insulating<br>glass                                  |
| 4L6 | Breakaway interior rear view mirror,<br>automatically dimming                      |
| 4LC | Radio and telephone controls   |
| 4M9 | Cup holder   |
| 4QW | Seat belts front   |
| 4S1 | Armrests for both front seats  |
| 4UE | Air bag for driver and front seat<br>passenger                                     |
| 4V0 | Without front passenger seat adjustment<br>from the rear                           |
| 4X4 | Side air bag, front and rear<br>with curtain air bag                               |
| 4YD | Stowage box rear   |



|  |  |
|--|--|
|  |  |
|--|--|

## PR Numbers

|     |  |
|-----|--|
|     | (door and side panel)  |
| 4Z5 | Glove compartment door with light  |
| 4ZB | Bright moldings  |
| 5A9 | Luggage compartment lining   |
| 5D1 | Carrier frequency 433.92 MHz-434.42 Mhz  |
| 5J4 | Body-colored rear spoiler  |
| 5K5 | Transit coating film with additional transport protection measures                                     |
| 5L0 | Without front spoiler  |
| 5RK | Right exterior mirror: flat  |
| 5SR | Left exterior mirror: convex (AGCC)  |
| 5TK | Decorative inserts, wood trim  |
| 5XC | Sun visors with illuminated vanity mirror on driver's and front seat passenger's side                  |
| 6A0 | Without fire extinguisher  |
| 6E3 | Front center armrest   |
| 6EP | Additional stone guard body covers   |
| 6FB | Body-colored exterior mirror housings  |
| 6KA | Radiator grille  |
| 6LH | Comfort air outlet   |
| 6M0 | Without tie down straps/net/pocket   |
| 6N1 | Mud flaps rear   |
| 6PC | Leather hand brake lever handle  |
| 6Q2 | Leather gearshift knob/handle  |
| 6R1 | Leatherette gearshift boot   |
| 6SG | Trunk floor covering "Comfort"   |
| 6T1 | Interior light in footwell   |
| 6XL | Exterior mirrors: with memory function, automatically dimming, electrically foldable/adjustable/heated |
| 6Y0 | Without cruise control warning system  |
| 7A0 | Without CD changer/CD player   |
| 7AL | Anti-theft alarm system, passenger compartment control, backup horn and towing protection              |
| 7B2 | 12-volt socket in luggage boot   |
| 7E0 | W/o heat accumulator/auxiliary heating   |
| 7K9 | Flat tire indicator  |
| 7L3 | Without start/stop system without regenerative braking   |
| 7M3 | Scuff plates in door apertures   |
| 7MG | Emission standard EU5  |
| 7N2 | Spectacle tray/bracket   |
| 7P1 | Power adjustable lumbar support in front seats   |
| 7PB | Platform group class 2   |
| 7Q0 | Without navigation device  |
| 7QA | Without CD/DVD for navigation  |
| 7R7 | Side marker lights plus additional turn signal lights in exterior mirrors                              |
| 7X2 | Park distance control, front and rear  |
| 7Y0 | Without lane change assistant  |



|  |  |
|--|--|
|  |  |
|--|--|

PR Numbers

|     |   |
|-----|---|
| 8AK | Radio   |
| 8EC | Bi-functional headlight with gas discharge lamp, for driving on the left                  |
| 8FA | Without second battery  |
| 8GU | Alternator 140 A  |
| 8K8 | Low beam assistant with "Coming Home" function  |
| 8L6 | "diversity" window antenna  |
| 8M0 | W/o rear window wiper and washer system   |
| 8N6 | Windshield wiper intermittent control with light/rain sensor                              |
| 8Q6 | Headlight-range adjustment, automatic/dynamic with fixed and dynamic bending light(AFS 2) |
| 8QL | Key for locking system with remote control  |
| 8RM | 8 speakers (passive)  |
| 8SA | Taillight assemblies, standard design   |
| 8T2 | Cruise control system (CCS) electronic  |
| 8TF | Rear fog lights, left and right   |
| 8U0 | Without additional instruments for distance measurement                                   |
| 8V0 | Without cigarette lighter   |
| 8W1 | Washer fluid level indicator  |
| 8WD | Integrated front fog light  |
| 8X1 | Headlight washer system   |
| 8Y2 | Horn for extreme demands  |
| 8Z6 | Hot country   |
| 9A0 | Without taxi alarm system   |
| 9AK | Climatronic with impact pressure control free of cfc                                      |
| 9E1 | Luggage compartment lighting  |
| 9GD | Two interior lights with door pillar switch and switch-off delay                          |
| 9HA | Without additional malfunction display  |
| 9JA | Non-smoking package   |
| 9KA | Without identification lights   |
| 9M0 | Without auxiliary/parking heater  |
| 9P3 | Seat belt reminder, electric contact in buckle  |
| 9Q2 | Multi-function display/on-board computer with check control                               |
| 9T0 | Without heated washer nozzles   |
| 9TG | Additional warning lights (door area) front   |
| 9U1 | Brake pad wear indicator  |
| 9W8 | Car phone preparation   |
| 9WR | Installation of audio connection  |
| 9Y1 | Outdoor temperature gage  |
| LE  | Interior Trim Code  |
| X7  | Exterior Color (rosso brunello red) , Paint Code : F3X                                    |