

Specification

	S			SE			ES		EX		EX GT	
	1.4 i-VTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.4 i-VTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man
ENGINE												
Engine type	SOHC	SOHC	DOHC	SOHC	SOHC	DOHC	SOHC	DOHC	SOHC	DOHC	SOHC	DOHC
Displacement (cc)	1339	1798	2199	1339	1798	2199	1798	2199	1798	2199	1798	2199
Engine Maximum Power (PS @ rpm)	100 @ 6000	142 @ 6500	150 @ 4000	100 @ 6000	142 @ 6500	150 @ 4000	142 @ 6500	150 @ 4000	142 @ 6500	150 @ 4000	142 @ 6500	150 @ 4000
Engine Maximum Torque (Nm @ rpm)	127 @ 4800	174 @ 4300	350 @ 2000	127 @ 4800	174 @ 4300	350 @ 2000	174 @ 4300	350 @ 2000	174 @ 4300	350 @ 2000	174 @ 4300	350 @ 2000
Fuel type	Petrol	Petrol	Diesel	Petrol	Petrol	Diesel	Petrol	Diesel	Petrol	Diesel	Petrol	Diesel
Acceleration 0-62 mph (secs)	13.0	8.7/10.4	8.3	13.4	9.1/10.9	8.5	9.1/10.9	8.5	9.1/10.9	8.5	9.6/11.5	8.8
Max speed (mph)	116	134/130	135	116	134/130	135	134/130	135	134/130	135	134/130	135
FUEL ECONOMY AND EMISSIONS†												
Urban cycle (mpg)	42.8	38.7/32.5	55.4	42.2	38.7/32.5	55.4	37.2/32.5	55.4	37.2/32.5	55.4	37.2/32.5	54.3
Extra urban (mpg)	60.1	57.6/58.9	76.3	60.1	57.6	76.3	55.4/57.6	76.3	55.4/57.6	76.3	54.3/56.5	72.4
Combined (mpg)	52.3	48.7/44.8	67.6	52.3	48.7/44.8	67.3	47.1/44.8	67.3	47.1/44.8	67.3	46.3/44.1	64.2
Combined CO ₂ (g/km)	128	136/148	110	129	137/148	110	143/148	110	143/148	110	145/150	115
DIMENSIONS												
Overall length (mm)	4300	4300	4300	4300	4300	4300	4300	4300	4300	4300	4300	4300
Overall width (mm)	1770	1770	1770	1770	1770	1770	1770	1770	1770	1770	1770	1770
Overall width including door mirror (mm)	2065	2065	2065	2065	2065	2065	2065	2065	2065	2065	2065	2065
Overall height - unladen with antenna (mm)	1590	1590	1590	1470	1470	1470	1470	1470	1470	1470	1470	1470
Wheelbase (mm)	2595	2595	2595	2595	2595	2595	2595	2595	2595	2595	2595	2595
Tread front (mm)	1540	1540	1540	1540	1540	1540	1540	1540	1540	1540	1530	1530
Tread rear (mm)	1540	1540	1540	1540	1540	1540	1540	1540	1540	1540	1530	1530
Ground clearance - with driver (mm)	140	140	145	140	140	145	140	145	140	145	140	145
Turning circle - at body (m)	5.63	5.63	5.62	5.63	5.63	5.62	5.63	5.62	5.63	5.62	5.91	5.91
CAPACITY												
Boot capacity - rear seat up (litres, VDA method)	477	477	477	477	477	477	477	477	467	467	467	467
Boot capacity - rear seat down load to window (litres, VDA method)	1210	1210	1210	1210	1210	1210	1200	1200	1200	1200	1200	1200
Fuel tank (litres)	50	50	50	50	50	50	50	50	50	50	50	50
WEIGHT												
Kerb weight (kg)	1185-1272	1209-1292/ 1242-1378	1367-1487	1185-1272	1209 1292/ 1242-1378	1367-1487	1270-1344/ 1242-1378	1367-1487	1270-1344/ 1242-1378	1367-1487	1270-1344/ 1242-1378	1367-1487
Maximum permissible weight (kg)	1680	1720	1910	1680	1720/1790	1910	1750/1790	1910	1750/1790	1910	1750/1790	1910
Maximum towing weight (kg) braked*	N/A	N/A	1500	1200	1400/1000	1500	1400/1000	1500	1400/1000	1500	1400/1000	1500
Maximum towing weight (kg) unbraked*	N/A	N/A	500	500	500	500	500	500	500	500	500	500
Maximum roof load (kg)	75	75	75	75	75	75	75	75	75	75	45	45
SAFETY												
Driver i-SRS airbag (dual stage inflation)	•	•	•	•	•	•	•	•	•	•	•	•
Passenger SRS airbag with cut off switch	•	•	•	•	•	•	•	•	•	•	•	•
Side airbags (front)	•	•	•	•	•	•	•	•	•	•	•	•
Side curtain airbags (front and rear)	•	•	•	•	•	•	•	•	•	•	•	•
Whiplash lessening front headrests	•	•	•	•	•	•	•	•	•	•	•	•
Front ventilated disc brakes	•	•	•	•	•	•	•	•	•	•	•	•
Rear ventilated disc brakes	•	•	•	•	•	•	•	•	•	•	•	•
ABS (Anti-lock Braking System)	•	•	•	•	•	•	•	•	•	•	•	•

Specification

Specification	S			SE			ES		EX		EX GT	
	1.4 i-VTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.4 i-VTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man
Electronic Brakeforce Distribution (EBD)	•	•	•	•	•	•	•	•	•	•	•	•
Electronic Brake Assist (EBA)	•	•	•	•	•	•	•	•	•	•	•	•
Vehicle Stability Assist (VSA)	•	•	•	•	•	•	•	•	•	•	•	•
Hill Start Assist (HSA)	•	•	•	•	•	•	•	•	•	•	•	•
Front seatbelt pre-tensioners	•	•	•	•	•	•	•	•	•	•	•	•
Rear seat belts with Emergency Locking Retractor (ELR)	•	•	•	•	•	•	•	•	•	•	•	•
ISOFix points (outer rear seats)	•	•	•	•	•	•	•	•	•	•	•	•
Collision Mitigation Braking System (CMBS)	-	-	-	-	-	-	-	-	-	-	○	○
SECURITY												
Engine immobiliser	•	•	•	•	•	•	•	•	•	•	•	•
Perimeter security alarm	•	•	•	•	•	•	•	•	•	•	•	•
Ultra Sonic alarm	-	-	-	-	-	-	•	•	•	•	•	•
Super locking	•	•	•	•	•	•	•	•	•	•	•	•
Tonneau cover	-	-	-	•	•	•	•	•	•	•	•	•
Remote central locking with 2 jack knife keys	•	•	•	•	•	•	•	•	•	•	-	-
Smart keyless entry & start	-	-	-	-	-	-	-	-	-	-	•	•
INTERIOR - TRIM												
Fabric upholstery	•	•	•	•	•	•	•	•	-	-	-	-
Leather upholstery [○]	-	-	-	-	-	-	-	-	•	•	•	•
Leather steering wheel	-	-	-	-	-	-	•	•	•	•	•	•
Leather gear knob	-	-	-	-	-	-	•/-	•	•/-	•	•/-	•
Drilled aluminium alloy pedals	-	-	-	-	-	-	•	•	•	•	•	•
FUNCTION AND TECHNOLOGY												
intelligent-Multi Info Display (i-MID)	•	•	•	•	•	•	•	•	•	•	•	•
Shift Indicator Light (SIL)	•	•/-	•	•	•/-	•	•/-	•	•/-	•	•/-	•
Electric Power Steering (EPS)	•	•	•	•	•	•	•	•	•	•	•	•
Idle Stop	•	•/-	•	•	•/-	•	•/-	•	•/-	•	•/-	•
Paddle shift	-	-/•	-	-	-/•	-	-/•	-	-/•	-	-/•	-
COMFORT AND CONVENIENCE												
Automatic climate control air conditioning	-	-	-	•	•	•	-	-	-	-	-	-
Dual zone automatic climate control	-	-	-	-	-	-	•	•	•	•	•	•
Cruise control with speed limiter	-	-	-	-	-	-	•	•	•	•	•	•
Adaptive Cruise Control (ACC)	-	-	-	-	-	-	-	-	-	-	○	○
Rain-sensing auto wipers	-	-	-	-	-	-	•	•	•	•	•	•
Rear wiper	-	-	-	•	•	•	•	•	•	•	•	•
Dusk-sensing auto lights	-	-	-	-	-	-	•	•	•	•	•	•
Auto dimming rear view mirror	-	-	-	-	-	-	-	-	-	-	•	•
Parking sensors (front and rear)	-	-	-	-	-	-	-	-	-	-	•	•
Power windows (front and rear)	•	•	•	•	•	•	•	•	•	•	•	•
Driver & passenger one touch power window (up/down)	•	•	•	•	•	•	•	•	•	•	•	•
Rear one touch power window (up/down)	-	-	-	-	-	-	•	•	•	•	•	•
Remote power window (key fob operation)	-	-	-	-	-	-	•	•	•	•	•	•

Specification

Specification	S			SE			ES		EX		EX GT	
	1.4 i-VTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.4 i-VTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man
Tilt and telescopic steering wheel	•	•	•	•	•	•	•	•	•	•	•	•
Electric adjustable and heated door mirrors	-	-	-	•	•	•	•	•	•	•	•	•
Electrically retractable door mirrors	-	-	-	-	-	-	•	•	•	•	•	•
Retractable door mirrors (key fob operation)	-	-	-	-	-	-	•	•	•	•	•	•
Sunvisor vanity mirrors	•	•	•	•	•	•	•	•	•	•	•	•
Sunvisor vanity mirrors with illumination	-	-	-	•	•	•	•	•	•	•	•	•
Sunglasses holder	-	-	-	-	-	-	-	-	-	-	•	•
Accessory socket (centre console)	-	-	-	•	•	•	•	•	•	•	•	•
Driver seat manual height adjustment	•	•	•	•	•	•	•	•	•	•	•	•
Driver seat power lumbar adjust	-	-	-	-	-	-	-	-	-	-	•	•
Passenger seat power lumbar adjust	-	-	-	-	-	-	-	-	-	-	•	•
Driver seat power adjustable side support	-	-	-	-	-	-	-	-	-	-	•	•
Front heated seats	-	-	-	-	-	-	-	-	•	•	•	•
Magic Seats	•	•	•	•	•	•	•	•	•	•	•	•
Sub boot	-	-	-	•	•	•	•	•	•	•	•	•
INTERIOR LIGHTS												
Map light (front)	-	-	-	•	•	•	•	•	•	•	•	•
Ambient light	-	-	-	-	-	-	•	•	•	•	•	•
Boot light	•	•	•	•	•	•	•	•	•	•	•	•
Interior blue ambient lighting (front)	-	-	-	-	-	-	-	-	-	-	•	•
AUDIO AND COMMUNICATIONS												
CD tuner - MP3 compatible	-	-	-	•	•	•	•	•	•	•	•	•
MP3 Compatible Premium Audio with Subwoofer	-	-	-	-	-	-	-	-	•	•	•	•
USB [▲] /auxiliary jack port (iPod compatible)	-	-	-	•	•	•	•	•	-	-	-	-
USB [▲] /video jack	-	-	-	-	-	-	-	-	•	•	•	•
4 speakers	-	-	-	•	•	•	-	-	-	-	-	-
6 speakers	-	-	-	-	-	-	•	•	•	•	•	•
Steering wheel-mounted audio controls	-	-	-	•	•	•	•	•	•	•	•	•
Bluetooth [®] Hands Free Telephone (HFT) system [○]	-	-	-	-	-	-	•	•	•	•	•	•
Rear view parking camera	-	-	-	-	-	-	•	•	•	•	•	•
HDD Navigation system	-	-	-	-	-	-	-	-	•	•	•	•
EXTERIOR												
Antenna	•	•	•	•	•	•	•	•	•	•	•	•
Panoramic glass roof	-	-	-	-	-	-	-	-	-	-	•	•
Privacy glass	-	-	-	-	-	-	-	-	-	-	•	•
Automatic shutter grille	-	-	•	-	-	•	-	•	-	•	-	•
EXTERIOR LIGHTS												
Halogen headlights	•	•	•	•	•	•	•	•	•	•	-	-
Auto-leveling Bi-HID headlights	-	-	-	-	-	-	-	-	-	-	•	•
High beam Support System (HSS)	-	-	-	-	-	-	-	-	-	-	•	•
Headlight washers	-	-	-	-	-	-	-	-	-	-	•	•
Front fog lights	-	-	-	-	-	-	•	•	•	•	•	•

Specification

	S			SE			ES		EX		EX GT	
	1.4 i-VTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.4 i-VTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man
LED Daytime Running Lights	•	•	•	•	•	•	•	•	•	•	•	•
High mount brake light	•	•	•	•	•	•	•	•	•	•	•	•
Headlight auto on/off timer	•	•	•	•	•	•	•	•	•	•	•	•
WHEELS												
15" alloy wheels	•	•	•	-	-	-	-	-	-	-	-	-
16" alloy wheels	-	-	-	•	•	•	•	•	•	•	-	-
17" alloy wheels	-	-	-	○	○	○	○	○	○	○	•	•
18" alloy wheels	-	-	-	-	-	-	-	-	-	-	○	○
Tyres 195/65 R15	•	•	•	-	-	-	-	-	-	-	-	-
Tyres 205/55 R16	-	-	-	•	•	•	•	•	•	•	-	-
Tyres 225/45 R17	-	-	-	○	○	○	○	○	○	○	•	•
Tyres 225/40 R18	-	-	-	-	-	-	-	-	-	-	○	○
Tyre repair kit	•	•	•	•	•	•	•	•	•	•	•	•

Key • Standard ○ Optional – Not available

	SE-T			ES-T	
	1.4 i-VTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man	1.8 i-VTEC Man/Auto	2.2 i-DTEC Man
SD Navigation system with integrated Bluetooth® Hands Free Telephone (HFT) [°]	•	•	•	•	•



4300 mm

[◇]With fabric inserts

[°]For a list of compatible phones, please refer to www.hondahandsfree.com

[^]Always use the recommended USB flash memory device. Some USB memory devices may not work in this audio unit.

[†]Fuel consumption CO₂ and weight figures are measured according to EC directive procedures. As a result of driving behaviour, road, traffic and weather conditions, general state and equipment level of the vehicle, real life fuel consumption and CO₂ figures may differ from these official values. In case of weight (defined as mass in running order), it applies to vehicles with standard equipment. Optional equipment may increase this figure and decrease the payload.

^{*}Maximum towing weight: These are based on the ability of the car, with two occupants of 75kg each, to restart on a 12% gradient at sea level. At altitudes in excess of 1,000 metres, engine output may drop with a reduction in towing capability. The maximum permissible weight is the total weight of the driver, passengers, luggage and towbar.



2065 mm



1770 mm
(2065 mm including door mirrors)