



CATALOGUE



GREAVES
SINCE 1859

AMSOIL
by GREAVES

**AMSOIL
ENABLES EXTREME
PERFORMANCE.**





AMSOIL

by GREAVES



AMSOIL ENABLES EXTREME PERFORMANCE.



Longer-lasting Engines



5x Cleaner Engines



Lasts Longer, Saves Money



Protection Against Extreme Heat



36% Easier & Faster Cold Starts



World-class Wear Protection



Signature Series - 5W-30 (ASL) Synthetic Motor Oil

API Service SN (Resource Conserving), SM...
• ILSAC GF-5, 4...
• GM dexos1TM*

AMSOIL Signature Series Synthetic Motor Oil represents the pinnacle of lubrication science. It is the result of over 40 years of synthetic lubricant engineering. Signature Series brings not only industry-leading performance, but top value as well; its extended-drain performance delivers guaranteed

Protection for upto 40,000 kms, 700 hours of operation or 1 year which ever comes first

Signature Series Synthetic Motor Oil offers a rare combination of performance and value.

- Engineered to outperform conventional petroleum oils.
- Designed to reduce friction, heat and wear for maximum
- Resists high-temperature burn-off, chemical breakdown and sludging – keeps engines clean.
- Outstanding low- temp fluidity for fast, Dependable winter starts and immediate startup protection.
- Exceeds the most demanding worldwide performance standards and meets warranty requirements for domestic and imported passenger car engines, both turbocharged and non-turbocharged.



Signature Series - 0W-40 (AZF) Synthetic Motor Oil

API Service SN,
SM...
• Chrysler MS-12633, MS-10725, MS-10850;
Nissan GT-R®

AMSOIL Signature Series Synthetic Motor Oil represents the pinnacle of lubrication science. It is the result of over 40 years of synthetic lubricant engineering. Signature Series brings not only industry-leading performance, but top value as well; its extended-drain performance delivers guaranteed

Protection for upto 40,000 kms, 700 hours of operation or 1 year which ever comes first

Signature Series Synthetic Motor Oil offers a rare combination of performance and value.

- Engineered to outperform conventional petroleum oils.
- Designed to reduce friction, heat and wear for maximum
- Resists high-temperature burn-off, chemical breakdown and sludging – keeps engines clean.
- Outstanding low- temp fluidity for fast, Dependable winter starts and immediate startup protection.
- Exceeds the most demanding worldwide performance standards and meets warranty requirements for domestic and imported passenger car engines, both turbocharged and non-turbocharged.



SAE 0W-20 (O EZ) OE Synthetic Motor Oil

API Service SN (Resource Conserving), SM...
• ILSAC GF-5, 4...
• GM dexos1TM

Specially formulated for the longer oil change intervals recommended by vehicle manufacturers today. Advanced synthetic technology resists chemical breakdown for maximum wear protection (and peace of mind) well beyond the traditional 5,000kms oil change interval.



European Car Formula 5W-40 (EFM) –FULL-SAPS Classic ESP Synthetic Motor Oil

Recommended For:

- BMW Longlife-04
- MB-Approval 229.51
- Porsche A40 ACEA A3/B3, A3/B4
- API SN/SM...
- BMW LL- 01
- MB 229.3/229.5
- Porsche A40
- Renault 0710, 0700
- VW 502.00/505.00

PREMIUM PROTECTION FOR EUROPEAN VEHICLES

European Car Formula Synthetic Motor Oil Specially formulated for the lubrication needs of European gasoline and diesel cars Providing outstanding protection and performance.

DESIGNED FOR THE SPECIFIC DEMANDS OF EUROPEAN GAS AND DIESEL ENGINES.

- Outstanding All-Season Performance
- Engineered for Maximum Fuel Economy
- Enhanced Turbocharger Protection
- Low-Mid- and Full-SAPS Formulations



5W-40 Heavy-duty Synthetic Diesel Oil Delivering The Power Of Synthetics

Recommended for upto three times the original equipment manufacturer's drain interval recommendation in diesel applications, not to exceed 80,000kms/600 hours or one year, whichever comes first.*

Lavon Miller - 2014 and 2015 Diesel Power Challenge Challenge Champion, Uses AMSOIL products front to back.

5W-40 (DEO)

- API licensed CJ-4, CI-4+, CF, SN, SM • ACEA E7, E9 . Mack EO-O
• DDC 93K218 • Caterpillar ECF - 3, ECF-2, ECF - 1-a • Cummins CES 20081 • Volvo VDS-4, VDS-3
• MB 228.31 • MS 10902 • MTU Type I, II, 2.1
• MAN 3275, 3575 • JASO DH-2 • Global DHD-1 • Renault RLD-3
• Ford WSS-M2C171E





AMSOIL
by GREAVES

**AMSOIL
ENABLES EXTREME
PERFORMANCE.**



Longer-lasting Engines



5x Cleaner Engines



Lasts Longer, Saves Money



Protection Against Extreme Heat



36% Easier & Faster Cold Starts



World-class Wear Protection



20W-50 (MCV) Synthetic Motorcycle Oil

API Service SG, SL/CF, CG4 * JASO MA/MA2(motorcycle wet clutch)* ISOL* EMA2

Recommended for use in Harley-Davidson*, Buell*, Ducati*, Aprilia*, BMW* , Royal Enfield and other motorcycle engines. Superior synthetic formulation provides long service life and maximum protection against engine wear. Superior shear stability provides outstanding protection for high-performance engines, transmissions and primary chain cases. No friction modifiers. Wet-clutch compatible.



Synthetic Metric Motorcycle oil 10W40 (MCF)

API Service SG, SL/CF* JASO MA/MA2 (motorcycle wet clutch)*ISO-L-EMA2

Recommended for use in Honda*, Yamaha*, Kawasaki*, Suzuki*, BMW* and other motorcycles where 10W-40 motorcycle oil is required. Superior synthetic formulation provides long service life and maximum protection against engine wear. Superior shear stability provides outstanding protection for high-performance engines and transmissions. No friction modifiers. Wet-clutch compatible.



4T Performance Motorcycle oil 10W40

Use in motorcycles that require 10W-40 motorcycle oil and any of the following specifications: JASO MA/MA2; API SN, SM, SL,SJ, SH, SG

AMSOIL 100% Synthetic 4T Performance 4-Stroke Motorcycle Oil Reduces Heat and Protects Against Wear

AMSOIL 100% Synthetic 4T Performance 4-Stroke Motorcycle Oil was formulated for the extreme demands of daily drivers operating in the most severe conditions. It delivers the confidence and security that come with outstanding protection and performance.

Cools hot engines

- Protects against wear
- Delivers smooth shifts
- Promotes quiet operation
- Cleans engine components
- Provides superior clutch performance





Recommendation chart*



MODEL NAME	Engine Oil (Liters)	RECOMMENDED PRODUCT
MARUTI SUZUKI		
SX 4 Ergis Dezire Swift Ritz (Diesel)	3.2	2040 Signature Series 300-40 European Car Formula
SX 4 (Petrol/CNG/LPG)	4.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Omni 800 (MPFI) Petrol/CNG/LPG	3.0	300-30 Signature Series Synthetic Motor Oil
Swift Ritz Dze Ergis (Petrol/CNG/LPG)	3.4	
Wagon R A-Star Alto (Petrol/CNG/LPG)	2.9	300-30 Signature Series Synthetic Motor Oil
Eeco (Petrol/CNG/LPG)	4.2	
Estilo (Petrol)	3.2	
Grand Vitara (Petrol)	5.5	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Baleno Esteem (Petrol)	3.3	300-30 Signature Series Synthetic Motor Oil
Wagon R (CNG - Petrol)	3.7	300-30 Signature Series Synthetic Motor Oil
HONDA		
City Amaze (Diesel)	3.6	300-20 OE Synthetic Motor Oil 300-30 Signature Series Synthetic Motor Oil
City Amaze Brio (Petrol)	3.2	300-20 OE Synthetic Motor Oil
Civic Accord CRV	4.0	300-20 OE Synthetic Motor Oil 300-30 Signature Series Synthetic Motor Oil
HYUNDAI		
Santro Getz (Petrol/CNG/LPG)	3.1	300-30 Signature Series Synthetic Motor Oil
Verna i10 i20 Elantra (Petrol/CNG/LPG)	3.3	300-30 Signature Series Synthetic Motor Oil
Verna i20 Getz (Diesel)	4.5	300-30 Signature Series Synthetic Motor Oil
Elantra Sonata Tucson (Diesel)	6.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
MAHINDRA		
XUV 500 Scorpio Xylo	7.0	300-40 European Car Formula
Bolero Quanto	6.0	300-40 Heavy-Duty Diesel Oil
Logan Verito	4.0	
TATA		
Vista Manza Indigo (Petrol/CNG/LPG)	4.0	300-30 Signature Series Synthetic Motor Oil
Indica Vista Manza (Diesel)	3.3	2040 Signature Series 200-40 Heavy-Duty Diesel Oil
Indica Indigo Marina Vista (TCD-Diesel)	5.0	
Indica eCS Indigo eCS Dicoor	4.5	300-40 Heavy-Duty Diesel Oil
Safari Old (Diesel)	7.0	
Safari Dicoor Storme	7.0	300-30 Signature Series Synthetic Motor Oil
Sumo Spacio Grande	7.0	
Nano (Petrol)	2.5	300-30 Signature Series Synthetic Motor Oil
TOYOTA		
Live Etios (Petrol/CNG/LPG)	3.5	300-40 European Car Formula
Live Etios (Diesel)	4.0	300-30 Signature Series Synthetic Motor Oil
Innova (Petrol/CNG/LPG)	6.0	
Corolla Aera Camry (Petrol/CNG/LPG)	4.5	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Innova (Diesel)	6.5	300-40 European Car Formula
Corolla Altis (Diesel)	4.5	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Qualis (Diesel)	6.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Landcruiser Prado	6.0	2040 Signature Series 300-40 European Car Formula

MODEL NAME	Engine Oil (Liters)	RECOMMENDED PRODUCT
FORD		
Figo Ikon Fusion	4.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Fiesta EcoSport (TDCI Diesel)		
Fiesta EcoSport Figo Ikon (Petrol/CNG/LPG)	4.0	300-30 Signature Series Synthetic Motor Oil
Endavour (Diesel)	6.5	2040 Signature Series 200-40 European Car Formula
CHEVROLET		
Tavera Optra (Diesel)	5.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Beat UVA Sail Enjoy (Diesel)	4.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Cruze Captiva (Diesel)	6.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Spark Beat UVA Avero (Petrol/CNG/LPG)	3.5	300-30 Signature Series Synthetic Motor Oil
FIAT		
Punto Linea (Petrol/CNG/LPG)	3.2	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil 300-30 Signature Series Synthetic Motor Oil
Punto Linea (Diesel)	3.3	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
SKODA		
Rapid Fabia (Petrol/CNG/LPG)	4.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Rapid Laura Yeti Superb (Diesel)	4.5	2040 Signature Series
MITSUBISHI		
Pajero Sport SFX (Diesel)	7.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Lancer Cedia (Petrol/CNG/LPG)	4.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
NISSAN		
Sunny Micra Evalia (Petrol/CNG/LPG)	3.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Sunny Micra Evalia (Diesel)	4.5	300-30 Signature Series Synthetic Motor Oil
RENAULT		
Pulse Scala (Petrol)	3.0	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Pulse Scala Duster Fluence (Diesel)	4.5	300-40 European Car Formula 2040 Signature Series
VOLKSWAGEN		
Polo Vento (Petrol)	3.5	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Polo Vento (Diesel)	4.3	300-40 European Car Formula 300-40 Heavy-Duty Diesel Oil
Jetta Passat	4.0	2040 Signature Series
AUDI		
A4 A6 A8 Q3 Q5 Q7 TT R8		2040 Signature Series 300-40 European Car Formula
JAGUAR LAND ROVER		
Free Lander Range Rover Range Rover Sport		300-30 Signature Series Synthetic Motor Oil
MERCEDES-BENZ		
A-Class B-Class C-Class E-Class GLS-Class GL-Class M-Class S-Class SLK-Class		300-40 European Car Formula
BMW		
3-Series X1 X3 5-Series X5 6-Series 7-Series X6 M3 M5 GT Z4		2040 Signature Series 300-40 European Car Formula

*Disclaimer: We recommend that you refer the respective car manufacturer's service manual and follow any warranty conditions.



GREAVES COTTON LIMITED
 facebook.com/Amsoilbygreaves
 Contact- 18001231234, 8087552706





by GREAVES

Amsoil 2W Product Range



2W Model Name	Suggested Synthetic Oil Grade	2W Model Name	Suggested Synthetic Oil Grade
Honda		Bajaj	
Honda CD 110 Dream	10W-40	Bajaj CT 100	10W-40
Honda Dream Neo		Bajaj Platina	
Honda Dream Yuga		Bajaj Discover 125	
Honda Livo		Bajaj V12	
Honda CB Shine		Bajaj Pulsar 135 LS	
Honda CB Shine SP		Bajaj V15	
Honda CB Unicorn 150		Bajaj Pulsar 150	
Honda CB Unicorn 160		Bajaj Avenger 150 Street	
Honda CB Hornet 160R		Bajaj Pulsar 180	
Hero		TVS	
Hero HF Deluxe	10W-40	Bajaj Avenger 220 Street	20W-50
Hero HF Deluxe i3S		Bajaj Avenger 220 Cruise	
Hero HF Deluxe Eco		Bajaj Pulsar 220 F	
Hero Splendor Plus		Bajaj Pulsar NS 200	
Hero Splendor PRO		Bajaj Pulsar RS 200	
Hero Splendor Plus i3S		Bajaj Dominar 400	
Hero Passion PRO i3S			
Hero Splendor iSmart 110			
Hero Super Splendor			
Hero Glamour			
Hero Glamour i3S			
Hero Achiever 150			
Hero Glamour FI			
Hero Xtreme Sports			
Yamaha		Suzuki	
Yamaha Saluto RX	10W-40	Suzuki Hayate EP	10W-40
Yamaha Saluto		Suzuki Gixxer	
Yamaha SZ RR V 2.0		Suzuki Gixxer SF	
Yamaha FZ V 2.0		Suzuki Gixxer SF Fi	
Yamaha FZ S 2.0			
Yamaha Fazer F1 V 2.0			
Yamaha YZF-R15 S	20W-50	Royal Enfield	
Yamaha FZ25		Royal Enfield Bullet 350	20W-50
Yamaha YZF-R15		Royal Enfield Classic 350	
Yamaha Fazer 25		Royal Enfield Thunderbird 350	
		Royal Enfield Himalayan	
	Royal Enfield Bullet 500		
Harley Davidson		Royal Enfield Classic 500	20W-50
Harley Davidson Street 750	Royal Enfield Classic Desert Storm		
Harley Davidson Street Rod	Royal Enfield Classic Squadron Blue		
Harley Davidson Iron 883	Royal Enfield Classic Chrome		
Harley Davidson 1200 Custom	Royal Enfield Thunderbird 500		
Harley Davidson Forty Eight	Royal Enfield Continental GT		

*Disclaimer: We recommend that you refer the respective bike manufacturer's service manual and follow any warranty conditions



facebook.com/Amsoilbygreaves

GREAVES COTTON LIMITED

Contact: 18001231234,
8087552706





Premium · Pure · Perfect

Manufactured in USA



Registered Office:
Greaves Cotton Limited, 3rd floor, Motilal Oswal Tower, Junction of Gokhale & Sayani Road,
Prabhadevi, Mumbai 400 025.

Toll Free Number : 1800 266 06701

www.greavescotton.com | mail: cs1.amb@greavescotton.com

[facebook.com/Amsoilbygreaves](https://www.facebook.com/Amsoilbygreaves)

Thank You