ROYAT INTERCEPTOR ightarrowOWNER'S MANUAL

BSIV

FOREWORD

Congratulations. You now own a piece of history!

The Royal Enfield Interceptor is our heritage-inspired machine, built for the modern, intrepid traveller.

With your new machine, we mark the return of one of Royal Enfield's most loved classic motorcycles - the Interceptor.

Harking back to a time when all that mattered was that the Californian sun was out and the surf was up, this motorcycle retains the charm that made it legendary.

Designed to be simple and robust with solid and precise engineering, the Interceptor has been built to be your faithful companion on rides and adventures, big and small. Powered by our brand-new air-cooled 648cc twin cylinder engine and robust twin cradle chassis developed at our state-of-the-art tech centre in the United Kingdom, we hope you enjoy riding your motorcycle as much as we enjoyed building it for you.

This manual is your friend, philosopher, and guide when it comes to taking care of your motorcycle. In the pages that follow, you will find ways of looking after your machine so that it remains a reliable partner in your travels and exploration for decades to come.

Please do avail of all the services at your nearest Authorised Service Centre to make sure that your motorcycle gets the right treatment which it so deserves. Please also read through the terms and conditions of warranty and other useful information in this manual before riding off into the sunshine.

Keep riding pure.

For support and information please call 1800 210 0007 any time between 9 AM and 9 PM, any day of the week.

To know more about Royal Enfield, our products, and other news, go to www.royalenfield.com

NOTICE

All information in this manual is based on the latest product information available at the time of publication. Due to continuous improvements, there may be discrepancies between the information in this manual and your motorcycle.

Royal Enfield reserves the right to make production changes at any time without prior notice and without incurring any obligation to make the same or similar changes to motorcycle previously built or sold.

"© Copyright 2018 Royal Enfield (A unit of Eicher Motors Ltd.). All Rights Reserved. No part of this manual shall be copied, distributed or otherwise dealt without the express permission in writing from Royal Enfield".

All images shown are for reference to explain and need not to be exactly the same on the model you own. Technical specifications are subject to change without prior notice.

Disclaimer

- This model fitted with "tubeless tyre" is provided with an inner tube.
- Failure to use an inner tube in a spoked wheel will cause deflation of the tyre resulting in loss of motorcycle control.
- The approved tyres marked with "TUBELESS" are suitable for use with inner tube.

Contact Us:

Royal Enfield Support : 1800-2100-007 Email : support@royalenfield.com Twitter : @RoyalEnfieldSupport Web : www.royalenfield.com

Part No. RAM00098/A / Qty. 500 / Nov. '18

CONTENTS

| Safety Definitions | 5 |
|---|----|
| Personal and Motorcycle Information | 6 |
| Safe Riding Tips / Guidelines Rules of the Road Accessories and Luggage | 7 |
| Rules of the Road | 13 |
| Accessories and Luggage | 16 |
| Technical Specifications | 18 |
| Recommended Lubricants | 26 |
| Motorcycle Identification Numbers Engine Number Details Location of Key Parts | 28 |
| Engine Number Details. | 30 |
| Location of Key Parts | 31 |
| Operation of Controls | 34 |
| Warning Indications and Safety Systems | 45 |
| Pre-Operational Checks | 50 |
| Running in Period | 51 |
| Running in Period | 53 |
| Gear Shifting, Riding and Stopping | 57 |
| | 60 |

CONTENTS

| Tools Kit | 62 |
|-------------------------------|-----|
| First Aid Kit | 63 |
| Minor Maintenance Tips | 64 |
| Long Trip Precautions | 101 |
| Washing Procedure | 103 |
| Storage Precautions | 105 |
| Trouble Shooting | 106 |
| Periodical Maintenance Chart | 114 |
| Warranty Terms and Conditions | 118 |
| Emission Warranty | 121 |
| EVAP | 127 |
| Environment Care | 128 |
| Service Coupons | |
| Service Maintenance Record | 133 |
| Regional & Area Offices | 135 |
| Authorised Dealer Address | 136 |
| | 176 |

SAFETY DEFINITIONS

The information given under the titles: Warning, Caution and Note are for your safety and for the care and safety to your motorcycle and others. Please read these carefully and if disregarded may result in injury to yourself or others and damages to the motorcycle.



WARNING

Indicates a potentially hazardous situation. Disregarding this message may result in injury to rider or other persons.

CAUTION

This message, if disregarded, may result in damage to the motorcycle.

NOTE

Indicates important and useful messages for better understanding.

PERSONAL AND MOTORCYCLE INFORMATION

| Name | | | | |
|-----------------|------------------|--|--|--|
| Door No./Street | | | | |
| Locality/Town | | | | |
| City | Country | | | |
| Contact | Res: Off: | | | |
| | Mobile : Email : | | | |
| Licence No. | Valid till : | | | |
| Model | Color : | | | |
| Engine No. | | | | |
| VIN. No. | | | | |
| Tyre make | Front : Rear : | | | |
| Tyre Nos. | Front : Rear : | | | |
| Battery make | Battery No. | | | |
| Sold by | | | | |
| Date of Sale | | | | |

- Before operating your new motorcycle, we request you to carefully read and follow the operating and maintenance instructions detailed in this manual for the safety of your own, your motorcycle, and also that of others.
- Know and adhere to the rules of the road with respect to your driving country.
- Before starting the motorcycle, check for proper operation of brakes, clutch, gear shifter, handle bar controls, tyre pressures, fuel and oil levels, etc.
- Use only genuine Royal Enfield spare parts and approved accessories. Use of other manufacturer's parts may affect the performance of your motorcycle and render the motorcycle void of warranty. Visit your Royal Enfield Authorised Service Centre for details.
- Whenever refueling your motorcycle, please exercise utmost caution and carefully observe the following guidelines.
 - \star Refuel in a well ventilated area with the engine turned off condition.
 - ★ Open the fuel filler cap slowly.
 - \star Switch OFF mobile phones and other hand held electronic devices.
 - ★ DO NOT smoke and please ensure that there are no open flames or sparks near the motorcycle, when refuelling OR servicing the fuel system.

★ DO NOT fill the tank to its brim. Please fill fuel till the bottom of anti splash plate, so as to leave sufficient air space in the fuel tank to allow for fuel expansion.

WARNING

Royal Enfield cautions you against the use of certain nonstandard parts such as aftermarket and custom made extended front forks or suspensions, which may adversely affect performance and handling. Removing or altering original parts may adversely affect performance and could result in accident.

- A new motorcycle must be operated according to the special running-in-procedure. See running-in-procedure mentioned in respective section.
- Operate motorcycle only at moderate speeds and out of traffic until you have become thoroughly familiar with its operation and handling characteristics under all conditions.
- DO NOT exceed the legal speed limit or ride too fast for existing conditions. Always reduce speed when poor riding conditions exist. High speed increases the influence of any other condition affecting stability and increases the possibility of loss of control.

NOTE

If you are an inexperienced rider we recommend that you obtain formal training on correct motorcycle riding techniques and become thoroughly familiar with the operation of your motorcycle. New riders should gain experience under various conditions while driving at moderate speeds.

Pay strict attention to road surfaces and wind conditions. Any motorcycle may be subject to the following upsetting forces:

- ★ Wind blasts from passing vehicles.
- ★ Rough or uneven road surfaces.
- ★ Slippery road surfaces.

These forces may affect the handling characteristics of your motorcycle. If this happens, reduce speed of the motorcycle to a controlled condition. Do not apply brake abruptly.

■ Operate your motorcycle defensively. Remember that a motorcycle does not afford the same protection as an automobile in an accident. One of the most common accident situations occurs when the rider / driver of the other motorcycle / vehicle fails to see or recognise a motorcycle and turns into the oncoming motorcyclist.

- Wear an approved helmet, clothing, and footwear suited for riding a motorcycle. Bright/light colours are best for greater visibility in traffic, especially at night. Avoid loose, flowing garments and scarves.
- When carrying a pillion rider, it is your responsibility to instruct them on proper riding procedures.
- DO NOT allow other individuals, under any circumstances, to operate your motorcycle unless you know they are experienced, licensed riders and are thoroughly familiar with the operating conditions of your motorcycle.

WARNING

Regularly inspect shockabsorbers and front forks and look for leaks. Replace worn out parts. Worn out parts can adversely affect stability and handling.

WARNING

For your personal welfare, all the listed service and maintenance recommendations should be performed. Lack of regular maintenance at the suggested intervals may affect the safe/durability/longevity operation of your motorcycle.



WARNING

Avoid any contact with the exhaust system when hot. Wear clothing that will completely cover the legs while riding. The exhaust system gets very hot when the engine is running and remains too hot to touch, even after the engine is turned off. Failure to wear proper or protective clothing could result in serious injury.



WARNING

Exhaust gas contains poisonous carbon monoxide and chemicals, known to cause cancer, birth defects or other reproductive defects.

A

WARNING

Motorcycle batteries contain lead, acids and chemicals known to cause cancer, birth defects or other reproductive harm. Exercise extreme caution while handling a battery, wash hands thoroughly whenever a battery is handled.



WARNING

Consult your Royal Enfield Authorised Service Centre regarding any questions or problems that occur in the operation of your motorcycle. Failure to do so may aggravate an initial problem, cause costly repairs and jeopardize your personal safety.



WARNING

DO NOT tow a motorcycle. The steering and handling of the towed motorcycle will be impaired due to the force of the towline. If a motorcycle must be transported, use a truck or a trailer.



WARNING

DO NOT pull a trailer behind a motorcycle. Towing a trailer may cause reduced braking efficiency, tyre overloading and unstable handling, as it may cause loss of control of the motorcycle in the front, leading to an accident.

RULES OF THE ROAD

- Be sure your number plate is installed in the position specified by law and it is clearly visible at all times.
- Ride at a safe speed that is consistent with the type of road surface you are on. Pay strict attention while riding on the following surfaces:
 - **★** Dusty
 - **★** Oily
 - ★ lcy
 - **★** Wet
 - **★** Sand
- Watch for loose debris, such as leaves, slippery substances or gravel that can hamper the stability of your motorcycle.
- $\blacksquare \quad \text{Keep to the correct side of the road centre line when meeting oncoming vehicles}.$

RULES OF THE ROAD


- Actuate your turn signals and exercise caution when passing other vehicles going in the same direction. Never try to pass another vehicle going in the same direction at street intersections, on curves, or when going up/or down a hill.
- At street intersection give the right-of-way to the motorcycle on your left or right. DO NOT presume you have the right-of-way.
- Adhere to the rules of the road with respect to your country when preparing to stop, turn or pass. While turning either right or left, watch for pedestrians, animals, as well as other vehicles.
- All traffic signs, including manual controls at intersections, should be obeyed promptly. SLOW DOWN at traffic signs near schools and CAUTION signs at railroad crossings.
- When intending to turn, signal at least 100 feet (30.5 meters) before reaching the turning. Be close to the centre line (unless local rules require otherwise), slow down and then turn carefully.
- Never jump a traffic light. When a change is imminent from GO to STOP (or vice versa) at intersections, slow down and wait for the light to change to green. Never run through a yellow or red traffic light.
- DO NOT leave the curb or parking area without signalling. Be sure your way is clear to enter moving traffic. A moving line of traffic always has the right-of-way.

RULES OF THE ROAD

- When parking the motorcycle, park on a firm and flat surface to prevent it from falling over.
- Protect your motorcycle against theft. After parking your motorcycle, ensure that the steering head is locked and then remove the ignition key.

SIDE VIEW MIRRORS

Your motorcycle is equipped with convex mirrors and have a curved surface. This type of mirror is designed to give a much wider view of the rear than a normal flat mirror. However, vehicles and other objects seen in this type of mirror will look smaller and farther away than when seen in a flat mirror.



Use care when judging the size or distance of vehicles / objects seen in these mirrors.

NOTE

To establish the relative distance of vehicles / objects behind your motorcycle through the mirrors, adjust each mirror in such a way, that a small portion of your shoulder is visible and a large portion behind your motorcycle is seen clearly with reference to your riding posture.

ACCESSORIES AND LUGGAGE

Royal Enfield offers a range of Genuine Motorcycle Accessories that have been fully approved and extensively tested alongside the motorcycle.

Therefore, the rider must be responsible for safe operation of the motorcycle when installing accessories or carrying additional weight. (Max. pay load: 200 kg)

Please adhere to the following guidelines when carrying a pillion, luggage or when fitting any accessories.

- DO NOT exceed 110km/h / 70 mph when riding solo, carrying a pillion or payload on an accessory equipped motorcycle.
- Keep luggage weight concentrated close to the motorcycle and as low as possible; this minimizes sudden shift in the motorcycle's centre of gravity.
- Distribute weight evenly on both sides of the motorcycle.
- DO NOT load bulky items behind the rider or add weight to the handlebars or front forks.
- DO NOT exceed 6.6 pounds (3 kgs) maximum weight in each Royal Enfield Genuine motorcycle accessory pannier.
- Re-check the luggage periodically to ensure it is secured and will not shift while riding. Accessories mounted loosely may affect the riding of the motorcycle and affect the handling and stability of the motorcycle.
- Large surfaces such as fairings, windshields, backrests and luggage racks can adversely affect handling of the motorcycle. Use Royal Enfield Genuine Motorcycle Accessories which are model specific and follow installation procedure.

ACCESSORIES AND LUGGAGE



WARNING

DO NOT load weight or install accessories incorrectly on the motorcycle. Doing so may affect the motorcycle's stability, handling characteristics and safe operation and could result in an accident causing serious injury or loss of life.



WARNING

Royal Enfield offers a range of Genuine Motorcycle Accessories that have been fully approved and extensively tested alongside the motorcycle.



WARNING

Royal Enfield cautions you against use of nonstandard parts such as aftermarket and custom made extended front forks which may adversely affect the performance and handling of the motorcycle. Removing or altering original parts may adversely affect the performance of the motorcycle, causing an accident, which could result in serious injury or loss of life.



WARNING

DO NOT ignore model / design specifications. Doing so constitutes both motorcycle and accessories misuse which may adversely affect the handling and performance of the motorcycle causing an accident, which could result in serious injury or loss of life.

ENGINE

| Engine Type Inlin | e Twin Cylinder, 4 Stroke, SOHC |
|-------------------|---------------------------------|
|-------------------|---------------------------------|

 Bore
 78 mm

 Stroke
 67.8 mm

 Swept volume
 648cc

 Compression ratio
 9.5:1

 Max Power
 34.9 kw @ 7250 rpm

 Max Torque
 52.3 Nm @ 5150 rpm

Idle RPM 1200<u>+</u>80 RPM

Starting E-Start

Air filter element Paper element

Lubrication Forced lubrication, Wet sump with pump driven oil delivery

Engine oil capacity Dry Fill 3.9 litre

Refill 3.1 litre

Engine oil grade Fully synthetic 10W-50 to API SL (or higher) or JASO MA2,

such as ELF MOTO4 TECH 10W 50

Fuel Supply Fuel Injection

Cooling Air cooling

IGNITION SYSTEM

Ignition Digital Spark ignition

Ignition Advanced 11.25° BTDC

Spark Plug BOSCH UR5CC

Spark Plug Gap 0.7 to 0.8 mm

TRANSMISSION

Clutch Wet multiplate
Primary drive Gear

2nd 1.813:1

3rd 1.429:1 4th 1.190:1

5th 1:040:1

6th 0:962:1

Secondary drive Sprockets and Chain (5/8" Pitch)

| CHASSIS | | |
|-----------------------|-----------|--|
| Frame | | Steel Tubular, Double Cradle Frame |
| Suspension | | |
| Front | | 41 mm Front Fork, 110 mm travel |
| Rear | | Single Coil-over Shocks, 88 mm travel |
| Hydraulic Disc Brakes | | Front and Rear with ABS system. |
| - | Front: | 320 mm disc, ABS |
| | Rear: | 240 mm disc, ABS |
| | ABS: | BOSCH 9.1 |
| | Brakes: | Dual Channel ABS |
| Brake Fluid: | Grade: | DOT 4 |
| Tyre size: | Capacity: | Front: 50 ml Rear: 100 ml |
| Front | | 100/90-18 M/C 56H, Pirelli Phantom Sports Comp |
| Rear | | 130/70-18 M/C 63H, Pirelli Phantom Sports Comp |
| NOTE | | |

#The Imported Pirelli Tyres which are fitted in this motorcycle meet the requirements of BIS and that they comply with the requirements under the Central Motor Vehicles Rules (CMVR), 1989, would suffice;
21

| Tyre Pressure: | |
|-----------------------|---|
| Solo | |
| Front | 32 psi/2.20 kg/cm ² |
| RearWith Pillion | 36 psi/2.53 kg/cm ² |
| Front | 32 psi/2.20 kg/cm ² |
| Rear | 39 psi/2.74 kg/cm ² |
| Steering Lock | Combination Lock |
| Fuel Type | Unleaded Gasoline |
| Ethanol content | E10 or less |
| Minimum Octane Rating | 91 RON (Research Octane Number) or Higher |
| Induction | Fuel Injected |
| Fuel tank capacity | 13.7* litre |
| Low Fuel Warning | 2.9* litre |
| Dead Stock | 0.75* litre |

^{*} The above values are approximate and the actual fuel filling capacity will vary from the values mentioned.

ELECTRICALS

| System | 12V - DC |
|--------------------|-------------------------------------|
| Generation | Alternator |
| Alternator Output | 156 W @ 1100 rpm |
| Battery | 12V - 12 Ah VRLA |
| Head lamp | 12V, H4 60/55W |
| Brake/Tail lamp | 12V, P21/5W (Halogen) |
| Turn signal | 12V, R10W |
| Instrument Cluster | Digital Instrument Cluster with LCD |
| Horn | 320 Hz Low and 420 Hz High Tone |
| Starter Motor | 12V, 0.8 KW |

WARNING
Using bulbs / other electrical accessories other than specified rating may lead to over loading / erratic behaviour / premature failure of electrical system. Modifications on the motorcycle which are not approved by Royal Enfield may not only disqualify for warranty, but will also affects the performance of the motorcycle.

DIMENSIONS

Rake 24 degrees

Rear Wheel 18 M/C x MT 3.50

Width 857 mm (with mirrors)

Height 1120 mm

Wheel base 1398 mm

Ground Clearance 174 mm

WEIGHTS

Kerb weight (90% Fuel and Oil) 213 kg

NOTE

- Values / dimensions given above only for your guidance.
- In view of continuous improvements being done on our products, the specifications could change without prior notice.

RECOMMENDED LUBRICANTS

| | Engine | e Oil | |
|----------|--|----------------|---------------|
| Grade | Fully synthetic 10 (or higher) or JAS ELF MOTO4 TECH | O MA2, such as | LIQUID GUN |
| Capacity | 1st Dry Fill · | Routine Oil Cl | hange · |

| Front Fork Oil | | |
|----------------|---------------|--|
| Grade | 2W 25 HPCL | |
| Capacity | 473 ml / Fork | |

| Brake Fluid | | |
|-------------|------------------------------|--|
| Grade | DOT 4 | |
| Capacity | Front: 50 ml Rear: 100 ml | |

| Capacity | 1st Dry Fill : 3.9 litre | Routine Oil Change : 3.1 litre |
|----------|-----------------------------|-----------------------------------|
| | | |

^{*} DO NOT Mix DOT 4 or other brake fluids together.

| Brake System | |
|------------------|--|
| Dual Channel ABS | |

CAUTION

Use of wrong oil grade will reduce the life of the moving parts and seriously affect performance.

NOTE

Recommendation subject to change without notice.

ISO 14001 OPERATION CONTROL PROCESS

As per the guidelines in ISO 14001 Environmental Management System, customers are advised to carry out timely replacement of engine oil, fork oil and brake fluid, ONLY through a Royal Enfield Authorised Service Centre for the safe disposal of the used oils to prevent environmental pollution.

In case the oils are replaced privately, it is advised to ensure the old / removed oils are collected carefully and disposed through a certified disposal agency.


Similarly, hazardous waste such as old / discarded batteries, tyres, tubes, cables, gaskets, oil filters etc. should also be disposed off carefully and properly, through a certified disposal agency.

MOTORCYCLE IDENTIFICATION NUMBERS The VIN is a 17 digit number punched on the right side steering head tube in the form of label. Sample VIN: ME3 ΧХ XX Χ Χ Χ XXXXXX Manufacturer's code Type of Frame Type of Engine Commercial Name Ignition System Transmission Type Production Year (2017:H, 2018:J, 2019:K) Manufacturing Plant (O-Thiruvottiyur, 1-Oragadam, 2-Vallam) Production Serial No.

| MOTORCYCLE IDENTIFICATION N | NUMBER |
|------------------------------------|--------|
|------------------------------------|--------|

CHASSIS NUMBER

Punched on the steering head tube right side.




CAUTION


It is illegal to tamper with the VIN information label as it is the only means of identifications of the motorcycle.

ENGINE NUMBER - DETAILS

The engine number is punched above the oil filter location. it is the means of identification of the engine serial number and its production details. It is illegal to tamper with the engine number as it is the only means of identifications of the engine.




LOCATION OF KEY PARTS




- 1. Horn Button
- 2. Turn Signal Switch
- 3. Clutch Lever
- 4. Day Flash Switch
- 5. High Beam / Low Beam Switch
- 6. Instrument Cluster
- 7. Ignition Switch
- 8. Malfunction Indicator Lamp
- 9. RPM (Tacho) Meter
- 10. Engine Kill switch
- 11. Electric Start Switch
- 12. Fuel Tank Cap

LOCATION OF KEY PARTS



- 1. Right Trafficator Rear
- 2. Right Trafficator Front
- 3. Horn
- 4. Starter Motor
- 5. Brake Pedal
- 6. Brake Lever Rear
- 7. Right Side Panel
- 8. Brake Lever Front

LOCATION OF KEY PARTS




- 1. Left Trafficator Front
- 2. Left Trafficator Rear
- 3. Left Side Panel
- 4. Side Stand
- 5. Centre stand
- 6. Gear Change Pedal
- 7. Spark plug

OPERATION OF CONTROLS

IGNITION SWITCH

OFF: Steering unlock, ignition "OFF"

ON: Steering unlock, ignition "ON"



NOTE

- Key is common for ignition, petrol tank lock, steering lock and side panels.
- Key can be removed from fuel tank, side panel only in locked position from the key slots.

STEERING LOCK

- Turn the handle bar to extreme left or right position.
- Push the key inside at "OFF" position, press and further turn to anticlockwise direction to lock the steering and remove the key.
- To unlock, insert the key in steering at lock position, and turn clockwise direction.



OPERATION OF CONTROLS

FUEL TANK CAP

- Lift key flap on fuel tank cap and insert key.
- Turn key clockwise to open.
- Press cap to lock with key in position.
- Remove key from cap and close flap

WARNING

- DO NOT overfill the fuel tank.
- Fill fuel only till the bottom of anti splash plate.
- Over filling may result in gasoline entering the EVAP canister and may damage the Evaporative Emission System.

CAUTION


Gasoline vapour is highly explosive. Please ensure there are no open flames or sparks nearby while refueling and fill fuel only in a well ventilated area.

Please ensure gasoline does not spill on painted surfaces. In case fuel spills over the painted surfaces wipe it off immediately as it may leave a permanent stain.

Do not smoke while refueling or when fuel tank cap is open.

FUEL FILLING LEVEL


- 1. Fuel filler collar
- 2. Anti splash plate
- 3. Maximum fuel level



ENGINE KILL SWITCH

Engine "OFF"

Engine "ON"




CAUTION

■ Turn off ignition switch when engine is not running. Failure to do so will discharge the battery due to the headlamp being continuously "ON".

E-START SWITCH

Depress and hold untill engine starts for a maximum of 5 seconds.



HORN




Press the horn button to sound horn.




HI BEAM / LOW BEAM SWITCH

- When the headlamp is in ON condition "High / Low beam" will be selected by toggling the switch. High beam indicator lamp located in instrument cluster will glow when high beam is selected.
- High beam **D** Low beam



DAY FLASH

Press the switch for Day flash.




TURN SIGNAL SWITCH



→ Right turn signal "ON"

** "OFF" (Push to cancel)



Push the button from "OFF" position to either left or right before turning as needed and restore to "OFF" position to stop blinking.

SIDE PANEL LEFT

■ To access the left side panel remove the seat and retaining screw, pull and disengage the side panel from locater and gently remove the side panel.

SIDE PANEL RIGHT

- Turn key clockwise to unlock the side panel.
- Pull the side panel along with key to gently remove the side panel.






INSTRUMENT CLUSTER

This instrument cluster consists of the following:


- 1. Speedometer
- 2. Odometer
- 3. Selection Button
- 4. Trip Meter 'A' and 'B'
- 5. Turn Signal Indicator
- 6. Hi beam Indicator
- 7. Engine Malfunction Indicator
- 8. Battery Low Voltage Indicator
- 9. Fuel Level Indicator
- 10. ABS Indicator



- 11. Neutral Indicator
- 12. Low Oil Pressure Indicator
- 13. Tachometer

1. SPEEDOMETER

The Speedometer indicates the speed at which motorcycle is travelling and has both kms/miles calibration.



2. ODOMETER

The default display in the odometer is the total kms/miles, the motorcycle has covered



NOTE

The last selection mode will be displayed whenever ignition is switched "ON".



WARNING

It is illegal to tamper with the odometer display or reset the total kms/miles, the motorcycle has covered. It is illegal to ride the motorcycle after disconnecting the speed sensor of the motorcycle.

3. SELECTOR BUTTON

The selector knob will help to select between odometer, Trip 'A' or Trip 'B'.



4. TRIP METER A AND B

A light push for less than one second on the select button switch will change the display from odometer Trip 'A'. Again another press on the select button switch will change the display from Trip 'A' to Trip 'B'.

NOTE

- 1. Set the display as Trip 'A' or Trip 'B' as current mode.
- 2. Press the select button for more than 3 seconds.
- 3. Automatically the display will become zero.

WARNING

 $Do \ not \ attempt \ to \ change \ any \ setting \ while \ riding \ the \ motor \ cycle. \ It \ may \ cause \ loss \ of \ control \ leading \ to \ an \ accident.$

5. TURN SIGNAL INDICATOR

Indicates that either the left or right indicators are "ON".

6. HI BEAM INDICATOR

Indicates that the high beam head lamp is "ON".

7. ENGINE MALFUNCTION INDICATOR LAMP

A Malfunctioning indicator lamp (MIL) is provided in the tachometer.

When both the ignition and engine kill switch is in "ON" position and after vehicle is started, the MIL will glow for few seconds and switch "OFF" this indicates that all the functions of Electronic

fuel injection (EFI) system is functioning normally. In the event of any malfunction in the EFI system MIL will glow continuously. It is recommended to take the motorcycle to a nearest Royal Enfield Authorised Service Centre for a detailed inspection and correction of EFI system.






8. BATTERY LOW VOLTAGE INDICATOR

When the ignition switch is turned in "ON" position, low voltage indicator symbol will glow. As soon as the engine is started the battery low voltage indicator turns "OFF" automatically.

In case the battery voltage is below 12 volt and the battery is not charging when the engine is started, the battery low voltage indicator will continue to glow in the instrument cluster.




CAUTION

DO NOT ride the motorcycle if the battery low voltage indicator is glowing continuously and please get the charging system checked through an Royal Enfield Authorised Service Centre immediately.

Your motorcycle is fitted with the following warning indications and safety systems:

9. FUEL LEVEL INDICATOR

The fuel level indicator indicates the level of fuel in the fuel tank.





The last bar of the fuel level indication in the instrument cluster will blink continuously when the fuel is less than 3 litre (0.8 imperial gallon).

Please do not ride the motorcycle with the low fuel indication blinking continuously as it may not only result in the motorcycle running out of fuel, but will also cause serious damage to the fuel pump. Please refuel as soon as the low fuel indication starts blinking.

10. ANTI-LOCK BRAKING SYSTEM (ABS)

Anti-Lock Braking System (ABS) will help prevent the brakes from locking the wheels, during sudden application of the brakes at high speeds or at low friction surfaces. This will help the rider to have better traction and control over the motorcycle and prevent the motorcycle from skidding which can cause an accident.



In the event of a sudden and hard application of the brakes by the rider, the sensors in the braking system will signal the ABS modulator to momentarily and continously reduce the hydraulic pressure and thereby prevent the brakes from locking the wheels while reducing the speed of the vehicle. This will help the rider to control the motorcycle.

An ABS indicator lamp is provided in the cluster (as shown in the adjacent image) to warn the rider in the event of any malfunction of the ABS.

When the ignition and engine kill switch are switched in "ON" position the ABS sign will glow and remain "ON" till the motorcycle attains a speed of 5 kmph / 3 Mph and turns "OFF". This indicates the ABS is functioning properly. If the ABS indicator lamp does not switch "OFF" and remains continuously "ON" at higher speeds, it is recommended not to drive the ABS motorcycle. Get the brake system inspected and corrected through a nearest Authorised Royal Enfield Service Centre. Failure to do so can result in a serious injuries and loss of life.

CAUTION (ABS)

ABS is a safety feature to help prevent locking of wheels during panic application of brakes. It is by no means a substitute for good riding practices and anticipatory braking.

Please ride carefully and apply brakes cautiously, especially while cornering. ABS cannot estimate the "weight shifts" and momentum of the motorcycle while negotiating a corner and therefore prevent skidding due to loss of traction.

Please anticipate the stopping distance required for the speed of travel and apply brakes well in advance so as to bring the motorcycle to a safe stop.

Please apply both brakes simultaneously to stop with better traction and control of the motorcycle.

Failure to adhere to the above can cause an accident resulting in serious injuries and loss of life.

DO'S AND DON'T'S: (ABS)

| DO'S | DON'TS |
|---|--|
| ■ While starting the engine do check the ABS indicator glows "ON" and turns OFF when the vehicle speed exceeds 5 km/h (3.1 mph). | DO NOT RELEASE the brake lever/ pedal when pulsations are felt during |
| Please check the brake fluid at "MAX" level in the front and rear brake reservoir and ensure there is no leak in the brake systems. | hard application of the brakes in an emergency situation. The pulsations only indicate that the ABS is |
| ■ Apply both the brakes simultaneously for better efficiency. | activated. |
| ■ In the event of the ABS indicator remaining continuously "ON", please take the motorcycle to a nearest Authorised Royal Enfield Service Centre to inspect the brake system. | DO NOT APPLY only the front OR rear brake as it can lead to inefficient braking. |

11. NEUTRAL INDICATOR

This indicator glows when the vehicle is in neutral position.

12. LOW OIL PRESSURE INDICATOR

This indicator glows whenever the oil pressure is too low. When the ignition switch is in "ON" position with the engine not running condition the indicator goes off when the engine oil pressure is high enough / normal condition.

CAUTION

When the indicator glows continuously and if the engine speed is above idle, stop the vehicle immediately and get the engine inspected and corrected through a nearest Authorised Royal Enfield Service Centre. Failure to do so can cause engine damage.

13. TACHOMETER

This indicates the engine speed in RPM.

ROLL OVER SENSOR

In the event of motorcycle falling over on either of its sides with the engine running and the gear engaged the roll over sensor will disable both the ignition and fuel systems and switch "OFF" the engine. This is to prevent further damage to the motorcycle and the rider.

To reset the roll over sensor and reactivate the ignition and fuel systems.

- Ensure the motorcycle is parked upright on a firm surface.
- Ensure gear is in neutral position and the neutral lamp is glowing in the instrument cluster.
- Turn "OFF" ignition and switch "OFF" engine kill switch, wait for a few seconds and turn "ON" the Ignition and switch "ON" engine kill switch once again, to start the engine.

PRE OPERATIONAL CHECKS

A careful check on the following aspects must be carried out every time before riding and especially after long periods of storage to determine if any additional maintenance is necessary.

- 1. Adequate fuel in the tank for the journey planned.
- 2. Tyres for correct pressure, abrasions or cuts.
- 3. Ensure chain for proper tension and sufficient lubrication.
- 4. Brakes, clutch, steering and throttle for proper responsiveness.
- 5. Handle bar controls for smooth operation.
- 6. Engine oil level.
- 7. Wheel spokes for proper tightness and damage.
- 8. Headlamp, tail lamp, brake lamp and indicator lamps for proper functioning.
- $9. \ \ Proper functioning of all the warning lamps in the instrument cluster.$



For your personal welfare and safety, all the points mentioned above should be performed periodically. Failure to do so may affect safe operation, damage your motorcycle and could result in an accident causing serious injury or loss of life.

RUNNING IN PERIOD

The Royal Enfield Motorcycle as you would be experiencing is capable of consistent high speeds. However as with any new motorcycle, a "RUNNING-IN" procedure is essential to help in proper "Bedding-In" of the various moving parts in your motorcycle and to achieve optimum performance subsequently.

- 1. DO NOT exceed maximum specified pay load.
- 2. Warm up the engine for a few minutes at idling speed to allow engine oil to lubricate all the moving parts in the engine before riding the motorcycle.
- 3. Avoid full throttle operation and do not ride at constant throttle continuously. Vary the speed by 10% while riding.
- 4. It is recommended to use half clutch condition when commuting in the city traffic condition alone (Engine RPM around idling to 2000 RPM) at 1st gear condition. In Other gears and higher RPM avoid using half clutch which will proportionately reduce the clutch life. During acceleration/deceleration disengage the clutch completely, shift the gear and engage the clutch gradually (Not too slowly).
- 5. Ride at proper speed and avoid sudden accelerations and braking.
- 6. Avoid riding motorcycle continuously for over an hour, it is recommended to take brief stop.

RUNNING IN PERIOD

During the first 2000 Kms of run, do not exceed the speed limits as shown in the table below.


| Motorcycle Gear Speed | First 500 kms | 501 - 2000 kms |
|--------------------------|---------------|----------------|
| 1 | 15 kmph | 20 kmph |
| 2 | 25 kmph | 30 kmph |
| 3 | 30 kmph | 40 kmph |
| 4 | 45 kmph | 55 kmph |
| 5 | 60 kmph | 70 kmph |
| 6 | 75 kmph | 85 kmph |

NOTE


The below table indicates the recommended engine speed in rpm for optimum performance of the engine.

| Distance Covered | Max. Engine Speed |
|--------------------------------------|-------------------|
| 0 to 800 kms (0 to 500 miles) | 4000 rpm |
| 800 to 1600 kms (500 to 1000 miles) | 6000 rpm |

■ To shift into neutral, move the motorcycle back and forth gently, while simultaneously shifting the gear. Ensure gear is in neutral position and the neutral lamp is glowing in the instrument cluster.



■ Turn ignition key to "ON" position and engine kill switch on right hand side handle bar to "RUN" position .




■ When both the ignition and engine kill switch is in "ON" position and after the vehicle is started, the MIL will glow for a few seconds and turns "OFF", this indicates that all the function of the electronic fuel injection (EFI) system is functioning normally. In the event of any malfunction in the EFI system the MIL will glow continuously.




CAUTION


- In case the malfunction indicator DOES NOT turn "OFF", get the motorcycle checked through an Royal Enfield Authorised Service Centre for rectification.
- Check the fuel level indicator in the cluster for adequate fuel in the fuel tank. In case the last bar is blinking continuously, it indicates low fuel level in the tank. Please re-fuel immediately.



■ Disengage clutch by pulling in the clutch lever and hold it in depressed condition.







NOTE

In case the engine does not start within 5 second, release starter switch and wait for about 5 second before attempting to start the engine again.

CAUTION

If the engine does not start. DO NOT hold the starter switch in depressed condition for long periods, this will cause the battery to drain below the threshold level of 10 volt. Please get the motorcycle checked through an Royal Enfield Authorised Service Centre to identify and correct the reason for not starting.

CAUTION

NEVER accelerate as soon as the engine starts, especially in cold condition. The engine should be allowed to run in idle RPM for at least 2 minute for the engine oil to circulate and lubricate all the internal moving parts and for the engine temperature to raise. Failure to adhere to this important information will cause serious damage to the engine internals.

■ Ensure side stand is in fully retracted position. Failure to do so will cause the engine to switch "OFF" as soon as gear is engaged.



WARNING

Please exercise extreme care while riding the motorcycle. Failure to do so can result in an accident causing injury to you or to other road users / passerby.


GEAR SHIFTING, RIDING AND STOPPING

The clutch lever must be fully depressed before attempting a gear shift. Failure to fully depress the clutch lever will cause a roughstart OR stalling of the engine besides causing damage to transmission parts.

■ When the vehicle is in Neutral position, press gear shift lever down with toe to engage 1st gear.

GEAR SHIFT PATTERN


1--N--2--3--4--5--6



GEAR SHIFTING, RIDING AND STOPPING

CAUTION

- If the clutch lever is released abruptly and throttle opening is done insufficiently the motorcycle will have a rough start and cause the engine to stall.
- If the acceleration is very high and clutch lever is released abruptly, it will cause motorcycle to move suddenly, which will lead to loss of control leading to an accident resulting in injury and or loss of life to rider / other road users / passed by, besides damage to the motorcycle.
- Always exercise utmost caution while releasing clutch and riding the motorcycle.
- Lift gear shift lever up with toe to shift to 2nd and subsequent gears.
- As soon as the motorcycle reaches a speed of 20 kmph in 1st gear position, shift to 2nd gear and to higher gears as the speed of the motorcycle increases.



GEAR SHIFTING, RIDING AND STOPPING

NOTE

Always start motorcycle with the gear in neutral position.


When the engine speed decreases or while climbing a gradient or running at a reduced speed, shift to the appropriate lower gear to prevent the engine from stalling or straining to pull.

- Always shift to lower gears as appropriate whenever slowing down to stop the vehicle.
- Shift gears to neutral position just before bringing the vehicle to a complete stop always.
- Close throttle fully and release the clutch lever slowly ensuring the motorcycle is in neutral position and neutral lamp is glowing.
- Stop the the motorcycle in a safe place, turn "OFF" ignition and switch "OFF" engine kill switch.

PARKING

PARKING MOTORCYCLE ON CENTRE STAND


- Select a firm, flat surface.
- Hold handle bar firmly in a straight position.
- Lower centre stand, such that, both the legs of the stand are resting on a firm ground.
- Apply pressure on the fulcrum lever on the centre stand and pull the motorcycle backward.
- Lock the steering and ensure the handle bar is locked firmly before removing the key from the ignition barrel.



PARKING

PARKING MOTORCYCLE ON SIDE STAND

- Select a firm, flat surface.
- Extend side stand. Tilt the motorcycle to the left side, till it is supported firmly on the ground.



WARNING


Ensure both stands are fully retracted before riding the motorcycle.

Please exercise extreme care while parking and ensure it is parked on a firm and flat surface to avoid the motorcycle from falling over and causing injury to you or to others and damage to the motorcycle parts.

TOOLS KIT

The tool kit is located in the right side panel of the motorcycle.


| S.No. | Description | Qty. |
|-------|----------------------------------|------|
| 1. | C Spanner | 1 |
| 2. | Allen Key 6mm | 1 |
| 3. | Allen Key 5mm | 1 |
| 4. | Allen Key 4mm | 1 |
| 5. | Extension Tube | 1 |
| 6. | Ring Spanner 24 x 14 Combination | 1 |
| 7. | Screwdriver 06 x 160 | 1 |
| 8. | Double End Spanner 10 x 12 | 2 |



FIRST AID KIT

A first aid kit is provided with the motorcycle for any emergency requirements.

| S.No. | Description | Qty. |
|-------|--|------|
| 1. | Antiseptic cream 5 gms | 1 |
| 2. | Wash proof plaster 1.9 cm x 7.2 cm | 2 |
| 3. | Gauze bandage 5 cm x 2 cm | 1 |
| 4. | Sterilized Gauze Swab 5 cm x 5 cm | 2 |
| 5. | Sterilized elastic plaster 7 cm x 6 cm | 1 |
| 6. | Elastic Gauze bandage 8 cm x 1 mtr. | 1 |
| 7. | First aid kit pouch | 1 |
| | | |




^{*} Please familiarise yourself with the minor maintenance of the motorcycle before attempting to carry out the same.

The following simple maintenance activities will help maintaining your motorcycle. However, for an complete maintenance, we recommend you to get in touch with a Royal Enfield Authorised Service Centre.

HAND LEVERS, CENTRE AND SIDE STAND PIVOTS

- Clean the pivot points and ensure they are free of any dirt, grime, rust, etc.
- Lubricate the pivots.





NOTE

Wipe off the excess lubricant to prevent dirt and grime from accumulating.

DRIVE CHAIN

- Spray drive chain with recommended chain cleaning solvent while simultaneously rotating rear wheel.
- Ensure the drive chain has been sufficiently and completely covered with the cleaning solvent. If necessary use a suitable brush to remove hard deposits from the chain.
- Wait for a few minutes and clean the chain thoroughly from any dirt, grime, etc.
- Rotate rear wheel slowly and simultaneously apply recommended chain lubricant on the chain links.
- Wipe off excess chain lubricant after a few minutes with a clean cloth.






OIL LEVEL INSPECTION


- Ensure motorcycle is in upright position on a firm and flat surface on its centre stand.
- Start the engine and allow it to run in idling rpm for about 2 minute and switch off the ignition.
- Wait for 2 minute for the oil to settle down and check oil level through the window on RH cover of the engine.
- The level is correct only if the oil is found between the "MIN" and "MAX" marks on the cover RH.
- If necessary top up ONLY with recommended engine oil till the level is between the "MIN" and "MAX" markings.

CAUTION

Use of wrong grade or spurious oils can seriously affect motorcycle performance and damage to moving parts. DO NOT over fill beyond the "MAX" level or allow oil level to drop below the "MIN" level.



■ Remove the engine oil filler cap for adding the engine oil.




■ Place a clean tray under the engine oil magnetic drain plug. Remove it along with the washer to drain oil completely from the engine.

A

WARNING

DO NOT spill the engine oil. Store used oil in a separate container and dispose it. Avoid skin or body contact with the oil. Promptly wash the affected areas with soap and water till it is cleaned thoroughly.



NOTE


Ensure the engine oil is drained completely. Drain the oil completely and to avoid oil spilling.

ENGINE OIL FILLING

- Place a container under engine oil drain bolt.
- Gently apply thread sealant on drain plug thread.
- Insert the drain plug bolt along with new washer.
- Tighten the drain plug bolt to 35 Nm.
- Refill the engine oil recommended level.
- Close engine oil filler cap.
- Start and warm up engine for 2 to 3 minutes and then turn it off. Check oil level through oil level window.

CAUTION

DO NOT over fill engine oil as excess oil will spill over through the crankcase breathing system and clog the air filter.





SPARK PLUG


CLEANING SPARK PLUG AND ADJUSTING GAP

- Disconnect spark plug caps from the spark plugs.
- Locate spark plug spanner on the spark plug, loosen spark plug and remove it from cylinder head.
- Check spark plug for carbon deposits and centre electrodes for uneven wear.
- Clean spark plug by positioning it in a spark plug cleaning machine.
- Remove spark plug from the cleaning machine, check and set electrode gap between 0.7 to 0.8 mm.
- Position spark plug in the spark plug testing machine and check for proper functioning of the spark plug.
- Always replace spark plugs ONLY as per recommended specification.
- Apply a thin film of "anti seize" on the spark plug mounting and threads fix the spark plug by hand tightening.
- Tighten spark plug to torque 10 to 15 Nm by using a spark plug spanner.



BRAKE FLUID FRONT AND REAR

- Ensure motorcycle is upright on a firm flat surface on its centre stand.
- Check brake fluid level in the window on front and rear reservoirs.
- The level is correct if the oil level is between the "MIN" and "MAX" marks.
- Open the reservoir cover and remove diaphragm carefully to top up the brake fluid.



Front Brake

Rear Brake

- Top up only with DOT 4 brake fluid untill level is between "MIN" and "MAX" marks in the reservoir.
- Replace diaphragm correctly and close cover firmly.
- Wipe off any excess / spilled brake fluid immediately with a clean cloth.

CAUTION

Brake fluid is highly corrosive and can cause damage to painted parts. Please ensure that brake fluid does not spill on any part of the motorcycle. In the event of a spill, please clean the area immediately with a soft wet cloth to avoid damage to the affected part.

DO NOT mix different brake fluid grades. Use ONLY DOT 4 Brake fluid.


INSPECTION OF TYRES AND WHEELS

■ Inspect the tyres periodically for tread wear, cracks and cuts.

| Minimum tread depth : | |
|-----------------------|------------------|
| Front tyre : 1 mm | Rear tyre : 2 mm |

- Check and remove stone, splinters, nails or other particles embedded in the tyre treads.
- Periodically inspect wheels for spokes damage and wheel rim for wobbling or run out.
- Check uniform seating of the tyre beading on the rim whenever the tyre is reassembled.
- Use only recommended tyres and tubes, inflated to correct air pressure as given below.

| | Front | Rear |
|--------------|--------------------------------|--------------------------------|
| Solo | 32 psi/2.20 kg/cm ² | 36 psi/2.53 kg/cm ² |
| With Pillion | 32 psi/2.20 kg/cm ² | 39 psi/2.74 kg/cm ² |



FRONT WHEEL REMOVAL

- Ensure motorcycle is upright on a firm and flat surface.
- Place a wooden block on the front end of engine to support the motorcycle and ensure front wheel is off the ground by minimum 2 inches.
- From wiring harness RH side disconnect the speedo drive coupler.
- Loosen the pinch bolt on the front fork bottom right side.
- Remove the axle nut along with washer, hold the wheel axle on the right side and loosen hex nut on the left completely.
- Remove axle nut and washer from wheel axle.








■ Tap and remove the front wheel spindle, gently tap axle from left side while supporting wheel at the bottom then remove axle from the right side.

CAUTION

Take care to secure the wheel spacers and speed sensor while removing the axle from the forks.



CAUTION


Do not press the brake lever when front wheel is removed as this will result in the brake pads coming too far out of the brake caliper.

- Place a 4 mm thick wooden piece or cardboard sheet between the brake pads to avoid pads activation in the event the front brake lever is accidently pressed.
- Take care not to damage the front brake disc or tonering as it will affect the braking system and ABS.



FRONT WHEEL REASSEMBLY

- Remove the wooden piece / cardboard sheet placed between the brake pads
- Locate speedo drive to its correct position on the right side.
- Locate stepped spacer to the wheel hub on left side.
- Insert the wheel along with speedo drive and spacer between the fork ends. Ensure the brake disc is located between the brake pads.
- Support front wheel at the bottom and ensure the mounting holes are aligned to insert the wheel axle along the right side fork end. Gently tap axle into wheel till the threaded portion of axle is fully visible on the left side fork end.
- Assemble washer and nut on axle.
- Hold the wheel axle firmly on right side and tighten axle nut firmly on right side to a torque of 70 Nm.
- Tighten pinch bolt completely on fork end to a torque of 25 Nm.







- Rotate wheel to check for smooth rotation.
- Connect the speedo wire coupler and check for proper working of speedometer.
- Press brake lever and check front brake efficiency.

CAUTION


Please exercise utmost caution while reassembling the front wheel on the motorcycle.

 $please\ ensure\ the\ wheel\ is\ fitted\ correctly\ before\ attempting\ to\ ride\ the\ motor cycle.$

Failure to do so may result in the motrocycel not performing correctly, may lead to an accident causing injury to you / other road users and may lead to loss of life.

REAR WHEEL REMOVAL


- Ensure motorcycle is upright on a firm and flat surface with the rear wheel atleast 6 inches raised above from the surface.
- Observe and mark the alignment indexes on both chain adjuster on left and right side swing arm.
- Loosen the lock nuts and adjuster nuts fully on the left and right side chain adjuster.



- Hold wheel spindle on left side firmly and loosen hex nut on right side.
- Remove the nut and washer from the wheel spindle.
- Push rear wheel fully into the swing arm.
- Support rear wheel from bottom and pull out wheel spindle from the left side swing arm from the clips on swing arm.
- Release the brake hose gently and remove caliper assembly from swing arm on right side.

CAUTION


- Ensure brake hose does not get damaged or kinked while removing.
- Support caliper assembly suitably and away from swing arm.
- Release the chain from the sprocket and ensure it does not get jammed or damaged when removing rear wheel.
- Remove support from wheel bottom and gently slide out rear wheel from the swing arm with rear sprocket, brake disc and spacers.



CAUTION

Do not press the rear brake pedal when the rear wheel is being removed as this will cause the brake pads to dislocate from the brake caliper.

■ Place a 4 mm thick wooden piece or cardboard sheet between the brake pads to avoid activation of brake pads if rear brake pedal is accidentally pressed.





CAUTION

DO NOT pull up the rear brake pedal to lift or raise the motorcycle for any reason.


REAR WHEEL REASSEMBLY

- Ensure that the long stepped spacer is located on the brake disc side and the short spacer is located on the sprocket side of the wheel hub firmly.
- Ensure that the chain adjuster are located properly inside the swing arm left and right sides.
- Locate caliper assembly on the tab along the swing arm right side.
- Locate rear wheel with the sprocket to the left side ensuring the brake disc in-between the brake pads on right side.
- Lift up the rear wheel and ensure that the slots in the swing arm brake caliper bracket holes in chain adjusters and the centre hole in the hub are aligned.
- Support rear wheel suitably and insert rear wheel spindle along the left side swing arm into the wheel hub.
- Ensure that the long stepped spacer is located along the brake side and the short spacer is located along the sprocket side on the wheel hub.





- Tap spindle gently into wheel hub slot till the threads are completely visible on the right side.
- Assemble the drive chain on the sprocket and ensure it is seated correctly.
- Check for free and smooth rotation of the rear wheel.
- Assemble washer and hex nut on wheel spindle on right side.





DO NOT TIGHTEN HEX NUT FULLY

- Tighten chain adjuster nuts on left and right adjuster such that the index marks are aligned correctly on both sides of the swing arm.
- Check and ensure correct chain tension and wheel alignment.
- Hold spindle firmly on left side and tighten hex nut on right side set torque to 70 Nm.
- Locate the brake hose in the clips along the swing arm right side.
- Check rear brake for proper operating efficiency.

CAUTION


Please exercise utmost caution while reassembling the rear wheel on the motorcycle.

 $Please\ ensure\ the\ wheel\ is\ fitted\ correctly\ before\ attempting\ to\ ride\ the\ motorcycle.$

Failure to do so will result in poor performance of motorcycle which may lead to an accident causing injury to you / other road users and may lead to loss of life.

ADJUSTMENTS - CLUTCH

- Loosen the cable outer lock nut.
- Turn the nut clockwise to reduce the play or anticlockwise to increase the free play.
- Tighten lock nut after adjustment is done.
- Check free play 2 to 3 mm at clutch lever pivot on handle bar end, if desired free play is not achieved readjust.




REAR BRAKE LIGHT

The brake light glows once you press the brake lever.

If brake light is not glowing, check the brake light switch wire for proper connection.

DRIVE CHAIN TENSION (Free Play 20-30 mm)

- Park motorcycle up right on a firm and flat surface.
- Ensure the motorcycle is in neutral position.
- Measure the drive chain free play as shown. The drive chain free play is 20 mm to 30 mm.
- 1. If the drive chain free play is found to be incorrect adjust as follows:
- a. Loosen the axle nut of the rear wheel axle.
- b. Loosen the lock nut on the adjuster at both end of the swing arm.
- c. To reduce the free play, tighten the adjuster nut on the adjuster evenly.



- d. To increase the free play, loosen the adjuster nuts evenly and push the rear wheel forward.
- e. Check the chain for correct chain tension.
- f. Ensure that the index marks on the adjuster and swing arm are same on both left and right side of the swing arm.
- g. Hold spindle firmly to the left side and tighten rear hex nut to a torque of 70 Nm.
- h. Tighten the adjuster locknut using a 24mm spanner.

WARNING

Chain slackness beyond 30mm will lead to chain slippage and may also cause increased wear rates to chain and sprockets.

 $Maintain\,drive\,chain\,slackness\,within\,the\,specified\,limits\,at\,every\,1000\,kms\,interval.$

Please ensure the both wheels are aligned correctly, after adjusting the chain and before tightening the rear wheel spindle nut.

BATTERY AND MAINTENANCE


- The Motorcycle is provided with 12V 12 Ah battery.
- The battery must be periodically checked for cleanliness and corrosion free terminals.


NOTE

The poor contact or loose fitment of battery terminals may cause ECU failure.


DISMANTLING

- Switch "OFF" the engine and remove ignition key from the key barrel.
- Disconnect battery negative (- ve) terminal bolt.







■ Remove 3 Nos. Hex head bolts from tool box to access the battery.




■ Disconnect battery positive (+ve) terminal from battery.




■ Pull battery strap (belt) downwards and release strap lock from battery strap bracket.




■ Loosen and remove hex flange head screw from battery strap bracket.



■ Remove battery strap bracket from battery tray.



■ Remove battery from tray.






Always disconnect the black negative (-ve) battery cable first and then the red positive (+ve) cable while removing the battery connections.


NOTE


For checking the battery voltage contact Royal Enfield Authorised Service Centre or battery service centre.

ASSEMBLY


■ Assemble battery in to tray.









■ Locate and tighten flanged head screw into battery strap bracket.




■ Pull battery strap (belt) downwards to fix strap lock into battery strap bracket.



■ Connect battery red positive (+ve) terminal bolt.




■ Locate and tighten 3 nos. hex head bolts into tool holder.



■ Connect red battery negative (-ve) terminal bolt.

CAUTION

Connect the black (-ve) negative terminal after connect red (+ve) positive terminal only.



NOTE

Clean the wire terminals free from corrosion and keep the terminals coated with petroleum jelly.

CAUTION

Keep the red (+ve) positive terminal and (-ve) negative terminal cables firmly connected to the respective battery terminals. Failure to do so may result in damage to the motorcycle electrical system.

CHANGING ELECTRICAL COMPONENTS

HEADLAMP BULB REPLACEMENT

- Loosen the rim holding screw on top and take out the head lamp dome.
- Disconnect electrical connections.
- Thumb push and remove the bulb holding clamp gently.
- Remove the bulb using a clean and soft cloth.








- Position the new bulb inside the reflector such that the three projections on the bulb align with the slot on the reflector.
- Refit the bulb holding clamp.
- Connect the electrical connections.
- Position head lamp dome onto the head lamp shell and tighten the mounting screw on top.



NOTE


Never touch the bulb with your fingers. Finger prints will etch the glass and decrease bulb life apart from causing burns to your fingers.

Always hold the bulb with gloves and clean dry cloth during handling.




TAIL LAMP BULB

- Unlock the side panel RH.
- Remove the seat assembly by pulling seat lock cable.
- Remove the tail light cover by unscrewing its mounting screw.
- Hold the bulb, press inside and rotate anticlockwise to remove the tail light bulb from its holder using a clean cloth.
- Replace the bulb 12V 21 / 5W using a soft clean cloth.
- Re-assemble the tail light in the reverse order of dismantling process.




TRAFFICATOR BULB REPLACEMENT

- Remove the screw from the trafficator housing.
- Open the indicator housing.
- Remove the bulb holder with help of a screw driver.
- Remove the bulb and replace the same using a soft and clean cloth.
- Refit the holder to its proper position.
- Fix the rubber gasket cover.
- Assemble the indicator housing cover.



FUSE AND FUSE CARRIER

- The fuse carrier is located under the seat.
- Unlock side panel RH.
- Release seat lock by pulling knob and remove the seat.



WARNING

Electronic Control Unit (ECU) may fail due to loose electrical connections, loose battery terminals, etc. Hence, it is very important to keep all the electrical connections are intact.

MINI BLADE FUSE USAGE LIST

| Fuse ID Number | Color | Rating | Remarks |
|-------------------|-------|--------|-------------------|
| 1 | V | 30 A | Alternator |
| 2 | R-W | 30 A | Main Fuse |
| 3 | G-W | 15 A | Ignition Fuse-EFI |
| 4 | R | 10 A | Signalling Fuse |
| 5 | BR | 10 A | Horn Fuse |

| Fuse ID Number | Color | Rating | Remarks |
|-------------------|-------|--------|------------------------------|
| 6 | R | 15 A | Lighting Fuse (Head Lamp) |
| 7 | R-W | 10 A | Accessory Fuse |
| 8 | R | 10 A | ABS Fuse |
| 9 | R-W | 25 A | ABS Fuse |

WARNING


Please get the electrical system of your motorcycle checked thoroughly and get the faults corrected immediately after experiencing any fuse failure. Failure to do so may result in repeated fuse failure.


Usage of fuses other than specified rating will damage the complete electrical system.

AIR FILTER

CLEAN AND REFIX: EVERY 5000 kms

- Remove the screw from the side panel bottom side and remove side panel.
- Remove the air filter cover screws and then take out air filter box cover.





NOTE

Usage of high pressure compressed air is not recommended to clean air filter element.

Fitment of air filter element is in the reverse order of removal process.

LONG TRIP PRECAUTIONS

CHECKS PRIOR TO THE COMMENCEMENT OF A LONG JOURNEY

- Service the motorcycle at Royal Enfield Authorised Service Centre.
- Ensure sufficient quantity of fuel is always available in the fuel tank for the journey planned.
- Check and correct tyre pressure if necessary.

CHECKS AFTER EVERY 1500 KMS OF RUN

- Any loose fasteners.
- Condition of the tyres.
- Correct oil level in engine.
- Working of all lights and horn.
- Proper drive chain tension.
- Clutch cable free play.

LONG TRIP PRECAUTIONS

ITEMS TO BE CARRIED

- Tools kit.
- Bulbs for headlight, trafficator light and mini blade fuses (10 and 15 A).
- Accelerator and clutch cable.
- Spark plug, spark plug cap.
- Spare tubes.

WASHING PROCEDURE

PRECAUTIONS

- Remove ignition key and seal the ignition key barrel slot using adhesive tape.
- Cover the silencer tail pipe, horn and control switches with suitable plastic bags and tie it firmly to prevent water entry.
- Wash the motorcycle only when the engine is in cold condition.
- Do not remove side panel while washing to avoid water entry.
- Brush engine area with a recommend non corrosive solvent to remove dirt or grease.
- Use low pressure water jet to clean.
- Never spray water with great force on head lamp, meter/cluster unit, flasher lights, front and rear wheel hubs, electrical connections and wires, control cables, EFI components, spark plug, battery, side panels.
- Do not apply any corrosive solvent on painted surfaces or rubber parts.
- Use lukewarm water and mild detergent on the painted components to remove dirt, etc.
- Clean motorcycle thoroughly with plain water to remove the detergent.

WASHINGPROCEDURE

■ If possible, use compressed air and blow off water particles from the obscure areas of the motorcycle, electrical connections etc.

AFTER WASHING

- Ensure, the motorcycle is thoroughly dry by wiping with a clean soft lint free absorbent cloth or chamois leather.
- Remove all adhesive tapes.
- Lubricate control cables, pivots for footrest, side stand, centre stand, brake and gear shifter linkages, drive chain etc. with lube oil.
- Polish the painted and plated surfaces using recommended automobile polishing wax.
- Start the engine and allow to run at an idling speed for a few minutes to warm up engine.
- Drive the motorcycle slowly, apply both the brakes intermittently to dry up the water in brake pads.

STORAGE PRECAUTIONS

In-case your motorcycle is not going to be used for a month or more, the following precautions should be taken.

- Get the motorcycle serviced through a Royal Enfield Authorised Service Centre.
- Drain the fuel completely from the fuel tank and induction system
- Remove spark plug. Pour in about 5ml of clean engine oil through spark plug hole. Close the hole and crank engine several times and refit spark plug.
- Clean drive chain thoroughly and apply Royal Enfield recommended chain lubricant.
- Wipe off excess lubricant after 5 minutes of application
- Remove battery from the motorcycle. Clean the terminals to free from corrosion and apply petroleum jelly to terminals and cover both them using a plastic sheet.
- Store the battery in a cool, dry and well ventilated place.
- Cover the silencer with suitable bags to prevent moisture entry. Set the motorcycle on its centre stand.
- Apply anti rust solutions on all plated parts. Take care not to apply this solution on chrome, rubber or painted parts. Store motorcycle in a clean covered area free of moisture and dust.
- For re-use after storage, it is preferable to get the motorcycle prepared through a Royal Enfield Authorised Service Centre to ensure the motorcycle is restored to its peak operating conditions.

TROUBLE SHOOTING



WARNING

The trouble shooting section of this Owner's Manual is intended solely as a guide for diagnosing problems. Carefully read the appropriate sections of this manual before performing any work, repair and maintenance operations not listed in this Owner's Manual should be performed by your Royal Enfield Authorised Service Centre only. Improper repair / maintenance will result in the motorcycle not functioning properly or serious injury.



WARNING

Please get the electrical system of your motorcycle checked thoroughly and get the faults corrected immediately after experiencing any fuse failure. Failure to comply can result into repeated fuse failures.

Usage of fuses other than specified rating will damage the complete electrical system.

CAUSES REMEDIES

I. ENGINE FAILS TO START

Ignition switch in "OFF" position
 Engine kill switch in "OFF" position
 Kill switch to "ON" position.

 $\hbox{* Contact Royal Enfield Authorised Service Centre}\\$

| TD | OUBLE | CHO | TINC |
|----|--------------|---------|------|
| 11 | UUDLE | . 31101 | |

| CAUSES | | REMEDIES | |
|--------|---|---|--|
| 3) No | o fuel in fuel tank | Refill fuel. | |
| | attery low voltage indicator is glowing ontinuously | Check battery for voltage / charging circuit. | |
| • | ngine Malfunction indciator is glowing ontinuously | Get the motorcycle inspected through a Royal Enfield Authorised Service Centre. | |
| 6) Sp | oark plug cap / lead not connected | Fix cap / lead firmly. | |
| 7) Sp | oark plug electrode dirty / fouled | Clean spark plug | |
| 8) Sp | oark plug insulation cracked | Replace spark plug. | |
| 9) M | ain or EFI fuse blown out | Replace with new fuse. | |

| T) | TROUBLE SHOOTING | | | | | | | | | | |
|-----|--|--|--|--|--|--|--|--|--|--|--|
| CA | USES | REMEDIES | | | | | | | | | |
| II. | ENGINE MISFIRING | | | | | | | | | | |
| 1) | Loose spark plug cap | Fix cap firmly. | | | | | | | | | |
| 2) | Spark plug fouled | Clean spark plug or non specified heat range plug. | | | | | | | | | |
| 3) | Any sensor loose connections | * Check MAP or EOT or TPS sensor wiring / coupler loose connections. | | | | | | | | | |
| 4) | Water in fuel tank | * Clean fuel tank. Fill tank with fresh petrol. | | | | | | | | | |
| 5) | Engine starts but shuts of immediately | Check if the MIL indicator continuously is glowing; If yes* | | | | | | | | | |
| 6) | Engine misfires and runs erratically | Check if the MIL indicator continuously is glowing; If yes* | | | | | | | | | |
| | | | | | | | | | | | |
| | *Contact Ro | yal Enfield Authorised Service Centre | | | | | | | | | |

| T | TROUBLE SHOOTING | | | | | | | | | |
|----|---|--|--|--|--|--|--|--|--|--|
| CA | USES | REMEDIES | | | | | | | | |
| Ш | . POOR PICKUP | | | | | | | | | |
| 1) | 1) Brake pedal adjusted too tight *Re-adjust properly, refer to respective section. | | | | | | | | | |
| 2) | Choked air filter | Clean / Replace air filter. | | | | | | | | |
| 3) | Drive chain tigh | *Re-adjust properly. | | | | | | | | |
| 4) | Under inflated tyres | *Inflate to correct pressure. | | | | | | | | |
| 5) | Accelerator cable free play excessive | Adjust accelerator cable free play. | | | | | | | | |
| 6) | Clutch slipping | *Adjust clutch cable free play. | | | | | | | | |
| 7) | Faulty fuel supply, fuel pump, filter / injector blocked | *Remove fuel pump and clean. | | | | | | | | |
| 8) | 8) Poor pickup Check if the MIL indicator is glowing; If yes* | | | | | | | | | |
| | * Contact Ro | oyal Enfield Authorised Service Centre | | | | | | | | |

| TROUBLE SHOOTING | | | | | | | | | | |
|------------------|----------------------------|---|--|--|--|--|--|--|--|--|
| CA | USES | REMEDIES | | | | | | | | |
| IV. | ENGINE OVERHEATING | | | | | | | | | |
| 1) | Low engine oil level | Check and top-up if necessary. | | | | | | | | |
| 2) | Clutch slipping | * Check and correct. | | | | | | | | |
| 3) | Cylinder fins not clogged | Clean the cylinder fins at regular intervals. | | | | | | | | |
| v. | EXCESSIVE FUEL CONSUMPTION | ON | | | | | | | | |
| 1) | Under inflated tyres | Inflate to correct pressure. | | | | | | | | |
| 2) | Choked air filter | Clean / Replace. | | | | | | | | |
| 3) | Fuel leakage | *Check and rectify, tank float unit, drain pipe, breather pipe, fuel line, pump, EVAP system. | | | | | | | | |
| _ | *Cont | act Royal Enfield Authorised Service Centre | | | | | | | | |

| CAUSES | REMEDIES | | | |
|---------------------------------|---|--|--|--|
| VI. BRAKES POOR | | | | |
| 1) Brake pad worn / Uneven wear | *Replace brake pads. | | | |
| 2) Oil / grease on disc. | *Clean and refit. | | | |
| 3) Spongy brake | *Fill brake fluid and perform brake bleeding. | | | |
| VII. MOTORCYCLE WOBBLES | | | | |
| 1) Under inflated tyres | Inflate to correct pressure. | | | |
| 2) Loose / Broken spokes | * Tighten / Replace spokes. | | | |
| 3) Wheels misaligned | * Ensure proper alignment. | | | |
| 4) Wheel rim runout | * Rectify. | | | |

TROUBLE SHOOTING

5) Tyres not fitted correctly

* Refit tyres correctly.

TROUBLE SHOOTING CAUSES REMEDIES VIII. ELECTRICALS **Bulbs do not glow** 1) Bulb fused * Replace bulb. 2) Fuse blown * Check and replace fuse. 3) Loose / improper connection * Check and correct. Horn not working Check and correct. 1) Fuse blown 2) Loose connections Check and correct. Trafficators not working 1) Loose / improper connections Check and correct. 2) Bulb fused Replace. *Contact Royal Enfield Authorised Service Centre

TROUBLE SHOOTING

CAUSES REMEDIES

IX. ELECTRONIC FUEL INJECTION (EFI)

Malfunctioning indicator lamp (MIL) glowing continuously

Sensor coupler loose connection
 *Check for

* Check for all EFI sensor coupler loose connection and correct them.

2) Any EFI sensor failure

* Check and replace the same.

X. ABS (ANTI LOCK BRAKING SYSTEM)

1) ABS indicator continuously "ON" Take the vehicle to service centre for diagnosis.

*Contact Royal Enfield Authorised Service Centre

The maintenance schedule detailed here will help you to maintain your interceptor INT 650 motorcycle meticulously to get a long trouble free service. The schedule provided herein is based upon an average riding conditions and indicates the km/miles at which regular inspections, adjustments, replacements and lubrications are to be carried out. The frequency of the maintenance must be shortened depending upon the severity of the driving condition or if the motorcycle is used in a very dust environment. Contact the nearest Royal Enfield Authorised Service Centre for expert advice and to carry out the required maintenance.

| SI. No. | DESCRIPTION | PERIODIC MAINTENANCE | | | | | | | | | | |
|------------|--|---|----|----|----|----|----|----|----|-----|----|----|
| | Kms (x 1000) | 0.5 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 |
| | Months | 1.5 | 12 | 12 | 24 | 24 | 36 | 36 | 48 | 48 | 60 | 60 |
| | F : 01/10 | | | R | | R | | R | | R | | R |
| ' | Engine Oil (#) | Check level at every 1000 Kms or earlier and top up as required | | | | | | | | | ed | |
| 2 | Engine oil filter element (#) | R | | R | | R | | R | | R | | R |
| 3 | Inlet and Exhaust valve clearance (**) | I | | - | | I | | 1 | | - 1 | | _ |
| 4 | Spark plug | Ī | Ī | I | Ī | R | Ī | Ī | Ī | R | Ī | Ī |
| 5 | HT lead for crack | 1 | 1 | I | I | I | I | 1 | Ι | 1 | - | _ |

I - Inspect (Clean, Adjust, lubricate or replace if necessary)

L - Lubricate

R - Replace

C - Clean

^{(#) -} After First service, Engine oil and Engine oil filter replacement is a mandatory at every 12 months even the vehicle has not covered the specified kms. (**)- After First service, Valve clearance adjustment is a mandatory at every 12 months even the vehicle has not covered the specified kms.

| SI. No. | DESCRIPTION | PERIODIC MAINTENANCE | | | | | | | | | | |
|------------|--|--|-----|-----|----|-----|-----|-----|-----|----|-----|-----|
| | Kms (x 1000) | 0.5 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 |
| | Months | 1.5 | 12 | 12 | 24 | 24 | 36 | 36 | 48 | 48 | 60 | 60 |
| 6 | Rubber hose, Air filter to Throttle body | -1 | - | ı | 1 | - 1 | Ι | -1 | 1 | 1 | -1 | - 1 |
| 7 | Rubber hose, Inlet manifold/ Adaptor | _ | - 1 | I | ı | - 1 | ı | - | ı | I | - 1 | I |
| 8 | Evaporative Emission Equipment rubber hoses | - 1 | ı | - 1 | ı | - | ı | - 1 | - 1 | ı | _ | - 1 |
| 9 | Fuel filter - External | | | | | R | | | | R | | |
| 10 | Air filter element | С | С | R | С | R | С | R | С | R | С | R |
| 10 | All litter element | Clean/replace more frequently if operated in dusty condition | | | | | | | | | | |
| 11 | Vent Pipe under air filter box | _ | - 1 | I | ı | | - 1 | - 1 | - 1 | I | _ | |
| 12 | Hose - Secondary Air | - | ı | ı | ı | - 1 | ı | ı | ı | I | - | ı |
| 13 | Accelerator and Throttle pulley cables free play | Α | Α | Α | Α | Α | Α | Α | Α | Α | Α | Α |
| 14 | Clutch Cable / lever free play | Adjust every 1000 Kms or earlier as required | | | | | | | | | _ | |
| 15 | Hand levers pivot point | Lubricate every 1000 Kms or earlier as required | | | | | | | | | d | |

I - Inspect (Clean, Adjust, Iubricate or replace if necessary)

L - Lubricate

R - Replace

C - Clean

^{(#) -} After First service, Engine oil and Engine oil filter replacement is a mandatory at every 12 months even the vehicle has not covered the specified kms.

^{(**)-} After First service, Valve clearance adjustment is a mandatory at every 12 months even the vehicle has not covered the specified kms.

| SI. No. | DESCRIPTION | PERIODIC MAINTENANCE | | | | | | | | | | |
|------------|---|---|----|-----|-----|-----|-----|-----|-----|-----|----|---------|
| | Kms (x 1000) | 0.5 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 |
| | Months | 1.5 | 12 | 12 | 24 | 24 | 36 | 36 | 48 | 48 | 60 | 60 |
| 16 | Brake pads - Front and Rear | 1 | | 1 | 1 | 1 | 1 | 1 | - 1 | - | - | 1 |
| 17 | Disc Brake fluid level - Front and Rear | ı | _ | I | - 1 | R | - 1 | - | - 1 | R | _ | _ |
| 18 | Rear brake pedal and Gear change pedal pivot | L | L | L | L | L | L | L | L | L | L | L |
| 19 | Brake hose and Banjo Bolt - Front and Rear | ı | _ | ı | - 1 | ı | - 1 | 1 | - 1 | - | _ | Ι |
| 20 | Front Fork oil leak | I | | I | - 1 | - 1 | - 1 | - 1 | - 1 | - 1 | I | |
| 20 | Trontronkon leak | Replace oil at every 60000 kms or any work carried out whichever is earlie | | | | | | | | | | earlier |
| 21 | Steering tapper roller bearing Play | 1 | ı | 1 | I | I | I | I | I | 1 | 1 | ı |
| 22 | Rear Wheel Drive Chain | Lubricate and Adjust every 1000 Kms / Clean, Lubricate and Adjust every service or earlier as required | | | | ind | | | | | | |
| 23 | Rear wheel Cush rubbers | | | | - 1 | | | | I | | | |
| 24 | Spokes tightness / Wheel rim run out front and rear | - 1 | I | - 1 | - 1 | I | I | - 1 | ı | ı | I | I |

I - Inspect (Clean, Adjust, lubricate or replace if necessary)

L - Lubricate

R - Replace

C - Clean

^{(#) -} After First service, Engine oil and Engine oil filter replacement is a mandatory at every 12 months even the vehicle has not covered the specified kms.

^{(**)-} After First service, Valve clearance adjustment is a mandatory at every 12 months even the vehicle has not covered the specified kms.

| SI. No. | DESCRIPTION | PERIODIC MAINTENANCE | | | | | | | | | | |
|------------|---|----------------------|-----|-----|-----|-----|-----|----|-----|----|----|----|
| | Kms (x 1000) | 0.5 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 |
| | Months | 1.5 | 12 | 12 | 24 | 24 | 36 | 36 | 48 | 48 | 60 | 60 |
| 25 | Battery terminals (apply petroleum jelly) | С | С | С | С | С | С | С | С | С | С | С |
| 26 | Battery electolyte levels (Not applicable for sealed battery) | | - 1 | - 1 | - | ı | ı | - | - 1 | I | _ | ı |
| 27 | Earth wire eyelet tightness | | | - 1 | | | | | | _ | | I |
| 28 | Tyre wear pattern front and rear | I | I | I | - 1 | - 1 | - 1 | 1 | I | I | - | ı |
| 29 | Pivot-Side Stand, Centre Stand | L | L | L | L | L | L | L | L | L | Г | L |
| 30 | Rider and Pillion Foot rest pivot | L | L | L | L | L | L | L | L | L | L | L |
| 31 | All mounting fasteners in vehicle for tightness | Ī | I | Ī | Ī | Ī | Ī | ĺ | Ī | I | Ī | |

I - Inspect (Clean, Adjust, lubricate or replace if necessary)

R - Replace

C - Clean

NOTE

For Maintenance after 50,000 Kms, Please repeat the same frequency specified above, in consultation with a Royal Enfield Authorised Dealer / Service Centre.

L - Lubricate

^{(#) -} After First service, Engine oil and Engine oil filter replacement is a mandatory at every 12 months even the vehicle has not covered the specified kms. (**)- After First service, Valve clearance adjustment is a mandatory at every 12 months even the vehicle has not covered the specified kms.

WARRANTY TERMS AND CONDITIONS

Royal Enfield Motorcycles are manufactured by following best Quality practices in respect of the material and workmanship.

Royal Enfield (RE) warrants its motorcycle to be free from manufacturing and material defect under normal use subject to following conditions.

- 1. RE will replace or repair defective part(s) at their Dealerships and Authorised Service Center, free of charge within a period of 36 months / 40,000 kms. from the date of sale, whichever is earlier and 36 months inclusive RSA (Road Side Assistance).
- 2. In order to avail warranty benefits by second or subsequent owner, the second/subsequent owner should inform the nearest Royal Enfield Service Center about the purchase of the bike and shall fill in the requisite details in the form as requested by Royal Enfield.
- 3. The warranty shall be applicable only if all the 4 free services & 5 paid services are availed in the respective period/kilometer ranges as per the schedule in the owner's manual from RE Authorised Dealer / Service Center.
- 4. During the warranty period, RE's obligations shall be limited to repairing/replacing part(s) of the motorcycle for free, only if the part(s), on examination is deemed to have a manufacturing defect. Defective part(s) which have been replaced will become the sole property of RE.

WARRANTY TERMS AND CONDITIONS

- 5. Cost of oil, oil filter and fuel are chargeable to the customer.
- 6. Claims on proprietary items like tyres, tubes, spark plug, battery etc. should be taken up with the respective manufacturer or their authorised agents in the area directly by the customer. RE shall not be liable in any manner to replace them through their dealers. RE will, however, provide assistance in preferring such claims on the respective manufacturer.
- 7. Warranty shall not apply to:
 - (a) Normal ageing, deterioration or rusting of plated parts, paints coat, rubber parts, soft items, glass items, plastic parts etc.
 - (b) Components like fuel filter, oil filter, Air filter paper element, control cables, brake shoes / brake pads, clutch plates, drive chain & sprocket kit, Steering ball races, Electrical equipment, wiring harness etc., which are subjected to normal wear and tear.
 - (c) Failures occurred due to use of non recommended grade lubricants, fuel or improper level.
 - $(d) \ \ Damages \ due \ to \ use \ of non-genuine \ parts, lack \ of proper \ maintenance, incorrect \ riding \ habits.$
 - (e) Parts damaged due to accidents, collision, abuse etc.

WARRANTY TERMS AND CONDITIONS

- (f) Irregularities not recognised as affecting the quality or function of the motorcycle such as slight vibration, oil leakage, discoloration of exhaust bent pipe/silencer/soft or hard shockabsorber etc.
- (g) Defects arising from fitment of unauthorised or additional electrical loads.
- (h) Motorcycle serviced or repaired at unauthorised service centers.
- (i) Motorcycle used for competitions / racing / Stage Rallying etc.
- (j) Electrical component like bulbs, fuses etc. and electronic components failure including ECU due to repairs by arc welding.
- (k) Motorcycle found with tampering / drilling / welding mark on any part of the Frame.
- (I) Normal maintenance operations like adjustment of brakes, cleaning fuel system, engine tune-up and other such adjustments.
- (m) Oxidization of buffed/painted/powder coated items etc.
- 8. RE reserves the right to finally decide on all warranty claims.
- 9. RE reserves the right to make changes in design of the motorcycle without any obligation to install these changes on previously supplied motorcycles.

In compliance with the provisions of Rule 115(2) of the Central Motor Motorcycle Rules, 1989, Royal Enfield certifies that the following warranty is applicable to those components liable to affect the emission of the gaseous pollutants in its range of motorcycle, in normal use to which it may be subjected to.

This emission warranty is valid for 30,000 Kms / 3 years from the date of first sale whichever earlier, to the first customer and is in addition to and parallel to the warranty policy, conditions and obligations laid down in the Owner's Manual.

Royal Enfield further warrants that if on examination by its Royal Enfield Authorised Service Centre, the motorcycle fails to meet the specified emission standards, then the Authorised Service Centre shall take necessary corrective measures and shall, at its sole discretion, repair or replace free of charge components of the emission control system to meet the required emission standards.

The method/s of examination to determine the warranty conditions of the emission warranty related components will be at the sole discretion of Royal Enfield and / or our Authorised Service Centre and results of such examination will be final and binding. If on examination the warranty conditions of the part/s is/are not established, Royal Enfield will have the right to charge all, or part of the cost of such examination to the customer in addition to the cost of the components.

In case of acceptance of the component/s under Emission warranty, Royal Enfield will replace free of charge the component/s as required. However, the consumables like fuel, lubricants, solvents, etc shall be chargeable to the customer as per actuals.

In case any of the components covered under emission warranty or the associated parts are not independently replaceable. Royal Enfield will have the sole discretion to replace either the entire assembly or parts of the assembly through suitable repairs.

Royal Enfield reserves the right to carry out necessary consequential repairs to the motorcycle or replace any part, in addition to the repair or replacement of the components covered under emission warranty, to establish compliance to inuse emission standards. Such repairs / replacements will be chargeable to the customer.

 $All\ parts\ removed\ for\ replacement\ under\ warranty\ will\ become\ the\ property\ of\ Royal\ Enfield.$

Royal Enfield will not be responsible for the cost of transportation of the motorcycle to the nearest Authorised Service Centre OR for any loss due to non availability of the motorcycle during the period of examination and repairs by Royal Enfield and / or their Authorised Service Centre.

Royal Enfield will not be responsible for any penalties that may be charged by statuatory authorities on account of failure to comply with the in-use emission standards.

The cost incurred to check emission of the motorcycle will have to be borne by the customer.

Emission warranty will be applicable irrespective of the change of ownership of the motorcycle provided all the conditions as laid down in this document are met from the date of original sale of the motorcycle.

THE WARRANTY SHALL APPLY IF THE CUSTOMER

- Observes all the important instructions and any other precautions listed in the owner's manual.
- Under all circumstances uses lubricants and fuel as recommended by Royal Enfield.
- Regularly obtains and carries out maintenance in accordance with Royal Enfield guidelines and enters the details in the Log book.
- Immediately approaches the nearest RE Authorised Dealer / Service Centre upon discovery of failure to comply with the emission standard inspite of having maintained and used the motorcycle in accordance with the instructions in the owner's manual and having carried out such repairs and adjustments as may be required with a view to establish such compliance.

- Production of a valid Pollution Under Control Certificate is necessary to claim Emission Warranty.
- Produces the owner's manual and Log book for verification details.
- Produces receipts covering maintenance of the motorcycle is specified in the owner's manual from the date of original purchase of the motorcycle.
- Produces valid certificate of Insurance and RTO Registration Certificate (R.C. Book).

THE EMISSION WARRANTY SHALL NOT APPLY IF

- A valid "Pollution under control" certificate is not produced.
- The motorcycle is not serviced by RE Authorised Dealer / Service Centre as per the service schedule described in the maintenance chart.
- The motorcycle has been subjected to abnormal use, abuse, neglect and improper maintenance or has met with an accident.

- Replacement parts not specified and approved by Royal Enfield have been used.
- The motorcycle, or parts there of, has been altered, tampered with or modified or replaced in an unauthorised manner.
- The odometer is not functioning or the odometer and / or its reading has been changed / tampered with, so that the actual distance covered cannot be readily determined.
- The motorcycle has been used for competitions, races and rallies or for the purpose of establishing records.
- On examination by Royal Enfield or its Authorised Dealer / Service Centre, if the motorcycle shows that any of the conditions stipulated in the Owner's manual with regard to use and maintenance have been violated.
- The motorcycle has been run on adulterated / leaded fuel or lubricant other than those specified by Royal Enfield in the Owner's manual or any other document given to the customer at the time of sale of the motorcycle.
- The emission related components are tampered with.
- All service and parts related bills and vouchers incurred during the tenure of the emission warranty is not produced.
- All maintenance activities carried out on the motorcycle during the tenure of the emission warranty are not entered in the log book.

TIPS TO BE ON THE RIGHT SIDE OF LAW

- Always get your motorcycle checked to meet the emission regulations through an authorised emission checking centre.
- Always carry a valid "Pollution Under Control" certificate with you, as and if applicable by law.

TIPS TO REDUCE POLLUTION

- Ensure that the periodical maintenance is carried out as stipulated in the owner's manual through a Royal Enfield Authorised Service Centre.
- Use only Unleaded petrol (91 RON or higher) from reputed fuel pumps.
- Ensure the fuel used is not adulterated.
- Use correct spark plug as recommended in the owner's manual.
- Use lubricants as per recommendations given on grade / brand in the owner's manual.

EVAPORATIVE EMISSION CONTROL SYSTEM WARRANTY

The following warranty applies to the evaporative emission control system.

Royal Enfield Motors warrants the first owner and each subsequent owner, that this motorcycle is designed and built so as to conform, at the time of sale, with applicable regulations specified by the evaporative emission control system related parts fitted to this motorcycle are free from defects in materials and workmanship which may cause this motorcycle not to meet applicable regulations period of 24 Months from the date of first use of the motorcycle.

The Warranty period shall begin either on the date the motorcycle is delivered to the first retail purchaser OR from the first date the motorcycle is used as a demonstrator OR as a display and/or trial motorcycle.

THE FOLLOWING ARE NOT COVERED BY THE EVAPORATIVE EMISSION CONTROL SYSTEM WARRANTY

- 1. Failures which may arise as a result of misuse, alterations, accidents OR non performance of routine maintenance, as specified in the Owner's Manual.
- 2. Replacing, removing OR modifying any portion of the EVAPORATIVE EMISSION CONTROL SYSTEM (consisting of fuel tank, fuel tank cap, canister, purge valve, throttle body, vapor hoses, fuel hoses and hose connectors) with parts not certified by Royal Enfield.

EVAPORATIVE EMISSION CONTROL SYSTEM WARRANTY

- 3. Loss of time, inconvenience, loss of motorcycle use or any other consequential loss or damages.
- 4. Any motorcycle in which the Odometer has been tampered with OR the speedo cable has been disconnected for any reason OR is broken and not replaced immediately, due to which the exact distance covered cannot be determined.
- 5. Normal aging of parts such as fuel hoses, vapor hoses, gaskets and rubber components.

RECOMMENDATIONS FOR REQUIRED MAINTENANCE

It is recommended that the routine maintenance of the motorcycle be carried out at specified intervals and any maintenance to the evaporative emission control systems should be performed only by an Authorised Royal Enfield Service Centre and using only genuine Royal Enfield spare parts.

ENVIRONMENT CARE

BE AN ENVIRONMENTALLY CONSCIOUS RIDER

Swachh Bharat is Sachh Bharat. Being a Royal Enfield rider help the nation and the future generation for a cleaner environment

Engine oil, oil filter, petrol, Battery, tyres, tubes, electrical & electronic parts replaced on your vehicle are to be disposed off in a proper way without polluting the environment. When your vehicle is attended in a Royal Enfield workshop our dealers do take care of that aspect. If you are getting it attended elsewhere please ensure that items are segregated and kept in a suitable container or bag without allowing them to get into soil, water or sewerage line, drains, water bodies like lake, canal, river. Sea etc. We strongly recommend that they are disposed off, in accordance to the applicable law, through Pollution Control Board approved agencies in the locality.

| ENVIR(| ONN | IENT | CARE |
|--------|-----|-------------|------|
|--------|-----|-------------|------|

CLEANING OR WASHING YOUR ROYAL ENFIELD

Please ensure that the effluents are not discharged into the environment. Please promote dry washing which helps the nation to conserve water too.

This note does not constitute legal advice; please contact your local authorities or your nearest Royal Enfield Service Centreforfurther guidance.

FREE SERVICE COUPONS

| | Customer Copy | | | | Dealer / ASP Copy | | |
|-------------|--|-----------|---|-------------|--|------------|---|
| | Free Service Coupon - 1 (Valid till 500 Kms / 45 days) | | į | | Free Service Coupon (Valid till 500 Kms / 45 da | - 1 ys) | |
| Job Card No | : Date | : | - | Job Card No | : Date | | : |
| Km Reading | : Dealer Code | : | | Km Reading | : Dealer Co | ode | : |
| Work done | : | | | Work done | : | | |
| | Dealer Stamp & Signature | | | | Dealer Stamp & Signature | e | |
| | | . — — — — | + | | . — — — — — — — — — — Dealer / ASP Copy | | |
| | Free Service Coupon - 2 /alid till 5000 Kms / 12 months (0 00 Kms / 12 months whichever is e | | | | Free Service Coupon Valid till 5000 Kms / 12 mont 00 Kms / 12 months whichev | hs (OR | |
| Job Card No | : Date | : | | Job Card No | : Date | | : |
| Km Reading | : Dealer Code | : | | Km Reading | : Dealer Co | ode | : |
| Work done | : | | | Work done | : | | |
| | Dealer Stamp & Signature | | | | Dealer Stamp & Signature | e | |

FREE SERVICE COUPONS

| | Customer Copy | | | | Dealer / ASI | РСору | | | |
|--------------------------|---|-----------|---|--|--|-------------------|---|--|--|
| | Free Service Coupon - 3 lid till 15,000 Kms / 24 months (0 0 Kms / 24 months whichever is e | | İ | Free Service Coupon - 3 (Valid till 15,000 Kms / 24 months (OR) 20,000 Kms / 24 months whichever is earlier) | | | | | |
| Job Card No | : Date | : | | Job Card No | : | Date | : | | |
| Km Reading | : Dealer Code | : | ì | Km Reading | : | Dealer Code | : | | |
| Work done | : | | | Work done | : | | | | |
| Dealer Stamp & Signature | | | | | Dealer Stamp & | Signature | | | |
| | | . — — — — | + | | Dealer / ASI | — — — — P Copy | | | |
| | Free Service Coupon - 4 lid till 25,000 Kms/36 months (0 Kms/36 months whichever is 6 | | | | Free Service C alid till 25,000 Kms 30 Kms/36 months | / 36 months (0 | | | |
| Job Card No | : Date | : | | Job Card No | : | Date | : | | |
| Km Reading | : DealerCode | : | | Km Reading | : | Dealer Code | : | | |
| Work done | : | | | Work done | : | | | | |
| | Dealer Stamp & Signature | | ĺ | | Dealer Stamp & | Signature | | | |

SERVICE MAINTENANCE RECORD

| S.No. | Date | Job Card No. | kms/ miles | Brief details of work / service | Royal Enfield Authorised Dealer |
|-------|------|-----------------|---------------|---------------------------------|------------------------------------|
| 1. | | | | | |
| 2. | | | | | |
| 3. | | | | | |
| 4. | | | | | |
| 5. | | | | | |
| 6. | | | | | |
| 7. | | | | | |
| 8. | | | | | |

SERVICE MAINTENANCE RECORD

| S.No. | Date | Job Card No. | kms/ miles | Brief details of work / service | Royal Enfield Authorised Dealer |
|-------|------|-----------------|---------------|---------------------------------|------------------------------------|
| 9. | | | | | |
| 10. | | | | | |
| 11. | | | | | |
| 12. | | | | | |
| 13. | | | | | |
| 14. | | | | | |
| 15. | | | | | |
| 16. | | | | | |

REGIONAL & AREA OFFICES

| R1: Chandigarh, H.P, J&K, Punjab Royal Enfield SCO, No. 5, 1st Floor, Sector-11 , PANCHKULA (Haryana) Pin Code - 134 112. Tel: 0172-5011255, 5011251 R2: Delhi, Haryana, NCR & Rajasthan Royal Enfield C/o EICHER ENGG. COMPONENTS Plot No. 7, HSIDC Industrial Area, Sector 18, Palam Gurgaon Road, | R3: Uttarkhand & Uttar Pradesh Royal Enfield UGF 15-19, Landmark Arcade, 2 Badshah Nagar Crossing, Faizabad Road, LUCKNOW – 226 006. Tel: 0522-6566675 Fax: 4005973 R4: Gujarat & Madhya Pradesh Royal Enfield 103, Safal Prelude, Opp. Parsavanath Esquire Cross Road, Corporate Road, Prahlad Nagar, Off. S.G. Highway, | RG: Orissa & West Bengal Royal Enfield Shrachi Tower, 3rd Floor, 686 Anandapur, KOLKATA - 700 707. Tel: 033-40060206 / 0209 Royal Enfield A Unit of Eicher Motors Ltd. 407, 4th Floor, Nirmala Plaza, Forest Park, BHUBANESWAR - 751 009. Tel: 0674–6540206 | R8: Goa & Maharashtra Royal Enfield Plot No.16, Sector -1, Sion Panvel Highway, Nerul, NAVI MUMBAI - 400 706. Tel: 022-27700395, 27700501 Royal Enfield 203, 204 Sneha Ganga, Near Vega Centre, Shankar Seth Road, Swargate, PUNE - 411 037. Tel: 020-40028090 | R10: Karnataka Royal Enfield Door No. 2067/1, 2068/2, East End "A" Main 9th Block, Jayanagar, BANGALORE - 560 069. Tel: 080-22440588, 41753277, 41536488 R11: Tamilnadu & Andaman Royal Enfield Plot No. 350 to 354, 2nd Floor, 4th Link Street, Nehru Nagar Industrial Area, Kottivakkam, |
|--|---|---|--|--|
| GURGAON (Haryana) - 122 015. Tel: 0124-4278138, 4278139 Fax: 4382148 Royal Enfield G-5, 6, 7, Gitanjali Towers, Ajmer Road, JAIPUR - 302 006. Tel: 0141-4106747, 4034748 Fax: 0141-4106748 | AHMEDABAD - 380 015. Tel: 098-25113168 Fax: 079-40024461 RS: Bihar, Chattisgarh & Jharkhand Royal Enfield 3rd Floor, Maple Plaza, Gate No. 2 , Ashok Nagar, RANCHI (Jharkhand) - 834 002. Tel: 0651-2245262 | RT: Arunachal Pradesh, Assam Manipur, Meghalaya, Mizoram, Nagaland & Tirupura Royal Enfield Astha Plaza, 4th Floor (M4-2), G S Road, Opposite Deorah College, Ulubari, GUWAHATI - 781 00 . Mob: +91 8135846461 | Fax: 24447174 R9:A.P. & Telangana Royal Enfield (A Unit of Eicher Motors Ltd) No: 8-3-166/B to F, Erragadda Main Road, Beside Gokul Theatre, Erragadda, HYDERABAD - 500 018. Tel: 7093190003, 7416783025 | (OMR-IT Highway), CHENNAI - 600 096. Tel:044-42070661, 24540828 R12: Kerala & Lakshadweep Royal Enfield 25/85A, Opp. to IOC Pump, Koonamthai, Edappally Post, KOCHI - 682 024. Tel: 0484-6494990, 6494991 Fax: 2543616 |

| ANDHRA PRADESH Amlapuram Shri Jayalakshmi Automobiles +91 9618349555, 8332912719 | ANDHRA PRADESH Chirala Lekhana Automotives +91 8885002114 | ANDHRA PRADESH Guntur-Auto Nagar Jubilant Avenues Pvt.Ltd +91 8143008506; 8507 | ANDHRA PRADESH Kurnool Sandhya Automotives +91 9394253377, | ANDHRA PRADESH Nellore Rishi Motors +91 8977713377, 9866162859, 8977714477 |
|--|--|---|--|---|
| Anakapalli Singam Automobiles +91 9573790880; 9951332563 | 8885002113 Chittoor Sri Sai Motors +91 9490094908 | Guntur-Chandramauli Nagar Jubilant Avenues Pvt.Ltd +91 8143008508, 8341622655 | 9849542749, 08518-253377 Machlipattanam TAPASYA MOTORS +91 9866488811 | Nellore-Inside City Rishi Motors +91 8977713377, 8977714477 |
| Anantapur-Rudrampeta By-Pass Thump & Threads Automotives +91 9701651555 | 9100644415, 08572-245057 Eluru Classic Automotive +91 9652238585 | Jangareddygudem Classic Automotive +91 8897045812 | Madanpalle Sri Sai Motors +91 8121004555; 9100622208 | +91 9866162859 Ongole Lekhana Automotives +91 8885002112 8885002113 |
| Adoni-Yemmiganur road Sandhya Automotive +91 9849542749; 9394253377 | 08812-234582 Gudivada Tapasya Motors | Kadappa Anjana Bikes +91 9247041555 9010389998 | Nandyal Dheeru Motors +91 9133065553 +91 9133065554 | Padmanabhapuram Village Lakshmi Automobiles +91 9640822666, 8008622666 |
| Bhimavaram Varma Automotives +91 7095812666 +91 7095816888 | +91 9333342222 Gudur Rishi Motors +91 8977727798 | Kakinada Shri Jayalakshmi Automobiles +91 8332912719 0884-6443555 | Narasaraopet Anu Auto Agencies +91 7893301444, 7893301555, 086472-21787 | Prodattur Garisa Automotives +91 9494078666; 7661848444 |

| ANDHRA PRADESH Rajamahendravaram- Stadium Road Sri Ram Automobiles | ANDHRA PRADESH Tenali Shakthi Motors +91 8886744494, | ANDHRA PRADESH Vijayawada- M G Road Mahalakshmi Motors +91 8886322559, 9581922559, 8886422559 | ANDHRA PRADESH Vishakhapatnam - Tuni Sri Ram Automobiles +91 9966738924 | ASSAM Barpeta G.S. Auto +91 8472987341 |
|--|--|---|---|--|
| +91 9246665513 Rajahmundry Sriram Automobiles +91 9246665513 | 8644223555, 08644-223555 Tirupathi Sri Sai Motors +91 9295091444 | Vijayawada- Ring Road Pravallika Motors +91 7842559555 0866-2586858 Vishakhapatnam - | Vishakhapatnam-Gajuvaka KISHORE AGENCIES +91 9963223271 Vizianagaram | Bapujinagar. Opp -Bharat Petroleum Goalpara Riders INN +91 9706643717 |
| 0883-2422117 Srikakulam Lakshmi Automobiles +91 9032929235 8121929235 | 8572245057 Vijayawada- Beside Swarna Hotel Pravallika Motors +91 7842756555 | Gajuwaka Cidanta Motors +91 9949334365, 0891-6562008, 6502008 Vishakhapatnam - | Lakshmi Ganapathi Automobiles +91 7382323344 ARUNACHAL PRADESH Naharlagun - Itanagar | Biswanath Sunmah Motors Pvt Ltd +91 9127069243 Bokajan |
| Tadipatri - Anantapur Dheeru Motors +91 7730077770 | Vijayawada- Gollapudi Mahalakshmi Motors +91 9581922559 | Nad Junction Saran Motors +91 8885947222 +91 8885847222 | Bucho Royal Enfield +91 9402689853 0360-2350103 | Eshan Motors +91 7896169021; 9988776655; 8974054011 |
| Tanuku - Pydiparru Varma Automotives +91 8977779999; 8367781116 | Vijayawada- Kanuru Pravallika Motors +91 7842559555 0866-2586858 | Vishakhapatnam - Seethammadhara Royal Enfield Company Stores +91 8897353382 0891-2768887; 2768886 | ASSAM Baihata Chariali-Kamrup S.S.Automobiles +91 9954034195 | Bongaigaon Swastik Automobiles +91 7086030373; 7086030370 |

| ASSAM | ASSAM | ASSAM | ASSAM | BIHAR |
|--|--|--|---|--|
| Dibrugarh Rider's +91 8472913182, 7035757316 | | Nalbari Rouchand Automobile +91 9854532144 | Tezpur G.M Associate +91 9707026331 | Begusarai Mayamanu Motors Pvt. Ltd +91 7260851555 |
| 0373-2370018; 2370014 Dhubri Dynamic Motors +91 8724098018 | +91 7086035995 Jorhat Achharsingh Royal +91 9864010145 | North Lakhimpur Rishi Riders +91 9854100000, | 9706471764, 03712-237777 Tinsukia SD Royal +91 9957714273 | Bettiah Mishra Automobiles +91 7280046825, 8877985073, 06254-246273 |
| Duliajan-Kamalabari Road Free Ride Motors +91 9435030639 | +91 9207041076 Kokrajhar GS Riders | 9954391219 Silchar Bina Automobiles Pyt Itd | BIHAR Ambedkar Chatravas - | Bhagalpur Sri Ram Moto Corp +91 9472890189 |
| Golaghat | +91 9830701535 | +91 9954008888 | Ward no 31, Police Line Brijraman Trading Pvt. Ltd. | Biharsharif |
| Singh's Ride +91 8472985025 | Mangaldai-Bhebarghat Darrang Riders | 03842-225016 Sivasagar | +91 9939433003 Araah | PNN Automobiles +91 9334038042, 9709844666 |
| Guwahati- Maligaon | +91 7896152202 | Funshine Getaways Pvt. Ltd. | Om Wheels | Buxar-Near Kaali Mandir |
| Chirag Enfield +91 9435400437, 7035125288 | Nagaon Bajrang Motors | +91 9864020240 | +91 9471444405 - 06182-233338 | Shiv Prabha Automobiles +91 9430990977 |
| Guwahati- G S road Shahila Expositions Pvt Ltd +91 9435549786, 9706077793, 0361-2335025 | +91 9127621892 Nagaon Balaji Motor ++91 9435160785 | Station Road Dhemaji, Ramnagar Sanjoy Enterprise +91 9954913764 | Aurangabad Yodha Automobiles Pvt. Ltd +91 9934012273, 7283001751 | Champa Neeraj Royal +91 7047511730 +91 8871704777 |

| BIHAR | BIHAR | BIHAR | BIHAR | BIHAR |
|---------------------------|---|--|--------------------------------------|--|
| Chapra | Gopalganj | Madhepura, Narsingh | Muzaffarpur- Manikpur | Patna-Saguna More |
| Supriyam Automobiles | Riders cafe | Complex | Gautam Motors - UNIT - 2 | Siddhi Vinayak Automobiles |
| + 91 9534677444, | +91 9199547786, | Chandra Darbaar Motors Pvt. Ltd | +91 9931475305 | +91 8092981877, |
| 9128739999, 06152-242999 | 9060524444; 9060684444 | +91 9971000243 | Muzaffarpur-Sitamahari | 8406002596, 0612-212948 |
| Darbhanga | Hajipur | Madhubani | Road | Patna-Zero Mile |
| SYV Motors | Ambika Bhawani Automobiles | Shagun Auto Sales | Kumar Automobiles | Sukhmani Motors Pvt. Ltd. |
| +91 822788777 | +91 9835641123 | +91 9431486654 | +91 7283000388; | +91 9709761441 |
| 06272-242777 | 06224-295280 | 06276-228014 | 7283000387 | 0612-3297056 |
| DARBHANGA-MAHANT NAGAR | Katihar Jaiguru Motors Pvt Ltd +91 9430909966 | Mohania - Dist Kaimur Swastika Motors | Nawada-Kendua - Nawada Bazar Road | Purnea Link Motors +91 7766917026 |
| Surya Automobile | 06452-290172 | +91 9431067771 | R.N. Automobiles | Puraniganj - Munger |
| +91 9472077777 | | Motihari | +91 9771499530 | Vidya Automobiles |
| Forbesganj | Kidar-Mahant Nagar | Raj Motors | Patna-Boring Road | +91 9570177773 Raxaul Ace Motors +91 7992268617 |
| Yashraj Motors | Katihar | +91 9472582848 | Ambey Motors | |
| +91 9472177378 | Jaiguru Motors Pvt Ltd | 9818033809, 06252-230373 | +91 7541820021 | |
| Gaya | +91 7280054000 | Muzaffarpur- Maripur | Patna-Near Birla School | Saharsa |
| Kusum Motors | Kishanganj | Gautam Motors | Kankarbagh | 7 Hills Automobiles |
| +91 8271020543 | S.B Motors | +91 7091592901; | Ananta Shree Enterprises Pvt Ltd | +91 8877080661 |
| 0631-2210105 | +91 8409966441 | 7091592902, 0621-2220056 | +91 8651383040 | 06478-227007 |

| BIHAR | CHANDIGARH | CHATTISGARH | CHATTISGARH | CHATTISGARH |
|---|---|--|--|---|
| Samastipur Aditya Motors +91 8406803308 5452264047 | Chandigarh - Sector 32 D Garg Autos +91 9915596388, 0172-2665246 | Bhilai AAN Automotive +91 7886996000 0788-4040512 | Narsinghpur- Itwara Bazaar Kandeli Kailash Motors +91 9611903853 | Raipur-Lodhi Para Chowk Indian Motors +91 7714221500 |
| Sasaram Vintage Auto Corp +91 8540948771 | Industrial Area, Mohali Manchanda Autos +91 9988994000 | Bilaspur Blue Sapphire Motors | Neemuch Galaxy Motors +91 9229258110 | 0771-4221500; 4221400 Raipur- Tatibandh 6th Gear |
| +91 9304503020 Siwan | New Motor Market, Manimaira | +91 8982407770 07752-407770 | Raigarh | +91 8109309666 0771-4070666 |
| Sri R.L. Automobile Pvt. Ltd. +91 7482063886, 7482069386. 06154-247686 | Kamal Motors +91 9814334713 | Dhamtari Shri Ram Automobiles | Priyanka motors +91 7389910800 07762-233550 | Rajnandgaon Shubh Auto |
| Sitamarhi Nili Automobiles | Retail Outlet - SCO-58 Chandigarh | +91 9179995522 Jagdalpur | Raipur | +91 9424102224 07744-401491 |
| +91 7283007813, 7631313834 | Manchanda Autos +91 9915047010 | Kambo Motors +91 7692850003 | Basant Motors +91 895988888 | Champa Neeraj Royal |
| CHANDIGARH | CHATTISGARH | Korba | Raipur- Gaurav Path - | +91 7047511730 |
| Chandigarh - Sector 27 C Manmohan Auto Stores +91 9216227366, 0172-5071351 | Ambikapur Dev Automobiles +91 9753117804 07774-222804 | Kailash Auto Agency +91 9826109907 07759-245482 | Panchsheel Nagar Aadityaraj Automobiles +91 7697208337 0771-4030550 | |

| GOA | GOA | GUJARAT | GUJARAT | GUJARAT |
|---|---|---|---|--|
| Bardez, Survey No 263/9- Goa Royal Enfield Garage Cafe Goa +91 9833418672 | PONDA Saini Motors +91 9823186099 GUJARAT | Ahmedabad-Nehru Nagar Sarabhai Motors +91 9737725550, 079 26635105 | Bhavnagar Gujarat Auto Centre +91 8734936206 0278-2512648 | Gandhidham N.P. Auto Agencies +91 9426140290; 9723540290, 02836-295927 |
| Bhiwandi - Thane S.R. Motors +91 8291064222 Goa - Margaon | Ahmedabad- Akashat Complex Basement Karnavati Bikes Pvt Ltd. +91 9825061120 | Ahmedabad- Nehru Nagar Sarabhai Prowheels +91 9081800299 | Bhestan-Bhagvati Nagar Ind. Estate Tulsi Enterprise +91 9879393300 | Gandhinagar Aanal Auto Agency +91 9099049555; 8980001123 02712-23262020 |
| Saini Motors +91 7767006138, 8308838197 0832-2740343; 2740345 Goa - Margaon Speedo Resources | Ahmedabad-Mani Nagar Sarabhai Automotives +91 9737721166, 9737728833 079-25891030; 3010 | Anand Royal Ridentity Pvt Ltd. +91 9724154004 02692-644352 | Bhuj PM Autolink +91 9825900279; | Godhra Concord Auto +91 9879074373 02672-265522 |
| +91 8390118814 Goa-Mapusa Shauna Auto Agencies +91 8326520712 | Ahmedabad- Naroda Krishna Wheels +91 9925333446 079-29704155; 29703055 | Bardoli PSG Motors +91 9924755549, 9824175164 | 9925635279, 02832-231279 Botad Old Soul Motorcycles +91 9737000013 | Happa New Chandra Motor Cycle Agency +91 7984825429; 9824211699, 0288-2552888; |
| Goa - Panaji Auto Guides +91 9326102087 9168611669, 0832-2225865 | Ahmedabad- Narangpura Karnavati Bikes Pvt. Ltd. +91 9099031295; 9099031296, 079-27490068 | Bharuch Vraj Auto +91 9157232857, 9904450005, 02642-225757 | Dharampur Char Raasta- Swastik Arcade Veer Autonity +91 9099965274 | 2678024 ;2550863 HimmatNagar Rajvee Auto +91 9909990405 |

| GUJARAT | GUJARAT | GUJARAT | GUJARAT | GUJARAT |
|---|--|--|---|--|
| Jamnagar New Chandra Motor Cycle House | Morbi Dev auto +91 9054265550; | Rajkot - Gondal Road Aditya Moto Gujarat Pvt. Ltd. +91 9099092580, | Surendranagar Old Soul Motorcycles +91 9909008000 | Surat Munjani Motors +91 7436000300 |
| +91 9824211699 | 65551; 65552 | 0281 2371070 | 9737000013, 02752-242777 | Vyara |
| Junagadh Shree Aashapura Enterprise +91 8460242191 | +91 9054265553; 65554 Navsari PSG Motors +91 9924755521 | Rajkot - Mota Mava Kalawad Road Dev Motors | Vadodara- Harni road Amba Motors +91 7820010060 0265-2463232 | PSG Motors +91 9824175164 HARYANA Ambala - Ambala |
| 0285 2660111 Mehsana Parklane Auto | 02637-265559 Palanpur Parklane Auto | +91 8401799993 0281-6458888; 9157877331 Surat-Adajan Hajira Main - | Vadodara - Old Padra Road RSA Automotives | Chandigarh Highway Royal Motors +91 9468476100 |
| +91 9925014803 9925003091, 9925004538 Mirzapur Shreeji Auto Traders | +91 9925001944 Palki-Nr.Hanumant Hospital Indian Motors | Adajan JSN Motors +91 8401600411 0261-2840023 | +91 9574257999; 9574256999, 2652355040 Vapi Royal Thumpers | Ambala cantt- Rai Market Royal Motors +91 9541925454; |
| +91 9375004192 | +91 8401602648 | Surat - Sarthana Varacha | +91 9726818181; 9879565274 | 9315100442 0171-2630795; 2631495 |
| Modasa Rajvee Motors +91 9909990405 | Porbandar Kailash Motors +91 8000099990 | Purav Automobiles +91 9979841546, 9979841547 | Veraval Anjaney Motors +91 9512779995 | Baldev Nagar- Ambala Royal Motors +91 9468476100 |

| HARYANA Bhiwani Sheoran Auto +91 8950291600 | HARYANA Jhajjar JMD Automobiles +91 8199885570 8199885568 | HARYANA Narnaul Royal Jindal Auto Pvt Ltd +91 8901451000, 8053939792 | HARYANA Rohtak Badhwar & Co. +91 8059880031 01262-242034; 241173 | HIMACHAL PRADESH Baddi Simran Automobiles +91 9816167884 |
|---|--|---|---|---|
| 01664-252216 Fatehabad SDB Automobiles +91 9728942226 9254400077, 01667-221786 | Kaithal Road- Cheeka Raghav Automobiles +91 8199947003; 7357324006; 8199946000, | Palwal Kartike Motors +91 9813131455 01275-240454 | Sirsa Gulzar Motor Agencies +91 9996147200 01666-221367; 230459 | Chamba Champavati Autos +91 9736678651 01899-226747 |
| Gohana Heydaan Motors +91 90344444433 | 8199947002 Karnal Monga Motors | Panipat Monga Automobiles +91 9354140006 0180-4000393 | Sonipat Heydaan Motors +91 9728900200, 9034444433, 0130-2233004 | Dharamshala Him Enfield +91 7894389090 8894389090 |
| Hissar Malik Automobiles +91 8572888890 01662-276103 | +91 9354140008 184-2261810; 2272729 Kurukshetra Charkhi Dadri Motors | Pehowa Nexgen Motorcycling +91 9254022292; 9254022257 | Tohana SDB Automobiles +91 9728942229; 9254400077 | Hamirpur (ASP) Parkash Royal Enfield +91 9816058483 |
| Jind Gill Automobiles +91 9416476459, 7027002580 | +91 9548282000 Kurukshetra Nexgen Motorcycling +91 9254022257 | Rewari Premium Automation Pvt Ltd +91 8607482200, 8607466600, 01274-251000 | Yamuna Nagar Falcon Automobiles +91 9315431300; 8950462224, 9812990694 | 01972-258483 Kangra Snowline Autos +91 9816075428 |

| HIMACHAL PRADESH Lahaul & Spiti Grease Moto Club +91 7649944889 Manali | HIMACHAL PRADESH Solan Tapan Industries +91 7807400172 01860-1800072 | JAMMU & KASHMIR Jammu Durga Associates +91 9697500020 7780909719 | JAMMU & KASHMIR Prem Nagar Newplot- Jammu Yahoo Technocrats +91 9419191241 | JAMMU & KASHMIR Vijaypur Lovish Motor +91 8492005757 JHARKHAND |
|--|--|--|--|---|
| Heaven On Earth Automobiles +91 9459300881 01902-205032; 251151 08350854002 (Kullu) | UNA Sharma Automobiles +91 9318536733 9318536755, 09218-446755 | Jammu Xtream Motors +91 7006340294; 7006994608, 9797568876 | Srinagar Cafe Bike Inn +91 9797470011 | Bokaro - City Center G.R.Motors +91 9934109008, 8092343678, 6542265452 |
| Mandi Shivam Automobiles +91 9805473700 01905-243077 9736700777 | JAMMU & KASHMIR Baramula ZMR Automobiles +91 9906727248 | Leh(ASP) Venture Third Pole +91 9419177466 Kathua | Srinagar PCS Automobiles +91 9797460011 0194-2472781 | Bokaro-ITI MORE, CHAS G.R.Motors +91 8092343678 |
| Paonta Sahib -Sirmour R.S. Enterprises +91 9418117089 01704-223687 | Doda R.A.Enfield Unit - II +91 9622118829 | Lovish Automobiles +91 9419166881, 9070855555 01922-235010 | Digiana camp (ASP) Sumeet Motors +91 9419236396 0191-2431058 | Daltonganj Arjun Automobiles +91 9006082822 +91 8235121935 |
| Shimla Tapan Industries +91 7807500272 01792-227990 | Jammu - Janipur road Reliance Motors +91 9419191241 0191-2536084, 2575251 | National Highway - 1 A Batengoo Anantnag, J & K Mountbird Wheels +91 9596769706 | Udhampur R A Enfield +91 9055505002 01992-250008 | Deoghar Roy Brothers +91 9431157591 06432-240371 |

| JHARKHAND | JHARKHAND | JHARKHAND | KARNATAKA | KARNATAKA |
|---|--|--|---|---|
| Dhanbad Arti Automobiles +91 9470133444 +91 9031084005 | Jamshedpur - Bajrang Nagar NH 33 Cruiser India +91 9204004142 | Ranchi - Harmu Road Raghuram Autocare +91 9905110006 0651-6571607 | Bangalore Bommasandra Motors (Unit of Electronic City Motors) +91 8496957777; | Bangalore-Bellary Road CVS Motors +91 7406332266 |
| Dumka | Jamshedpur - East | Ranchi - Kokar Sri Nivas Automobiles | 8970392555 | Bangalore - BTM 2nd stage - Service |
| Majestic Autobikes Pvt Ltd. +91 9798777007 | Singhbhum NDG Motors Pvt Ltd 6200454649 | +91 9771420322 0651-2542789 | Bangalore-Kpura Road H.S.R. Services | Royal Enfield Company Store +91 9673596344; |
| Giridih Shree Sanmati Enterprises | K.G. Asharam-Dhanbad Thunder Motors Private | Ranchi-Near Hill tank, West Circle | +91 7829000350; 9980762849 | 9343555583, 080-40905108/ 26689975/41229111 |
| +91 9234645555; | Limited | Marvel Autobikes | 080-22133119 | Bangalore-Electronic City |
| 9534140200 Godda Kaushalya Motors | +91 8210257767 KODERMA - NEAR HANUMAN MANDIR | Ranchi - Sainik Bazaar New Auto Centre | Bangalore-Banaswadi CVS Motors +91 9739030309 | Electronic City Motors +91 7026613071 to 79 & 80 8494942929 |
| +91 9801196972 | Vinayak Bikes +91 8092372003 | +91 9204857156 | Bangalore-Bannerghatta | Bangalore - Hoskote Main |
| Hazaribag Riders Point +91 9234343422 +91 9031005518 | Ramgarh Anjaney Automobiles Pvt. Ltd. +91 9431146297 +91 9031000430 | KARNATAKA Bagalkot Bagalkot Motors +91 8884128877; 9916361134; 8197567124 | Royal Enfield Company Store +91 9673596344; 9986736472, 080-40905108, 26689975, 41229111 | Road, Opp Commertical Tax Office Teknik + 91 9686999888 |

| KARNATAKA | KARNATAKA | KARNATAKA | KARNATAKA | KARNATAKA |
|--|--|---|--|---|
| Bangalore-Indira Nagar | Bangalore - Raja | Bangalore-Sudhamanagar | Bangalore - Yelahanka | Bellary |
| Teknik Motors | Rajeshwari Nagar | H S R Services SDN | Acclaim Motors Pvt Ltd | Sanjeevini Automobiles |
| +91 9686999888; 8904006004 | Accelerate Motors | +91 9343735655 | +91 9632881188; | +91 9591107601; |
| 080-25284788, 40910005 | +91 7022049625; | 080-22133119 | 9632881133, 9663550055 | 7353777768, 08392-261027 |
| Bangalore - Kengeri Accelerate Motors +91 7022049627 | 7829900236, 080-28606969, 28608989 | Bangalore-Banasankari HSR Services-RAJ | Bangalore (ASP) Sri Manjunatha Bullet Garage +91 9341220151. | Bidar Bhavani Motors |
| Bangalore-Nagarbhavi | Bangalore-Magdi road | +91 9739000350; | 9379555592, 080-25427066 | +91 9019142142; |
| | H.S.R. Enterprises | 9738000350 | Bhatkal | 9379799992 |
| S.R. Motors +91 9071340000, 080 3232 3333, 080 3232 4444 | +91 9844067555; 9738000350, 080-23156617 Bangalore -Dr. Rajkumar | Bangalore- Sadaramangala Village | Brahmi Motors +91 9743637456, | Bijapur Rohan Motors +91 9986168363 |
| Bangalore - Nelamangala | Road, Rajajinagar | Whitefield Motors | 9620439161 | Coorg Near Sayaji Rao |
| Sri Sai Sadguru Motors | H.S.R. Enterprises | +91 9980995708 | 08385-226836 | Road |
| +91 9071766021; 9071766025 | +91 9066032350 | 7349770028 Bangalore - B | Belgavi Shri Munishwar Motors Pvt. Ltd. | Abhyuday motors |
| Bangalore- Peenya | Bangalore-Sarjapur | Narayanpur | +91 9845023535; | +91 9538841412; |
| Sri Sadguru Sai Motors | Teknik Motorcycles | | 9620379458 | 8212494824 |
| 91 8151899998; | +91 8904004004; | Sai Ram Autocraft | Belgaum | Chikkamangalore |
| 9886666302 | 8904000300- 8904000700 | +91 9900029871, | Shri Munishwar Motors Pvt. Ltd. | Chickamagaluru Motors |
| 080-28393666 | 080-40910003; 0004; 005 | 080-64909090 | +91 9916313244 | +91 9742289955 |

| KARNATAKA | KARNATAKA | KARNATAKA | KARNATAKA | KARNATAKA |
|--|--|---|--|---|
| Chitradurga Jilu Bikes +91 9845127397 +91 8494900552 | Hassan Shree Subrahmanya Motors +91 9980751155, 9742217171 | Kolar Jagadamba Automobiles +91 9972522111; 8152226619 | Mysore-Vijayanagar 1st Stage Aadith Motors +91 7899912362; 7899912363 | Outter Guruprasad Commercial Complex Frontline Automobiles +91 9686137888, 8197685999 |
| Davangere Royal Automobiles +91 9844053511 08192-256239 | Hubli - Airport Road Salimath Engineers Services +91 7259037590; 9480296644, 0836-3241160 | Mandya Ruby Maratt Motorcycles +91 9591503399, 9148451759 | 8214244467 Mysore (ASP) Kempananj. Agrahara Sri Venkateshwara Automobiles | Raichur Chukki Motors +91 8792113336, 9663338489 |
| Gadag Bagalkot Motors +91 8747064595 | Hubli - Kusugal Road - Keshwapur Klasik Motors +91 8904800948; | Mangalore eyyadi Indust. Estate Airport Road Frontline Automobiles +91 8861006478, 9900856033, 0824-4267573 | 0821-2427533 Mysore (ASP) Kuvempu Nagar Abhyudhay Motor Services | Next to RBL Bank, Uttara Layout- Ramnagar Ramnagar Motors '+91 9902065933; |
| Gadag Gadag Motors +91 8147776496; 9513001495 | 8050601007, 0836-2288223 Hunsur Aadith motors 08222-252395; 96, | Mangalore-Vishal Arcade Building Veenu Motors +91 9108487051 | Pvt. Ltd. +91 9743721955; 9538841415, 0821-2462066, 2462067 Mysore - New Sayyajirao | 9663338489 Shimoga Apollo Enterprises +91 9008138662; 9141187404, +91 41187404 |
| Gulbarga Mukunda Wheels Pvt. Ltd. +91 9945249302; 9686001584, 08472-225302 | 7899000381 Karwar Karwar Motors +91 7625078394 | Mudhol Mudhol Motors +91 8197567124, 8884300000 | Road Abhyudhay Motor Services Pvt. Ltd. +91 8212494824; 9538841412 | Sirsi Sri Maruthi Auto Motors +91 9108484665 9148971805, 08384-226777 |

| KARNATAKA | KARNATAKA | KERALA | KERALA | KERALA |
|--|---|---|--|---|
| Sindhanur | Bangalore - Hebbala | Calicut-Francis Road | Cochin - Angamali, | Ernakulam |
| Chukki Motors | CVS Motors | Blue Mountain Autos | Areeckal Junction | St. Mary's Motors |
| +91 8792113336; | +91 9739030309; | +91 9895201667 | Sanjo Motors | +91 7025213324 |
| Tumkur | 9986766660 | 0495-2302530 | +91 9809709999, | Aikkaraparambil House- |
| Bhagavati Motors | Bangalore - Sankey Road | Calicut-Kunnamangalam | Residual Res | Cochin |
| +91 9742273566; | CVS Motors | Blue Mountain Autos | | JR & Sons |
| 9916826666 | +91 7406999010 | +91 7510999990 | | +91 9567074013 |
| Udupi | KERALA | Calicut - Mankavu | 9526028787, 0484-4022819 Cochin - Edapally Royal Enfield Company Store +91 7025233912 | Kannur |
| Brahmi Motors | Adoor | Luha Automotives | | SS Motors |
| +91 9164889161; 9164209161 | Yamuna Agencies | +91 7025105333 | | +91 9567862458; |
| 0820-2527590 | +91 9747410243 | 0495-2333533 | | 9567863980, 0497-2731312 |
| Bangalore - Koramangala Koramangala Motors +91 7026603623; 8970872555 | 0473-4229222 Alleppey Rider's Motors +91 9447265955 | Calicut - Puthiyagandi SS Motors +91 9567863979 | 0484 - 6494991; 6494992 Cochin - Vyttila Kaizen Motors +91 7559800072 | Kannur Vibrant Automotive +91 8111990066, 8111990022, 0497-2776660 |
| Sanjeevini- Hospet | Aluva- Thaikattukara | 0495-2392200; 2390770 | 0484-2307072; 4047072 | Taliparamba-Chiravakku |
| Sanjeevini Automobiles | Marikar Motors | Changuvetty-Kottakkal | EDAPPAL | Near National Highway |
| +91 7996955595; | +91 9605932999 | Barak Enterprises LLP | Mass Wheels Pvt. Ltd. | Vibrant Automotive TPBA |
| 7353777768, 9886237276 | 0484-2630222 | +91 9847266699 | +91 9387111333 | +91 8111990084 |

| KERALA | KERALA | KERALA | KERALA | KERALA |
|--|---|---|--|---|
| Kanhangad-GVHSS Road- south junction South West Motorcorp India Pvt Ltd +91 7594090909 | Kollam - Bishop Jerome Nagar Marikar (Motors) Ltd. +91 9947031120; 1121; 8590988446, 0474-2732474 | Kottayam Javeens Motoring Pvt Ltd +91 9446397300; 9446397500, 0481-2563455; 2567070 | Palakkad PVR Wheels +91 9585259135 Pattanakkadu-Near KSEB | Perumbavoor Sanjo Motors +91 8592009991, 8943744444, 0484-6888885 Thalassery-Jubilee road |
| Kasargod South West Motorcorp India | Kollam- Kottappuram Unnoonny Motors | KOYILANDY KMS Automotives | Section Office Ramanattu Motor Corp +91 8138065555 | Sharpline Automotive LLP +91 9446048668 |
| Pvt Ltd +91 8527220499 Kayamkulam-Edasseril | +91 9567671520 Kollam - Madanada Unnoonny Motors | +91 9995997996 Kuriachira-Chiyyaram village | Pathanamthitta Marikar Motors Ltd. +91 8111871222; 9388077007 | Thrissur-Karunanakaran Nambiar road Marikar (Motors) Ltd |
| Junction Roverz Motors +91 9072546555: | +91 9567395208, 9995086444 | Tags Bikez +91 7012425850 | 9947031170, 0468-2223412 Pattambi-Palakkad | +91 8606863336; 9947031187 0487-2339307 Thrissur-Puzhakal Padam |
| 9072584046; 9995006620 Kayamkulam-Edasseril Junction Roverz Motors - MV | 0474-2764566; 2764567 Kodungallur Pinnacle Motor Works Pvt Ltd +91 9072575721, | Mundur-Opp Indian Oil Petrol Station Pinnacle Motor Works Pvt Ltd +91 7025600600 | Intrepid Works +91 9744072921 8606933015, 0466-2970666 Perinthalmanna | Pinnacle Motor Works Pvt. Ltd. +91 7025600600; 8111994007 0487- 2385255 |
| Akathiyoor- | 9072575722 Kottarakara | Palakkad Intrepid Works | ABC Motors +91 9447158400, | Thiruvalla St. Mary's Motors |
| Kunnamkulam Motorad Works +91 7510411220 | Unnoonny Motors +91 9895562454 | +91 8606933008, 8606933015,0491-2572331 | 9988776655; 7591977700 04933-226677 | +91 9526260400; 9847940600, 0469-2733243 |

| KERALA | KERALA | KERALA | KERALA | MADHYA PRADESH |
|--|--|--|---|---|
| Thodupuzha Veliyathu Motors 91 8943200090 4862227899 | Trivandrum - Kaimanam Junction Sivaji Motors +91 7736207777; 7736066716 | Fayaz Tower Tb Junction - KazhaKuttam Concept Bikes ATT +91 9048990850 | KALPETTA TEMPEST Automotive +91 9567599299 WAYANAD | Chattarpur Classic Wheelz +91 9644705705 |
| Kattappana- Kottayam Road Veliyathu Motors +91 8086097788; 8086094444 | 7736107777, 0471-6506777 Neyyattinkara Sivaji Motors +91 9884424128 | Pappala- Kilimanoor, Concept Bikes KLMR +91 9048990532 Vadakara | TEMPEST Automotive +91 9447363762; 8590663131 MADHYA PRADESH | Chattisgarh Nagorao Auto Engineering Works Pvt Ltd +91 9827400369 |
| Muvattupuzha- Vazhappally Veliyathu Motors +91 8086094444 | Trivandrum - M G road Marikar (Motors) Ltd +91 8606068466, 9526593337, 0471-2334621 | Grace Motors +91 7034775555, 7034774444 | Betul-Kalapatha, Near Hanuman Mandir Shree Sai Automobiles +91 8878033981 | Chhindwara Rahul Royal Motors +91 8889999602 07162-245255 |
| Tirur ABC Motors +91 9605827000 | Trivandrum - Nedumangad Concept Bikes +91 9048990150 | Nadapuram Grace Motors +91 7034552266 Valluvambaram- | Bhopal - Hamidia Road Choudhari Tractor Agency +91 7869209584; 9425027691, 0755-5240614; | Dewas R R Motorcycles +91 8109103622 |
| 9447029100, 0494-2422277 Trivandrum-Attingal Concept Bikes +91 9048990256; 9745009966 | Trivandrum - Vetturoad - Kazha kuttam Concept Bikes +91 9048400200; 9048990546 | Malappuram ABC Motors +91 7034166300 | 2735762 Bhopal-Padmanabh Nagar Ananya Auto +91 7389930806 0755-4076937 | 8269270709 Guna Standard Motors +91 8823800085 |

| MADHYA PRADESH Indore - Nehru Market Krishna Motor Agency +91 7314237509, 0731-4237509 | MADHYA PRADESH Jhabua- Indore Road Galaxy Motors +91 9229258110 Katni | MADHYA PRADESH Raipur Manoraj Automotive & Warehousing Pvt. Ltd. +91 9425207977 | MADHYA PRADESH Ujjain Avis Auto +91 9424025067 0734-2520007 | MADHYA PRADESH Sagar Road ASHISH MOTORS +91 9893110279 Gwalior |
|--|--|---|---|---|
| Indore - Sayaji Club Road RR Automotive +91 98266125432 | Royal Thumpers A Division of Superior Automobiles Pvt Ltd. +91 8962010075 07622-226474 ESH | Ratlam-Mitra Niwas Road Galaxy Motors +91 8889997394; 9229258110 | Vidisha Adventure Bike +91 9425148606 0759-2408222 | Somya Motors Pvt. ltd +91 8823800085; 7773000127 MAHARASHTRA |
| Indore-Annapurna Road JAGDISH MOTORS +91 8989898997 | Khandwa Binwani Motors +91 9425909302 - 7332244222 | Satna Manish Motors +91 8982171457 | Itarsi Jaggi and sons Super Automotive LLP +91 9827673777, | Ahmednagar Newaskar Automobiles +91 8087500900 |
| Jabalpur Royal Thumpers +91 8962010072 0761-4042424; 4042423 | RABHU MOTORS +91 7240848484 Indore - Chooti Gwaltoli | 07672-251608 Sehore-Sekdakhedi Choudhari Tractor Agencies +91 9425027691 | 07572-230230 Dhar Aaryashree Motors +91 9926396399 | 0241-2470125 Akola Agrawal Motors +91 8408089944 |
| Jabalpur Royal Thumpers Unit II (A | AVS CORPORATION +91 9977007711 | Shahdol | Sagar | 0724-2258259 Alibagh |
| Division of Superior Automobiles Pvt Ltd) +91 9039010070 | Jabalpur Varun Motorcorp India LLP +91 9039055590 | Gupta Automotive +91 8718811703 0765-2231967 | Royal Cruisers Pvt Ltd +91 8225003194, 07582-403003 | SK Autoriders +91 9970041579 02141-223030 |

| MAHARASHTRA | MAHARASHTRA | MAHARASHTRA | MAHARASHTRA | MAHARASHTRA |
|---|---|---|--|---|
| Amravati Bhans Automotive +91 7620177060 | Buldhana Samyak Automotive +91 9422181159, | Chaufla Jay Motors +91 9922880888 | Gondia Ved Automobiles +91 9326916819 | Karad Nand Enterprises +91 7030963218 |
| 0721-2510636 Aurangabad - Bansilal | 9922900038, 072-62241273 | Chiplun-Karad Chiplun Highway | Ichalkaranji Motor India | 02164-242772 |
| Nagar S.K.Y.S Automobile | Boisar Sonith Motors | A K Autoriders | +91 9822551777 | Kolhapur Motor India |
| +91 9028059252 | +91 8291101575 | +91 9028836793 MIDC Mirjole Ratnagiri | Indapur Sahyadri Auto | +91 7841921923; |
| 0240-2350652 Aurangabad-CIDCO- | Borivali | A K Autoriders | +91 7387111109 02111-224111 | 9822551777, 9822022170 Kolhapur |
| Cannaught Cherry Corporation +91 7720092857 | Unison Automobiles +91 7506555039 22265614014 | +91 9822133300 Dhule Surbhi Motors | Jalgaon Usha Motors | M.R Patel & Sons +91 9970176761 |
| 0240-6601613 | Ayodhya Nagar, | +91 9371057573 02562-239933 | +91 7768009996 7768009992, 0257-6999000 | Latur Prisha Motors |
| Baramati Jay Motors +91 9960247655; 02112-221055 | Bhusawal Usha Motors Bhusawal +91 8888888831 | Gadchiroli Dinesh Motors +91 7755979733 | Jalna Madhu Motors +91 7249638764 | +91 9049607711 02382-200711 Malegaon |
| Beed- Jalna road Vtwin Motorsports (OPC) Pvt Ltd +91 7020061414 | Chandrapur Dinesh Motors +91 8550991151 07172-260555 | Gadinglaj Yashashri Motors +91 9657009444 9527094848 | Kudal-Near Varadeshwar Mandir Swastik Motors +91 9673875552 | Shaurya Motors +91 8380038156; 9527002881 02554-231171 |

| MAHARASHTRA | MAHARASHTRA | MAHARASHTRA | MAHARASHTRA | MAHARASHTRA |
|--|---|---|---|---|
| Mumbai - Bhandup Soniya Motors Pvt. Ltd +91 9322314555 7208005215 | Mumbai - Kandivali Voyage Motors +91 9146871013; 7498567890; 8424050855, | Mumbai- Kurla W Synergy Auto Inc. Phoenix +91 7506555039; 8652665522 Mumbai - Opp.Bandra | Mumbai - Thane (Mira road) Unison Automobiles +91 7506555039 022-28456620 | Mumbai - Thane (Ulhas Nagar) S R Motors (A Unit of Riya Motors Pvt. Ltd) |
| O22-65650153 Amar Marg Amar Nagar Chembur- Mumbai Motokraft Automobiles | 022-28087882 Mumbai - Pratab Nagar Vikroli Road Voyage Motors | Hindu Association Bandra (West) Company Store +91 9323015335; | Mumbai - Thane - Belapur Road, Soniya Motors Pvt. Ltd +91 8291842106 | +91 7506044995 0251-2700043 Mumbai Nerul Ram Motorcycles |
| +91 9819791510 Mumbai - Andheri, Talati Apartments Irla Bridge | +91 7039024054; 7498567890 Mumbai-Panvel | 9833015330 Mumbai-Thane (Dombivali) | Shivram seth Amrutwar Road-Mumbai First Mumbai Store LLP +91 9152007372 | +91 9323025335 022-27700394; 022-27700396 |
| Ishna Wheels +91 8879733417 Mumbai - Goregaon | Pratik Motors +91 9029422942 022-27480040 | Pooja Motors +91 8425840752 9833890507, 0251-2470611 | Mumbai - Thane (Vasai) SP Wheels +91 8446011105, | Mumbai - Nerul Ram Motorcycles +91 9323025335 |
| Ishna Wheels +91 8879330226; 9819549111, 022-28711242; 28711243 | Mumbai - Sakinaka Synergy Auto Inc +91 8286046565 022-28590085; 28590086 | Mumbai - Thane (Godbundar) Soniya Motors Pvt. Ltd +91 9322315111, 7208005217, 022-25893202; | 7420026685 0250-6511107; 6511108 Mumbai - Virar SP Wheels +81 8454988666 | Mumbai - Nerul Company Showroom Navi Mumbai +91 8888877777 |

| MAHARASHTRA | MAHARASHTRA | MAHARASHTRA | MAHARASHTRA | MAHARASHTRA |
|---|---|---|---|--|
| Mumbai-Opp. Kurla East Signal Malik Service Point +91 9892894789 | Nagpur - Opp to Mata mandir; Nalwadi Shri Krishna Automobiles +91 9769169180 | Nasik - Ganjamal Ostwal Autos +91 9595301414, 8805604949, 0253-2500291 | Phaltan Adved Motors +91 9822414061, 9822116321 | Pune - Fathima Nagar Platiinum Auto +91 7755932578; 2579 +91 9881171717 |
| Mumbai-Mahim West P. R. Enterprises +91 9323015335 | Nagpur - Near Toll Plaza Gondkhairri,Ta. Kalmeshwar Shri Krishna Automobiles | Nasik - Satpur Moharir Auto Pvt. Ltd. +91 8378998294; 8378998295 | Pimgalgaon Shaurya Motors Shaurya Motors +91 9130068287, | Pune - Hadapsar Platiinum Auto +91 7030911278; |
| Nagpur - Kamptee Road Ved Motors | '+91 9823038694 | 0253-6630000 | 9527002881, 02550-660604 | 7030911284 |
| +91 7030907021 0712-2652222; 2654444 | Nandurbar Dinesh Wheels +91 9673298999 | Osmanabad Hatlai Auto +91 9822838888; | Pune - Adarsh Nagar Dhone Automobiles +91 7028922644 | Pune - Kasarwadi Dhone Automobiles +91 7028045684 |
| Nagpur - Sitaburdi Paragon Traders | +91 9764567877 | 9763138888, 02472-228588 | 020-24273335 | Pune - Khed Shivpur |
| +91 9595622261 0712-2523456 | Narayangaon Kings Royal Riders +91 9075009831 | Parbhani Chandrallama Automotive +91 9665516193, | Pune - Baner Kings Auto Riders +91 9146054611 | Siddh Auto +91 9673156622 |
| Nagpur-Wardhaman Nagar | | 9763300022, 2452-242299 | 020-27200202; 27200201 | Pune - Kothrud |
| Shri Krishna Automobiles +91 9372121346; 9970551171; 8237765439 0712-3191202 | Nasik - Dwarka Ostwal Autos +91 7720099945 0253-2592717 | Parli Shiva Motors +91 9765924477 02446-227477 | Pune - Chinchwad Hridaan Motors +91 9422011110, 2069100202 | Siddh Auto +91 9168376611, 9673156622 020-25280050; 25280051 |

| MAHARASHTRA | MAHARASHTRA | MAHARASHTRA | MAHARASHTRA | MAHARASHTRA |
|---|--|---|---|--|
| Pune - Yerwada Dhone Automobiles +91 7028978074 020-60121812 | Pune Sadguru Service Station +91 8308048854; 9011078854, 020-24350727 | Satara Nand Enterprises +91 9923401550; 7030963217, 02164-242772 | Solapur - Budhwarpeth Mondhe Motors +91 9423086333, 0217-2315923; 2735081 | Wardha Sri Krishna Automobiles +91 9769169180 +91 7410061121 |
| Pune - Wakad (Talegaon) Kings Auto Riders 91 9146054611 | Purna road-Nanded NANDI MOTORS +91 8975943376 | Ahmednagar - Opp Petrol Pump Karachiwala Automobile | Solapur - Pandharpur Mondhe Motors | Yavatmal Aaditya Riders Pvt Ltd +91 8055958119 |
| Pune - Wakhewade Brahma Motors +91 7276629900, 7888002033, 7276027722 | Ratnagiri Advait Motors +91 9970551171, 8237765439, 02352-228930, | +91 9028537570 Shrirampur Karachiwala Automobiles +91 9028537570, | +91 9423591471 Udgir SAIRAJ WHEELS +91 9405054417 | 9158632833 MANIPUR Imphal Sanamahhi Motors +91 8259061598, |
| Pune - Wakad Opp. Orittel Hotel | 228921 Sangli | 8793935544 02422- 227570 | Wagholi - NR Yashraj Inn Hotel | 7085970845, 0385-2449111 Manipur - M G Avenue |
| Kings Auto Riders +91 9527202020 Pune - Wellesley Road, | Abhay Auto +91 7768073003; 0233-2623040 | Solapur - Bale chowk, Pune Highway | Chopada Motors LLP +91 9172202400 | Imphal ADHIKARI ENTRPRISES +91 9856148449 |
| Sangamwadi Brahma Motors +91 7888002033; 7276307799 | Sangli- Chandanwadi, Miraj Hare Madhav Motors LLP +91 9970162710 | Chavan Motors +91 7720069988; 8805568000, 0217-2352323; 2352424 | Waluj - Pandharpur Godavari Agro Serivces Pvt. Ltd +91 9146189551, 9146069555, 0240-2553770 | Tipaimukh road- Churachandpur PAUL'S MOTORCYCLES +91 9862658259 |

| MANIPUR Indo-burma-sugunu road, kakching Kakching Motors +91 9774274945 | NAGALAND Dimapur Uniglobe Enterprises +91 9774057770 9089599134, 3862225903 | NEW DELHI & NCR Delhi - Arjun Nagar; Kotla Mubarak Pur Ess Aar Motors +91 9560088256 | NEW DELHI & NCR Delhi - Mangolpuri Soni Automobiles +91 9910477162; 9599004454 011-27915837; 27910525 | NEW DELHI & NCR Delhi - Saraswati Vihar North Delhi Motorcycles 91 8130495935 011-27054737 |
|---|---|--|--|--|
| MEGHALAYA Shillong Merin's Royal Enfield +91 8258811320 9856067586 | NEW DELHI & NCR Delhi - Dwarka Cruiser Motors Pvt Ltd +91 9136409595; 9599051780 | Delhi - Kailash colony, Okhla Indust. Area South Delhi Motorcycles +91 9716145509; 9560088256, | Delhi - Najafgarh Outer Delhi Motorcycles +91 9540941605 011 68888252 / 53 Delhi - Village Samalka | Delhi - Shahadra Amar Autos +91 9990092800 011-43595322 |
| 0364-2590048 MIZORAM Aizawal Lawma Enfield | Delhi - Gujrawala Kay's Auto +91 7838372323 011-28877011; 28877009 Delhi - Rani Jhansi Road | 011-41327936, 46121558 Northwest Delhi- Wazirpur Industrial Area United Automobiles | Kapashera Outer Delhi Motorcycles +91 9540941601 Delhi - Paratparganj | South Ganesh Nagar, East Delhi Amar Autos +91 9810092800 |
| +91 8575517879, 8794386109, 0389-2334731 Opposite faith Hospital, Chanmari-III Alpha Riders | Ess Aar Motors +91 9810797099 011-65461901; 23524426 Delhi - Near Sai Temple Ess Aar Motors | +91 9999805797; 7290037111 Delhi - Mahipalpur Kay Tee Automobiles +91 9910884777 | Asco Motors +91 8527321899 011-2214888 Delhi - Kirti Nagar, Rama Road Lamba Enterprises Pvt Ltd. +91 9711205532; | Southwest Delhi- Mayapuri Industrial Phase 2 Sunshine Automobiles +91 9167640122; |
| +91 7640995613 | +91 9990092800 | 011-65662777 | 9711611585, 011-45151159 | 8130288284 |

| NEW DELHI & NCR | NEW DELHI & NCR | NEW DELHI & NCR | NEW DELHI & NCR | NEW DELHI & NCR |
|---|--|---|---|---|
| Delhi - Tilaknagar Lamba Enterprises Pvt Ltd. +91 9250919993; | New Delhi; Karol Bagh KINEMATICS MARKETING CO. +91 9310787108 | NCR - NIT Faridabad Sohan Auto World +91 9811535853 | NCR Gurgaon - Old Delhi Road Aman Automobiles | Solitaire Automotive +91 9599195030 |
| 9250919994, 011-45614855; | New Delhi; Libaspur GT | 0129-2429352,9311551530 | +91 9811247041; | Noida-Gautam Budh |
| 42138246 | Karnal Road | NCR - Ghaziabad - | 9811247048, 0124 4084648 | Nagar |
| Delhi - Naraina | BNT Motors Pvt Ltd | Nehru Nagar | NCR Gurgaon - Sheetala | Shree ji Automobiles |
| Centrum Motorcycles LLP | +91 9717391900 | Rawal Automobiles Pvt Ltd | Mata road | +91 9811112256 |
| +91 9910168168; | Lala Lajpat Rai Marg | +91 9350315311; | Brawn Automobiles | NCR-Sahibabad |
| 9871597779 | Zumrudpur-New Delhi | 9211921227, 0120-4104659 | +91 9212315090 | Sangam Autos |
| New Delhi | Dee Pee Motors | Ghaziabad (ASP) Jai Shiv enterprises | 0124 4251481 | +91 9311051177; |
| Company Store Saket New Delhi | +91 9811477949 | | NCR Gurgaon - Sohna | 9990624290, 0120-4198890 |
| +91 7533006563 | Delhi (ASP) | +91 9927064206 | Road | ORISSA |
| New Delhi | M.G. Auto Sales | Ghaziabad (ASP) | Manzil Motors Pvt. Ltd. | Angul |
| Company Store - Khan Market | +91 9810237417 | Royal Taj Agency | +91 8527540101 | Green Treet Automotive (P) Ltd |
| +91 9716520520 | 011-27837439 | +91 9871045697 | 0124 4600100 | +91 9937066505 |
| New Delhi (ASP) | NCR - Faridabad - Mathura Road | Patel Nagar II, Ghaziabad | NCR-Noida - Sector 10 | +91 7852936512 |
| Balaji Motors +91 9717831925 +91 8826574278 | Heighten Automotive Pvt Ltd +91 9911223811 9718990007/9312310046 | Shiva Riders +91 9560192108; 8448891071 | Shree Mahadev Agency +91 9310047588 0120-4310052/ 4324662 | Balasore Favour Ride +91 7894775144; 90400557156 |

| ORISSA | ORISSA | ORISSA | ORISSA | ORISSA |
|--|--|--|--|--|
| Bargarh Shree Shyamji Bike Point +91 9437053233 +91 7381053244; 255 | Bhubaneshwar - KIIT Road, Sishu Vihar Gugnani Automobiles +91 9776160313; | Madhupatna-Cuttack Anmol Motors +91 9437018811; 8338925660 | Rourkela The Agents & Distributors +91 9937007971; 9238111010; 0661-2511223 | Bbubaneswar, Laxmi Sagar Orissa Marketing Services +91 9337515332 |
| Baripada Legend Automotive +91 9178024417; 9040078001 | 9040510010 Bhubaneshwar - NH 5 - Patrapada Trupti Autoworld | Cuttack Shree Hanuman Automobiles +91 8342039286; 9438429957 0671-2586630: 9853265588 | Sambhalpur Sreyasri Motors +91 9040015355; | PONDICHERRY Pondy-Karuvadikuppam Rooster Automobiles + 91 7639001066 |
| Bhadrakh Jyotshna Automobiles +91 7852940689; 7852940691 | +91 9861824216; 7873024206, 0674-2470148 Bhawanipatana Shyamkrishna Mart pvt ltd | Jajpur Road Birendra Motors +91 9078886306; 9078886302 | 9040015356 Cuttack-Odisha Bullet Plus +91 9437037590 | 0413-2355336, 2355330 Mudaliarpet Rooster Automobiles +91 9791322522, |
| Berhampur Vaishnavi Automobiles +91 9937308525; 7682833574; 6802248820 | +91 9040350293, 9777048530, 8763130236 Phulnakhra-Cuttack Khimji Automobiles LLP | Jeypore Golden Motors +91 9439122306; 9437024187 | ODISHA - Nayagarh RAHUL AUTOMOBILES +91 7978376478 | 04142-227788 Karaikal Rooster Automobiles +91 8489155655 , |
| Bhubaneshwar - Buddha Nagar Royal Automobiles +91 7752017606, | +91 9937022588; 7735286061 Station Bazar-Dhenkanal SHIVAY MOTORS | Keonjhar Sai Automobile +91 9437054807 | Puri Odisha-VIP Road, Puri Puri Town PGS Motors | 7639001047, 04368-228800 PUNJAB Abohar Aman Auto Zone |
| 7752017602, 8192256239 | +91 9437076918 | 9114611733, 9437004711 | +91 9437028009 | +91 9814767900 |

| PUNJAB | PUNJAB | PUNJAB | PUNJAB | PUNJAB |
|---|--|--|--|---|
| Amritsar | Barnala Megan Autos +91 9878120088 +91 9878120033 | Faridkot | Gurdaspur | Jalandar - Satluj Market |
| Jaycee Motors Corporation | | Baba Farid Automobiles | Ajit Motors | Navyug Motors |
| +91 9780038349 | | +91 9780247048; | +91 9855152204 | +91 9915630535; 9878785796 |
| +91 9780038078 | | 9872409626, 01639-251343 | 01874-501644 | 0181-4627998 |
| Amritsar | Batala | Fazilka | Hamirpur Parkash Royal Automobiles 91 9418458483; 9418945283, 01972-258483 | Jalandar - G.T.Road Near |
| Aaray Motors | Moon Autos | Aman Auto Zone | | BSF Chowk |
| +91 8054053222; | +91 9988355955 | +91 9988700765; | | Navyug Motors |
| 9517777402 | Begowal | 9814667900 | | 91 9878785796; |
| Amritsar Gee Ess Enterprises +91 9878930900 | S.S.Motors +91 9814399532; 7526866633 | Ferozepur Royal Hut +91 8437312364 | Hoshiarpur Lagwal Automobiles +91 9256514321 | 9915630535; 7696055345, 0181-4627998 |
| Amritsar - Opp: Guru Harkrishan Public School | Bhatinda-Goniana Road | 01632-242567 | 01882-238586 | Jalandar - Opp Indian Petrol Pump |
| Jaycee Motors Corporation | Ajay Autos | Ferozepur - NH - 54, | Jalandhar - GT Road | RAJA RAM & SONS |
| +91 9780020654 | +91 9988678145 | Amritsar | Fateh Autos | +91 9888423456; |
| +91 9780038078 | 0164-2235608; 5000376 | Royal Hut Unit - II - SERVICE | +91 9417231123 | 8437003236 |
| Amritsar - Khasra no - | Bhatinda - Mansa Road | +91 7087799707 | 0181-2632880 Jalandhar-Kapurthala Road Fateh Motors +91 9530907183 | Kapurthala |
| 361 | Krishna Automobiles | Fazilka | | Innovative Automobiles |
| Jaycee Motors Corporation | +91 8725086888 | Aman Auto Zone. | | +91 9357254736 |
| +91 9780038018 | 9988445802, 0164-2212802 | +91 9814667900 | | 01822-233011 |

| PUNJAB | PUNJAB | PUNJAB | PUNJAB |
|---|--|--|--|
| Mahilpur Mahilpur Motors +91 9417354423; 7508390043 | Morinda Morinda Motorcycle Centre +91 8427242324 0160-2630357: 2630072 | Nangal Nangal Motors +91 8283829760; 9878667432: 01887-229160 | Phagwara Khalsa Automobiles +91 9463138303 01824-270081 |
| Malerkotla Om Automobiles +91 9814404513; 8054944713, 01675-262113 | Mukherian Lagwal Motors +91 9988048699 | Nawanshahar HS Enterprises +91 9417654888; | Ropar Garcha Automobiles +91 9464752267 01881-228137 |
| Mansa Ganpati Motors +91 9915445444 01652-236899 | Deep Autos +91 8566926850 9914367900 | Pathankot Cashmir Sales Corporation +91 9417412884 | Sangrur Verma Automobiles +91 9888836998 01672-223273 |
| Moga Bikram Sales Corporation +91 9855914072 7009263044 01636-227777 | Nabha Partap Automobiles +91 9815001739; | 0186-2220148; 2224672 Patiala - Rajpura Road Sukhdev Automobiles | Sultanpur Lodhi Dalbir Motors +91 9814679432 9781192204 |
| Mohali Manmohan Motors +91 9216267888; 9988317366 | Nakodar (ASP) Bhagwati Automobiles +91 9357242788 | 0175-2305721 Patiala - Sirhind Road Gurukirpa Motors | 01828-223634 Tanda Sandeep Automobiles +91 9814392398 01886-502398 |
| | Mahilpur Mahilpur Motors +91 9417354423; 7508390043 Malerkotla Om Automobiles +91 9814404513; 8054944713, 01675-262113 Mansa Ganpati Motors +91 9915445444 01652-236899 Moga Bikram Sales Corporation +91 9855914072 7009263044, 01636-227777 Mohali Manmohan Motors +91 9216267888; | Mahilpur Morinda Mahilpur Motors 491 9417354423; 7508390043 491 8427242324 Malerkotla 0160-2630357; 2630072 Om Automobiles 491 9814404513; 8054944713, 01675-262113 Mukherian Mansa Lagwal Motors 6anpati Motors 491 9988048699 Hofs-2-236899 Muktsar Deep Autos 9914367900 Moga Nabha Bikram Sales Corporation 491 9855914072 7009263044, 01636-227777 Nabha Manmohan Motors 491 9815001739; 9815001740, 9872605400 Nakodar (ASP) Bhagwati Automobiles 491 9357742788 | Mahilpur Morinda Nangal Mahilpur Motors +91 9417354423; +91 8427242324 +91 8283829760; 7508390043 0160-2630357; 2630072 9878667432; 01887-229160 Malerkotla Mukherian Lagwal Motors +91 988048699 991 9985445447 991 9988048699 House And The Senterprises 991 991 5445444 991 54656926850 9914367900 991 9855914072 9914367900 Pathankot 7009263044, 01636-227777 Nabha Partap Automobiles 991 9815001739; 9815001739; 998317366 Nakodar (ASP) Bhagwati Automobiles +91 9876103017 +91 9875242788 Patiala - Sirhind Road Gurukirpa Motors |

| PUNJAB | RAJASTHAN | RAJASTHAN | RAJASTHAN | RAJASTHAN |
|---|---|--|---|--|
| Taran Taran Chhabra Auto Agencies +91 9356579808 | Banswara Veer Autolinks +91 9001406681 | Bundi Ramdutt Automobiles Pvt Ltd +91 7597212390 | Jaipur-Sodala, Giitanjali Towers Company Store Jaipur | Jodhpur Shree Rajpurohit Automobiles +91 9001744442, |
| Zirakhpur Garg Auto zone +91 8427656388 RAJASTHAN | 02962-254135 Barmer Devrath Motors Pvt. Ltd +91 8107381111; | Chittorgarh Manglam Motocorp +91 9829289699; 9414420222, 01472-297018 | +91 7737009665 Jaipur - Govind Marg Rajesh Motors (Raj.) Pvt Ltd. +91 9001171222 | Jodhpur Modern Motor Bikes +91 7222011196 |
| Ajmer | 9549657080, 02982-224381 | Churu Churu Balaji Motors Pvt Ltd +91 9649777777 | Jaipur - Tonk Road Aditi Motors | +91 7222011197 |
| Jogbala Motors Pvt Ltd. +91 9829072298 0145-2787666 | Bharatpur Khusali Motors +91 9414944972 | 01562-253777 Dausa | +91 9829822722 0141-2700224 | Jodhpur Sushila Auto Agency +91 8619095658 |
| Ajmer- Vaishali Nagar Ajmer Motorcycles | Bhilwara Soni Automobile | Ashirwad motors +91 9414036326 | Jaipur (ASP)-Sudershan Pura | Kota MUNDRA MOTOR COMPANY |
| +91 9928075500; 7412029114 | +91 8233416700 011 27921311; 65902249 | Dungarpur MANGLAM MOTORS +91 7014157496 | JMS & Co +91 7239902225 0141-4059277 | +91 7891001013, 0744-2361264 |
| Alwar R.S. Motors +91 8696900842; 9785999998, 0144-2738248 | Bikaner Bikaner Bikes Pvt Ltd +91 9529269924 0151-2251345 | Hanumangarh Udai Motors +91 9772780001 01552-226266 | Jhunjhunu Balaji Motors +91 7733022411 01592-231061 | Kotputli Shree Motors +91 9468768300; 7023499999 |

| RAJASTHAN | RAJASTHAN | RAJASTHAN | TAMILNADU | TAMILNADU |
|--|---|---|--|---|
| Nagaur | Sriganganagar | Jalor | Chennai - Ambattur | Chennai - Jafferkhanpet |
| D.D.Autotech | National Motors | Achal Gavri Motors | Classic Motorcycles | Sreehita Auto Zone |
| +91 9828943737 | +91 9414211956 | +91 9784384848, | +91 9940063306 | +91 7338819603; |
| +91 7737237475, | 0154-2444200 | +91 7976933204 | 044-42180206 - 45080207 | 7338819602, 04; 05 |
| 01582-243006 | Tor Ka Pura Dholpur | TAMILNADU | Chennai - Anna Nagar | 044-65906590; 591 |
| Pali | Digvendra Motors Pvt. Ltd | Arani | Southern Motors | Chennai - Kattuppakkam |
| RMD Motors | Service | Akan Agency | +91 9841277990 | Aravinduja Motors Prt. Ltd. |
| +91 9829285357 | +91 9829189678 | +91 9751059933; | 044-26264686 | +91 8939804335 |
| +91 9983268151, 0293-2227151 Pali Road Sumerpur | Udaipur Voyage Motors +91 7340069355; | 9585503415, 7845330209 Arumbakkam - Chennai Rudraa Motors +91 7550226015; | Chennai-Behind LIC KSR ENTERPRISES +91 9444191313 | 044-45554888 Chennai - Kelambakkam Vardhan Motors +91 9092604446 |
| VRS Motors LLP +91 8107781952 Sawai Madhopur Vachi Motors Private Limited | 7340684255, 0294-2467465 Udaipur The KPM motors LLP +91 9116124507; | 7550226016; 7550221163 Brookefields Mall- Coimbatore Sheriff Motors—Brookefields | Chennai - Chrompet The Legend Motors +91 7299042018, 9841699117, 044-49595867; | +91 9092604447 Chennai-OMR, Perungudi Royal Enfield Company store +91 8939958655 |
| +91 8769999520 | 9414385732 | +91 9940002305 Chengalpattu-GST Road Shiv Sholai motors +91 9500008699 +91 9786177477 | 22410272 | 044 - 24542829; 65716303 |
| Sikar | Jhalrapatan (Jhalawar) | | Chennai - Greams Road | Chennai - Pallikaranai |
| Apoorva Motors | Smart Choice automotive | | Sri Velavan Motors | Sri Venkateswara Bike Zone |
| +91 9314237183 | +91 9772167555; | | +91 8754553411; 8754553404 | +91 8681863330 |
| 01572-245830 | 9116124507, 07432-241347 | | 044-42076898 | 044-65655222 |

| TAMILNADU | TAMILNADU | TAMILNADU | TAMILNADU | TAMILNADU |
|---|---|---|---|---|
| Chennai - Purasaiwalkam I Speed Motors +91 9094633712 9094633708, 044 45588047 | Coimbatore - Hope College, Peelamedu Royal Enfield Company Store +91 9655999844 0422-6067006; 6067007 | Dharmapuri S.M.Motors +91 7373778259, 9994852482; 9894142977, | Hosur Sri Saravana Motors +91 9543813032; 8220013432 04344-244030/ 244031 | Karur Murugan Motors +91 9500955950; 9543255950 |
| Chennai - Red Hills AKG Motors +91 9597082571 044-26322063 | Coimbatore - Sai Baba colony Sheriff Motors +91 9597310101 | 04342-288123 Dindigul Rajendra Automobiles +91 965933433, 8508678333 | 131 303 1333 133, | Kovilpatti - Ettyapuram Road Charles Motors - KVP +91 9944723062 |
| Chennai - Thirumullaivoyal Dino Motorcycles +91 9360808030; 044-35355051 | 9790510101, 0422-4210101 Coimbatore - Trichy Road, Kothari Layout BullMenn Motors +91 9514555510; | 9486963396, 0451-2431850 Erode Senthil Murugan Auto Agencies +91 8220048567 +91 9790030003 | 9940909908, 0434-4314114 Kanchipuram Jet Blaze Motors +91 9629032223; 9894538176, 8883788848 | Krishnagiri Sree Maruthi Motor & Auto Service +91 9159566613 , |
| Chinnamoopanpatti Village-Virudhunagar Siva Motors +91 9626566688 | 7092300000, 7092900000 Cuddalore Rooster Automobiles +91 7639001046 | Erode-Thindal Senthil Murugan Auto Agencies +91 8220048567 | Kalla Kurichi Garuda Automobiles +91 8489144944 | 9003020017; 9443237512 0434-3232512 Kumbakonam |
| Coimbatore SHERIFF MOTORCYCLES +91 7397791001 | Cumbum Coral Moto Hub CBM +91 9500739686 | Gobichettipalayam EAGLE MOTOR +91 9443313189 | Karaikkudi Neha Motors +91 7373097717, 7373097715 | A.V. Motors +91 8903707782; 9944500127 0435-2415286 |

| TAMILNADU Madurai - Kazhavasal, Theni main road Classic Motors | TAMILNADU Mettupalayam M R Motors +91 8903881798 | TAMILNADU Palani A.R. Motors +91 6381807292 | TAMILNADU Perambalur V.P Motors +91 9786656588 | TAMILNADU Salem - Four Roads Chamundi Enfield +91 8098611999; |
|---|--|--|--|---|
| +91 9629023344 0452-2667875 Madurai - KK Nagar Madras Motors | Nagercoil Chandra Motors +91 8973886699 04652-236477 | Pedhikuppam Village Gummidipoondi AKG Motors +91 9087886651 | 7373799687; 7373799686 Periyar Colony-Tirupur RIDERZ +91 8098501777 | 8098559999, 0427-2414100 Salem-Seelanaickenpatti MSV Motor |
| +91 9976755111 0452-2585686 Madurai Main Road, Usilampatti Classic Motors | Namakkal Royal Annanmar +91 8883115777; 8883114777, 04286-277557; | Portblair-Dollygunj Nikhil Motors +91 9531890000 | Pollachi Bharat Motors +91 9715222600 +91 9843345461 | +91 9600200300; 9566669990 Sathy Main Road- Erode ERODE MOTORS |
| +91 9524099444 Madurai - Simmakkal, Workshop Road | 8883150077 Neyveli-Gandhi nagar; Near Neyveli Arch | Palavakkam Suriya Motors LLP +91 9790799699 Palayamkottai | Pudhukottai Sri Maruti Motors +91 9003020017 | +91 9443778855 Sivakasi - Viruthunagar Leo Motors |
| G.G. Motors +91 8012688444 9994979758, 0452-2342007 | Abi Motors +91 9384104041 Ooty - Opp Jayam | DG Motors +91 9988776655 | Ramanathapuram Murugan motors +91 9488107000 Salem-Attur | +91 9994847327 Thanjavur JAF Associates |
| Marthandam Royal Phoenix Motors Pvt. Ltd. +91 9443339130 | M.R.Motors +91 9500977327 | Pechavadi-Nagapattinam A.V. Motors +91 7094450523 | K.R.K Bikes +91 9790017570 | +91 7867019836; 7867019838 |

| TAMILNADU | TAMILNADU | TAMILNADU | TAMILNADU | TELANGANA |
|--|---|--|--|--|
| Thiruvallur Gap Motors +91 8939983660 | Thoothkudi Charles Motors +91 9944723062; | Tiruppur-Dharapuram SENTHUR MOTORS +91 9442121345 | Viruthampet, Vellore Sri Kalikambal Autos +91 9655011198 | Hyderabad-Bahadurpura VVC Automobiles +91 9642649999 |
| 8939983662, 9087887123 | 9894555702, 0461-2321636 | Thiruvarur Shri Balaji Motors | Villupuram Rooster Automobiles | Hyderabad-Bowenpally, |
| Theni Coral Moto Hub | Tiruchengode Royal Annanmar +91 9500023907: | +91 9965293949; 7397768020 | +91 7639001008, 04146-222280 | Suchitra SVR Motors and Engineering +91 8885023360: |
| +91 9500739686 9698933000 | 8883178777 | Trichy - Annamalai Nagar | TELANGANA | 9133322923, 040-40116336 |
| Thenkasi- Railway road RK Motors +91 9783838823 | Tirunelveli DG Motors +91 8973846699; 9486729010, 0462-2970031 | Karur road Oxina Motors +91 9655900555 7402718502; 7402718512 | Adilabad Ashwik Motors +91 8732222770; 8297388776 | Hyderabad-Erragada Royal Enfield Company Store +91 7093190003/ 7416783025 |
| Thiruvannamalai AKAN Agency | Tirupattur-Vaniyambadi Main Road | Trichy-Contonment M/s.Grande Motors +91 9600999127 | HYDERABAD & SECUNDARABAD Hyderabad | Hyderabad-Himmayat Nagar |
| +91 9751509147; 9585503415, 04175-233377 | AVS Agencies +91 9751665553 | Udumalpet Bharat Motors | Cyber Automobiles Pvt Ltd +91 9963223271 | Jayasree Automotives +91 9010369555, |
| Thiruvottiyur-New | Tirupur | +91 9715222600 | Hyderabad- Banjara Hills | 040-65169666 |
| Washermenpet DCS MOTORS PRIVATE LIMITED +91 9944929897 | Bikerz +91 7502387000 +91 9842187000 | Vellore-Arni Road AMBIGA MOTORS +91 9894811111 | VVC Automobiles +91 7842883883, 9988776655 | Hyderabad-Rangareddy Jayasree Automotives +91 7093612612 |

| TELANGANA | TELANGANA | TELANGANA | TELANGANA | TELANGANA |
|---|--|--|--|---|
| Hyderabad-PJR Nagar, Gachibowli road Go Green Motors India Pvt. Ltd | Hyderabad-Karmanghat Taurus Motors KMGT +91 9100828787 | Hyderabad-Sanath nagar Company Showroom +91 8686099601 | Malakpet Hyderabad Dark Matter Motorcycles +91 9908000533: | Secundarabad-Opp-KIMS Hospital, Ranigunj Kavjee Engineers |
| +91 9059929929, 040-64626265; 64646303 | Hyderabad- | Hyderabad-Zafferguda, Mehidipatnam | 8886676041, 9014201359 Siddipet-Hyderabad Road | 040 - 64533839 |
| Ghatkesar-Shiva Reddy Guda Main road | Ramachandrapuram, BHEL | Venkataramana Automobiles Pvt Ltd +91 7660008132; | Anil Motors +91 9555899999 | Road Quality Motors |
| C K Riders +91 8019090190; 9704511755 | Go Green Motors India Pvt. Ltd +91 8712126622 040-69996644; 69996622 | 9100087519, 040-23514551 Kukatpally Hyderabad | Secundarabad-Begumpet Kayjee Engineers | +91 9966173000 0878-6509993 |
| Hyderabad-PJR Nagar, Gachibowli road | Hyderabad-Medchal Taluka Keesara Mandal | Headway Motors +91 8978953520, +91 9100199909 | +91 9246113133 040-27907444 Secundrabad-Neredmet | Karimnagar-CVNR Road Quality Motors +91 9030775252 |
| Go Green Motors India Pvt. Ltd 040-64646303 040-64626265 | Orange International +91 9989899098 | Madhinaguda Village, Ranga Reddy Headway Motors | Orange International +91 8121091210 | Khammam Royal Automotives |
| Hyderabad-Prasanth Nagar,vanasthalipuram | Hyderabad-Saraswathi Nagar, Uppal | +91 9963145145 Mancherial Road, Divya | 040-64449494; 3434 Secundrabad- | +91 9963886789 8297516789, 8297536789 |
| Taurus Motors +91 8125828787 040-29804755 | Royal Engineers +91 9885051755 040-64241755 | Nagar Ashwik Motors - Nirmal +91 8790378922 | Trimulgherry SVR Motors +91 9133322926 | Khammam- Sathupally Hemanth Automotive +91 9032033203 |

| TELANGANA | TELANGANA | TRIPURA | UTTRANCHAL | UTTRANCHAL |
|---|---|--|--|---|
| Kothagudam Royal Motors +91 8297616789 8297516789, 8297626789 | Nalgonda Vijayalakshmi Automotives +91 8885966627 8885966687 | Agartala XED Motorcycles +91 8415951975 | Banda - Tindwari Road Sohum Riders +91 9919993062 | Etah -GT Road, Asroli, K.S.Royals +91 9412177432 Gorakhpur- Mughal pur, |
| Mahabub Nagar Harshithh Automotives +91 7660022336; 7660022334 | Nizamabad KY Motors +91 8885198222 08462-236882 | Agartala, West Tripura Opp:TATA Naladri Motors | Ballia- Opp- Nagaji School Parmarth Automobiles +91 7800378233, | Chargawa MAK Bikes LLP +91 9793909000; 7081000899, 5512505500 |
| Mahabubnagar road, Uyyalawada Nagarkurnool Harshithh Automotives- NGKL | Suryapet Vijayalakshmi automotives +91 8886677696; 8885966673 | PNR Automobiles Pvt. Ltd +91 8794333686 UTTRANCHAL | Bhadohi-Old Haddi mill Bhadohi Wheels +91 8934022222 | Hathras- Agra Road, Hathras Manglam Royal +91 9650658883 |
| +91 9440295767 Mancherial JV Aryan Motors +91 8179356458 +91 8297388775 | Warangal SV Motors +91 8702433888; 9395144955 | Almora +91 9719828826 Ambedkarnagar, Faizabad Road,Melahiya | Dehradun - Jakhan, Sai Tower Allied Auto Agency +91 9690777771 | Indira Nagar, Rath Road, Orai - Jalaun Singh Royal +91 9415032417, 9454420655 |
| Miryalguda Sri Lakshmi Pavan Automotives +91 9666660606 | Warrangal-Hanamkonda Quality Automobiles +91 9030775252 +91 9030775164 | Bagh, Akbarpur Saurabh Automobiles +91 9838126556, 05271-246725 | Dhanipur Lucknow Road, Sitapur Raj Automobile +91 9151333337 | Kannauj - Akbarpur - Sarayghah Sampuranta Automobiles +91 9956284957 |

| UTTRANCHAL | UTTRANCHAL | UTTARKHAND | UTTARKHAND | UTTARKHAND |
|--|--|---|--|--|
| Lucknow - (Hardoi road) Lucknow Diesels & Electricals +91 9044290442 | Sidharth Nagar-Bansi road Shiva Motors +91 9628222122 | Dehradun - 6-B, Niranjanpur, Near Mandi Chowk, Dehradun Allied Auto Agencies | Kashipur - Near city stadium, Ramnagar road Batra Enterprises | Roorkee - Haridwar Road, Near Malkapur Chungi-247667 |
| Krishna Vihar colony, | Shahjahanpur- Bareilly R. K Autozone +91 7703009919: | +91 7900888999 | +91 9837336026 | Goswami Automobiles |
| Rae barely road, | | 0135-2623487 | 05947-277207 | +91 9897238608 |
| Lucknow | | Dehradun-Sant Vinoba | Khatima | 01332-277477 |
| M/s Shreya Auto World | 7703009918, 7703009917 | Marg | Chaudhary Automobiles | Rudrapur - Brar Nagar, |
| +91 9415013828; | UTTARKHAND | ANAMIKA ENTERPRISES | +91 8802927200; | Rampur Road |
| 8400400850 | Almora | +91 9897615836 | 8872021013, 01346-250555 | Brar Motors |
| Mirzapur; Nr. Binani | Kumaon Motors | Haldwani, Nanital | Pithoragarh (ASP) | +91 9219445699 |
| College | +91 9719828826 | Suri Sales (P) Limited | Sai Automobiles | 05944-2473127 |
| Vindhya Auto Sales +91 9565799799, | Chaudhary Niwas; Pauri Garhwal- Srinagar Chaudhary Automobiles | +91 7351007972 05946-210768 Haridwar - Jwalapur, | +91 9412981042 05964-225786 | UTTAR PRADESH Agra - 4/64, Opp.DIG |
| Near Banjari Moad, Lucknow Road | +91 9758400555 Dehradun-Karanpur Road Ahuja Enterprises | Railway Station Road | Rishikesh - Kale ki dhal, sarvha nagar, 249201 Ranjeet Motorcycles | Residence Baluganj Shambhavi Automotive Engineers |
| Rudra Motors | +91 9927532535 | +91 9927994477 | +91 9897548171; | +91 8057400022, |
| +91 9695497774 | 0135-2659082 | 01334-250242; 253242 | 9897113728, 0135-2434171 | 8057400055, 0562-2260444 |

| UTTAR PRADESH | UTTAR PRADESH | UTTAR PRADESH | UTTAR PRADESH | UTTAR PRADESH |
|--|--|--|---|---|
| AGRA-Guru Ka Tal-NH 2 Agra Royals +91 7055312114 0562-6888846 Agra - Kheragarh | Allahabad - Bai Ka Bagh Vrindavan Automotive +91 7860861786 0532-2417021 Allahabad-Kamla Nehru | Badaun - Near FCI godown Omkar Motors +91 9412427289 | Basti - Didoha pachpediya road. New India Merchant +91 9532211786 554 2281483 | Deoria - Barhaj Road Supreem Motors +91 9415312814 05568-229624 Etawah - Ram Leela Road |
| Agra Royals Unit II +91 7456002600 | Hospital Jay Pee Motors +91 9161728300. | 9520330305 Barabanki - Nawabganj 225001 | Chandauli, Uttar Pradesh Shri Sai Automobiles | V P Motors +91 9568013106; 9568013109, 9568013105 |
| Agra - Trans Yamuna Colony Mangal Motors Private Limited +91 9105900111 | 0532-6061002;1003 Amroha-Delhi Moradabad Road Near | G.R & Company +91 7233002407, 05248220223 | +91 7571855565; 7311178055 Bijnor - Landmark | Faizabad - Wazeerganj Chawla Riders +91 9628730002 |
| Aligarh - Nr Banna Devi Police station, GT Road, Exhibition Ground | KFC ADVIKA AUTOMOBILES +91 8938930882 Azamgarh - MAu road, | Bareilly - Nainital road Suri Sales (P) Limited +91 9359108047 | Hyundai showroom Chaudhary Motors +91 8958994499 01342-264455 | 0527-8265077/78 Farrukhabad - Ghatiyaghat Road Ankur Auto Agencies |
| Maindola Royal Enfield +91 9319144044, 9319155055, 0571-3292464 | Sidhari Amit Motors +91 9415103787 | 0581-2543334 Bariely | Bulandshahar - State Bank Colony | +91 9415124921 +91 9792952111 Fatehpur - Near DM Awas |
| Aligarh-Ramghat Road Kodia Auto Sales +91 7055520172 | Balrampur Titu Automobiles +91 9918101234 | +91 9927880000; 9761200010 | Santhosh Enterprises +91 9219445515 05732-231326 | K S Auto Sales +91 9616519248 05180-221223 |

| UTTAR PRADESH Firozabad - NH-2, Nagla Bhau Emerald Automobiles +91 9219439555 +91 9219439444 | UTTAR PRADESH Gonda Style N Passion +91 9919713001 Gorakhpur - Taramandal | UTTAR PRADESH Jaunpur - Nr. Yamaha Showroom Aditya Motors +91 9196128730; 9839216882 | UTTAR PRADESH Kanpur-Rambagh post office Sareen Motors LLP +91 7705905143 Kanpur - W-1/52, Saket | UTTAR PRADESH Lucknow - 5A, Adarsh nagar Shreya Auto World Pvt. Ltd. +91 8400400842; 850 0522-4037677; 4041033 Lucknow - A 1/1 Sec F |
|---|---|---|---|--|
| Gautam Budh Nagar; HOSIERY COMPLEX-Noida Solitaire Automotive +91 9599886333 Ghaziabad-Loni ROYAL TAJ AGENCY +91 9871045697 | Shiv Motors (A Unit of Pardeshi Zigwheels Pvt. Ltd.) +91 7706900011 0551-2230014 Hapur- Tyagi Market, NH-24, Opp. Saraswati Enclave | 0545-2264047 Jhansi - Near SBI Triveni Enterprises +91 9936997777, 7607779147, 0510-2481007; 2380007 MAINPURI-Bhawat Chauraha Railway | Nagar S.S Automobiles +91 7705006411, 7705006401 Khalilabad Kabir Automobiles +91 9717522230 Lakhimpur Kheri | Table Tabl |
| Ghazipur - Bansi Bazar Shri Sai Chandra Automobiles +91 7571006171 | Anmol Automobiles +91 7217480005; 7217480001 | Station Road GANESH MOTORS +91 8909523231 | Shree Vinayak Motors +91 7071187827 0587 2277734 | Lucknow-Near Syndicate Bank Sardhana AYAN AUTO LLP +91 9910031141 |
| Ghaziabad-NEAR MOHAN NAGAR FLOYER Sangam Autos +91 9311051177 | Hardoi Raj Royals +91 7081000522; 9919897999 | Kanpur-Khalasa Line Sareen Motors LLP +91 77705905138; 7705905143, 8303220224 | Lucknow (ASP), Near Goel Hospital Amafh Bullet Centre +91 9415018786 7080811662, 0522-4074200 | Maharajganj - Chauparia Pharenda road RK Motors +91 7571006171 |

| UTTAR PRADESH | UTTAR PRADESH | UTTAR PRADESH | UTTAR PRADESH | UTTAR PRADESH |
|---|--|---|--|---|
| Mathura - NH-2, Nr. Jaiguru Dev Temple Aryaman Enterprises | Moradabad - Near pak vada Akanksha Autozone Pvt Ltd. | Noida-Gautam Budh Nagar SHREE MAHADEV AGENCY +91 9310047588 | Pratapgarh - Near Angels school Shaurya Enterprises | Shamli-Panipal Road AJ Automobiles +91 8467077437 Sultanpur - Kasba KNIT |
| +91 8392916222; 8392916221 | +91 7247800081 0591-6055999 | Noida-Gautam Budh | +91 9554433888; Raebareli - Plot | Asia Royal Motors |
| MAU - Batwal, Nr Eicher TRactors Chandra Motors | Muzaffar Nagar Harivansh Auto Agency +91 9219440446; | Nagar-Opp Fortune Hyundai Shree ji Automobiles | no.1414, Civil Line Sushma Motors +91 8953005001 | +91 8115054400 05362-227777 Unnao - 3-98, AWAS VIKAS COLONY |
| +91 7310266900, 0547-2860555 Meerut - 8, ShriKrishna | 8979298645 0131-2646477 Nazibabads - kotwali | +91 9310047588 Padrauna - PLot no.2353, Kasya road, | Rampur Hospital - Nainital Road Akanksha Autozone P. Ltd | Raj Auto World +91 7080903700, 7080903720, 0515-2831098 |
| Tower | road,near railway | Chavni Cantech Automobiles | +91 7247800081 | Varanasi - Chandpur |
| Moto Riders +91 8476900096, 9536900541, 0121-4000511 | crossing Agarwal Tractor & Parts +91 9927030546; | +91 9838719444; 7705803777; 05564245959 Patel Nagar II ,Ghaziabad | | Industrial Area Khurana Automobiles +91 9956462863 0542-2207532; 2207618 |
| Meerut - West rithani, 28, Meerut-Delhi Road | 9837072868, 01341-220252 Near Signet | Shiva Riders +91 8448891071 | +91 8445577933 0132-2680680 | Varanasi-Maqbool Alam |
| Nutech motors +91 7088714714 0121-440111 | Automobiles- Baghpat Pitambra Automobiles +91 9412887130 | Pilibhit Shankhdhar Automobiles +91 7351667269; 7535877888 | Sector-63, Noida Solitaire Automotive +91 9599155030 | road, Nr DIG colony One Place Automobiles Pvt. Ltd. +91 9781921323, 0542-2508385 |

| UTTAR PRADESH | WEST BENGAL | WEST BENGAL | WEST BENGAL | WEST BENGAL |
|--|---|--|---|--|
| Varanasi- MAUZA SHIVDASPUR Varushka Automobiles +91 7055312114; | Barasat-24 Parganas The Country Motors +91 9230488895; 9051506523, 033-654 04510 | Durgapur R.H. Automobiles Pvt.Ltd. +91 9748402629, 8336935892 | Kolkata - Chowrangee chowk Austin Distributors Pvt. Ltd +91 8420046876 | Krishna Nagar Royal Automobile +91 8629961089 |
| 7572008103 | Baruipur-24 Parganas Austin Distributors Pvt. Ltd | Habra - West Bengal | 033-65552077; 40721010; 60505574 | Speed Wheels |
| Varanasi-Shakti Nagar Highway | 033-65556611 | The Country Motors +91 9051506523 | Kolkata - Nowa para Kolkata Bike Zone | +91 9735586333, 7872971814 |
| Vishwanath Enterprises +91 7080109007 | Berhampore Maxwheel Motors +91 9233330208; | Howrah Apollon Motors LLP | 91 9674029373 033-40082380 | Midnapore Sri Sai Auto mart |
| WEST BENGAL | 9233330216, 03482-224844 | +91 9903800400; | Kolkata-Sarat Bose road | +91 9434043691 |
| Asansol | Burdwan | 9903200400 | Shah Distributors | 7047678599, 03222-275999 |
| SG Automobiles +91 8170030004 | Sri Ram Automobiles + 91 9800365544, 9002450705, 9732050705 | Kharagpur Jain Motors | (Auto Division) +91 9830477788 033-22814242 | Purulia High way- Purulia |
| Asansol SG Automobiles- Unit I +91 9733212991 | Darjeeling-Burdwan Road Legendry Motors Pvt. Ltd. | +91 9476481717 9434692778, 9800226657 Kolkata - Anandapur | Kolkata - Shakespeare Sarani | Devi Motors +91 9060827198; 7022543773; 6295900922 |
| | +91 9775430000 | Royal Enfield Zonal Office | East India Agro Indus. Pvt. Ltd +91 9874977006 | Purba Medinipur |
| R D Automobiles +91 9083282541 | Dankuni-Hooghly Universal Traders +91 9883069797, 9831018699 | 033-40461000 | 033-22824400; 22823300; 22903370 | Shivani Automobiles +91 7477787028 |

| WEST BENGAL | WEST BENGAL | | |
|--|--------------------------------------|--|--|
| Purba Medinipur-Ratnali Suhana Global Private Limited +91 9732131302 | Bishnu Oil Company +919874839911; | | |
| Raiganj Kalyani Solvex Pvt. Ltd. +91 9083292077; 9475224885, 03523-253016 | 9051365511 033-25833353 | | |
| Siliguri - Matigara Riders Corner +91 9083260131; 7319042570 | | | |
| Siliguri - 2nd Mile Sevoke Road Siliguri Distributors +91 9775633225; 8906949604, 0353-2778873; 2547457 | | | |
| Suri- Birbhum Birbhum Riders +91 7477770008 | | | |

PARTS STOCKIST DISTRIBUTOR

| Andhra Pradesh Vijayawada Cyber Automobiles Pvt. Ltd +91 9959615806 | Gopalganj Shri Harishankar Motors +91 9771880938 06156-223956 | Margoa Saini Motors +91 8308808290 0832-2740343; 2740345 | JAMMU & KASHMIR Jammu Yahoo Technocra +91 9419191241 | Bangalore Fixwheel Motors +91 9845949127 |
|---|--|---|---|---|
| Assam Guwahati Chirag Enfield +91 8136051810 0361 2670293 | Patna Moto Spares Pvt.Ltd +91 9097577727 CHANDIGARH | GUJARAT Ahmedabad Shreeji Auto Traders +91 9173170931; | JHARKHAND Hazaribagh Riders Point +91 9234343422 | Jagadamba Automobiles +91 9972522111 +91 9066983741 KERALA |
| Guwahati Pawan Automobiles +91 9864045473 | - Chandigarh Manchanda Autos +91 9915047010; 9988994000 | JamNagar New Chandra Motor Cycle House | Jamshedpur Royal Auto Syndicate 72502-22283 Ranchi | Aluva Marikar Motors Ltd +81 9894744880 Calicut |
| Jorhat Achharsingh Royal +91 9707522666 BIHAR | 0172-2630263 CHATTISGARH Raipur | +91 9824211699 HARYANA Ambala | Sri Nivas Automobiles +91 7763801824 Zittau | Luha Automotives +91 7025106888 0495-2333533 |
| Biharshariff PNN Automobile +91 9135620008 | Nagorao Auto Engg Works Pvt. Ltd. +91 9165878692 | Royal Motors 0171-2545795 Bhiwani | Arjun Automobiles +91 7282820788 +91 8935849216 | Ernakulam JR & Sons +91 9447063679 |
| Chapra Supriyam Automobiles +91 9128739999 06152-242999 | GOA Mapusa Shauna Auto Agencies +91 8326520712 | Sheoran Automobiles +91 7056732216 01664-252216 | KARNATAKA Bangalore Cyber Automobiles Pvt. Ltd +91 9448473078 | Kochi Bhavani Auto Distributors +91 8086078173 |

PARTS STOCKIST DISTRIBUTOR

| Trivandrum Subha Auto Wares +91 9446562640 | Nagpur Siddarth Spares +91 9373195554 | PUNJAB Amritsar Gee Ess Enterprise | Erode Senthilmurugan Auto Parts +91 9894756567 | Lucknow-Transport Nagar Moped House Pvt.Ltd +91 9696202669; |
|---|---|--|---|---|
| Indore Royal Ventures +91 9589541950 | Pune Planet Spares +91 9371005335 | +91 9878930900 Ludhiana Amrik Singh & Co. +91 9915069033 | Madurai Senthilmurugan Auto Parts +91 9500786567 TELANGANA | 8795444497 Lucknow Varma Auto Sales |
| Jabalpur Bhawani Automobiles 094243-05880 | Pune Shree Spares +91 9822377709 | RAJASTHAN Jaipur-Indra Bazar Shubham Agencies | Hyderabad Cyber Automobiles Pvt. Ltd +91 7702143186 | +91 9335207393 UTTARAKHAND Dehradun |
| MAHARASHTRA Aurangabad Vinod Agency | New Delhi Kinematics Mktg (P) Ltd. +91 9654787802 011-41545025 | +91 9680465973 Jaipur-Transport Nagar Shubham Agencies +91 9414067766 | UTTAR PRADESH Ghaziabad Indian Automobiles +91 9999916346: | Anamika Enterprises +91 9897615836 WEST BENGAL Kolkata |
| +91 9823336611 Mumbai Rajkamal Auto & Scooter Spares +91 9833985931 | Orissa Marketing Services | TAMILNADU Chennai Cyber Auto Parts +91 7358768669 | 9899288337 Kanpur Sareen Motors | Auto Marketing Agencies +91 9830325490 033-22360642; 22360643 |
| Mumbai Ram Motor Cycle Co. +91 9920748891 022-27700394 | +91 9437033935 Cuttack Bullet Plus +91 9437037590 | — Chennai Popular Motors Cycle Company +91 9698444568 044-43435365; 43435364 | +91 9389629505 Lucknow-Kaiserbagh Moped House Pvt.Ltd +91 7408555502 0522-4108704 | Siliguri Goyal Royal Spares +91 9434063334 |

NOTES



Part No. RAM00098/A

ROYALENFIELD.COM