Creta SU2i 2020		Creta 1.5 Premium MT	Creta 1.5 Executive IVT	Creta 1.5 Diesel Executive AT	Creta 1.4 TGDI Executive DO
		SUV - 4x2 Petrol	SUV - 4x2 Petrol	SUV - 4x2 Diesel	SUV - 4x2 Petrol
		6-spd Manual	IVT	6-spd Automatic	7-spd DCT
<u>ENGINE</u>					
General Data					
	Displacement (cc)	1497	1497	1493	1353
•	Bore x Stroke (mm)  Compression Ratio	75.6 X 83.4 10.5	75.6 X 83.4 10.5	75.0 X 84.5 16.0	71.6 X 84.0 10.0
•	Max. Power (Kw/rpm)	84 @ 6300	84 @ 6300	84 @ 4000	103 @ 6000
	Max. Torque (Nm/rpm)	143 @ 4500	143 @ 4500	250 @ 1500 ~ 2750	242 @ 1500 ~ 3200
Number of Cylinders		4	4	4	4
Cylinder Block Cylinder Head		Aluminium Aluminium	Aluminium Aluminium	Cast Iron Aluminium	Aluminium Aluminium
Timing Chain		Silent Timing Chain	Silent Timing Chain	Silent Timing Chain	Silent Timing Chain
Engine Cover		-	-	Standard	Standard
Hood Insulator		Standard	Standard	Standard	Standard
Valve System Turbo Charger		16 Valve, HLA	16 Valve, HLA	16 Valve, HLA Standard	16 Valve, HLA Standard
Fuel System		MPI	MPI	CRDi	GDI
Fuel Type		High Octane Petrol	High Octane Petrol	50 ppm Diesel	High Octane Petrol
Fuel Tank (L)		50	50	50	50
Lubricant Oil Capacity (L) Cooling Fluid Capacity (L)		3.8 (w/Oil Filter) 6.4	3.8 (w/Oil Filter) 6.6	4.8 (w/Oil filter) 7.2	4.2 (w/Oil filter) 6.1
Electrical System		0.4	0.0	7.2	0.1
•	Battery	60 AH	60 AH	68 AH	45 AH
	Alternator	13.5V 130A	13.5V 130A	12.5V, 120A	13.5V, 130A
	Starter	12V 0.9kw	12V 0.9kw	12V 1.7kw	12V 0.9kw
TRANSMISSION					
		OWD	OWD	OMD	214/0
Drive Type Transmission Type		2WD 6-spd Manual	2WD IVT	2WD 6-spd Automatic	2WD 7-spd DCT
Gear Ratio		у ора іманааі	1 1 1 1	- Sparratorilatio	, opa DO1
•	1st	3.833	-	4.212	3.929
	2nd	2.143	-	2.637	2.318
	3rd 4th	1.370 1.036	-	1.800 1.386	1.957 1.023
•	5th	0.839	-	1.000	0.778
•	6th	0.727	-	0.772	0.837
	7th	-	-	-	0.681
	Forward		2.68 - 0.385	-	-
	Reverse Final	3.700 4.563	2.822 - 1.822 6.483	3.385 3.510	5.304 4.857 / 3.579
Clutch Type		Dry single plate	Torque Converter	Torque Converter	Dry double plate
**					
Lubricant Capacity (L)		1.5~1.6	6.7	7.1	1.6 ~ 1.7
VEHICLE PERFORMANCE					
Max Speed (kph)		170	170	173	185
Acceleration (sec)		170	170	173	100
	0 → 100 kph	12.2	12.0	11.7	9.7
Braking (m)	400 0 lmb		T 40.4	10.4	10.4
Coefficient of Drag	100 → 0 kph	42.1 0.347	42.1 0.347	42.1 0.347	42.1 0.347
ecomoioni ei Brag		0.017	0.011	0.011	0.017
FUEL CONSUMPTION (European tes	sting)				
Combined Cycle	Litres / 100 km	6.5	6.3	5.9	7.2
,					1.2
			0.0	0.0	1.2
CO2 EMISSIONS (European testing)			0.0	0.0	1.2
CO2 EMISSIONS (European testing) Combined Cycle	g/km	155	149	147	147
	g/km				
CO2 EMISSIONS (European testing) Combined Cycle  SUSPENSION	g/km				
Combined Cycle  SUSPENSION	g/km	155	149	147	147
Combined Cycle  SUSPENSION  Front	g/km	155  McPherson Strut Type	149  McPherson Strut Type	147  McPherson Strut Type	147  McPherson Strut Type
SUSPENSION Front Rear	g/km	McPherson Strut Type CTBA Type (2WD)	McPherson Strut Type CTBA Type (2WD)	147  McPherson Strut Type  CTBA Type (2WD)	McPherson Strut Type CTBA Type (2WD)
Combined Cycle  SUSPENSION  Front  Rear	g/km Front	155  McPherson Strut Type	149  McPherson Strut Type	147  McPherson Strut Type	147  McPherson Strut Type
SUSPENSION Front Rear	Front	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)
Combined Cycle  SUSPENSION  Front  Rear		McPherson Strut Type CTBA Type (2WD)	McPherson Strut Type CTBA Type (2WD)	147  McPherson Strut Type  CTBA Type (2WD)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)
SUSPENSION Front Rear Shock Absorbers	Front	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)
SUSPENSION Front Rear Shock Absorbers	Front	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING	Front	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description	Front	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description	Front	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA  4 Spoke steering wheel with A
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description  Steering Type	Front	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA:  4 Spoke steering wheel with A Rack & Pinion with Collaps universal joint & column Motor Driven Power Assist
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description  Steering Type  Power Assisted	Front	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA:  4 Spoke steering wheel with A Rack & Pinion with Collaps universal joint & column Motor Driven Power Assist Steering system (MDPS)
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description  Steering Type  Power Assisted	Front	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA  4 Spoke steering wheel with A Rack & Pinion with Collaps universal joint & column Motor Driven Power Assist Steering system (MDPS Tilt & Telescopic
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description  Steering Type  Power Assisted  Steering Column Adjustment	Front	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS)	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA  4 Spoke steering wheel with A Rack & Pinion with Collaps universal joint & column Motor Driven Power Assist Steering system (MDPS Tilt & Telescopic Artificial Leather with Oran
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description  Steering Type  Power Assisted  Steering Column Adjustment  Steering Wheel Finish	Front Rear	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Polyutheraine	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Leather - Black	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Leather - Black	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA  4 Spoke steering wheel with A Rack & Pinion with Collaps universal joint & column Motor Driven Power Assist Steering system (MDPS Tilt & Telescopic Artificial Leather with Oran Stitching
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description  Steering Type  Power Assisted  Steering Column Adjustment	Front Rear	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA  4 Spoke steering wheel with A Rack & Pinion with Collaps universal joint & column Motor Driven Power Assist Steering system (MDPS Tit & Telescopic Artificial Leather with Oran Stitching Audio, On Board Compute
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description  Steering Type  Power Assisted  Steering Column Adjustment  Steering Wheel Finish  Steering Wheel Multifunction Controls  Steering Wheel Turns (lock to lock)	Front Rear	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Polyutheraine Audio, On Board Computer, Bluetooth & Cruise Control 3.00	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Leather - Black Audio, On Board Computer, Bluetooth & Cruise Control 3.00	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Leather - Black Audio, On Board Computer, Bluetooth & Cruise Control 3.00	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA  4 Spoke steering wheel with A Rack & Pinion with Collaps universal joint & column Motor Driven Power Assis Steering system (MDPS Tilt & Telescopic Artificial Leather with Oran Stitching Audio, On Board Comput Bluetooth & Cruise Contr
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description  Steering Type  Power Assisted  Steering Column Adjustment  Steering Wheel Finish  Steering Wheel Multifunction Controls	Front Rear	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Polyutheraine Audio, On Board Computer, Bluetooth & Cruise Control	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Leather - Black Audio, On Board Computer, Bluetooth & Cruise Control	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Leather - Black Audio, On Board Computer, Bluetooth & Cruise Control	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA  4 Spoke steering wheel with A Rack & Pinion with Collaps universal joint & column Motor Driven Power Assist Steering system (MDPS Tit & Telescopic Artificial Leather with Oran Stitching Audio, On Board Compute Bluetooth & Cruise Contr
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description  Steering Type  Power Assisted  Steering Column Adjustment  Steering Wheel Finish  Steering Wheel Multifunction Controls  Steering Wheel Turns (lock to lock)  Min. Turning Radius (m)	Front Rear	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Polyutheraine Audio, On Board Computer, Bluetooth & Cruise Control 3.00	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Leather - Black Audio, On Board Computer, Bluetooth & Cruise Control 3.00	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Leather - Black Audio, On Board Computer, Bluetooth & Cruise Control 3.00	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with A Rack & Pinion with Collapsi universal joint & column Motor Driven Power Assist Steering system (MDPS) Tilt & Telescopic Artificial Leather with Oran Stitching Audio, On Board Compute Bluetooth & Cruise Control 3.00
Combined Cycle  SUSPENSION  Front  Rear  Shock Absorbers  STEERING  Steering Wheel Description  Steering Type  Power Assisted  Steering Column Adjustment  Steering Wheel Finish  Steering Wheel Multifunction Controls  Steering Wheel Turns (lock to lock)	Front Rear	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Polyutheraine Audio, On Board Computer, Bluetooth & Cruise Control 3.00	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Leather - Black Audio, On Board Computer, Bluetooth & Cruise Control 3.00	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GAS)  4 Spoke steering wheel with Airbag Rack & Pinion with Collapsible universal joint & column Motor Driven Power Assisted Steering system (MDPS) Tilt & Telescopic Leather - Black Audio, On Board Computer, Bluetooth & Cruise Control 3.00	McPherson Strut Type CTBA Type (2WD) Strut Type(GAS) Shock Absorber Type(GA  4 Spoke steering wheel with A Rack & Pinion with Collaps universal joint & column Motor Driven Power Assis Steering system (MDPS Tilt & Telescopic Artificial Leather with Oran Stitching Audio, On Board Compute Bluetooth & Cruise Contro 3.00

0	<b>^</b>	Creta 1.5 Premium MT	Creta 1.5 Executive IVT	Creta 1.5 Diesel Executive AT	Creta 1.4 TGDI Executive DC
Creta SU2i 2020		SUV - 4x2	SUV - 4x2	SUV - 4x2	SUV - 4x2
		Petrol 6-spd Manual	Petrol IVT	Diesel 6-spd Automatic	Petrol 7-spd DCT
			ı		
-	Front Rear	205/65R16 205/65R16	215/60R17 215/60R17	215/60R17 215/60R17	215/60R17 215/60R17
-	Spare (Alloy Rim)	205/65R16	215/60R17 215/60R17	215/60R17	215/60R17
Spare Tyre Location	Opare (Alloy Kill)	Located under the cargo floor	Located under the cargo floor	Located under the cargo floor	Located under the cargo floo
Tyre Pressure (Kpa):			ū	<u> </u>	
	Front				
	Unladen	240	240	240	240
-	Laden	240	240	240	240
-	Rear Unladen	040	0.40	0.40	040
	Laden	240 240	240 240	240 240	240 240
-	Spare	230	230	230	230
Tyre Pressure Monitor	Oparo	Standard	Standard	Standard	Standard
		•			
BRAKES .					
Front Brake Type		Ф300 Ventilated Disc, Floating-	Ф300 Ventilated Disc, Floating-	Ф300 Ventilated Disc, Floating-	Φ300 Ventilated Disc, Floating
		caliper brakes Φ262 Solid Disc, Floating-caliper	caliper brakes Φ262 Solid Disc, Floating-caliper	caliper brakes Φ262 Solid Disc, Floating-caliper	caliper brakes Φ262 Solid Disc, Floating-cali
Rear Brake Type		brake	brake	brake	brake
Brake Booster		10.0 INCH	10.0 INCH	10.0 INCH	10.0 INCH
Boost Ratio Park Brake		9:1	9:1	9:1	9 : 1
I GIN DIANE		Hand Parking 4-Wheel Electronic, 4-Sensor, 4-	Hand Parking 4-Wheel Electronic, 4-Sensor, 4-	Hand Parking 4-Wheel Electronic, 4-Sensor, 4-	Hand Parking 4-Wheel Electronic, 4-Sensor
ABS (Anti-Lock Breaking System)		Channel Electronic brake	Channel Electronic brake	Channel Electronic brake	Channel Electronic brake
(rum Look Dieaking System)		distribution, Brake torque	distribution, Brake torque	distribution, Brake torque	distribution, Brake torque
EBD (Electronic Brake Force Distribut	tion)	distribution system (EBD) Standard	distribution system (EBD) Standard	distribution system (EBD) Standard	distribution system (EBD) Standard
ESP (Electronic Stability Program)	uon,	Standard	Standard	Standard	Standard
HAC (Hill start Assist Control)		Standard	Standard	Standard	Standard
		•	•	•	
WEIGHT (kg)					
Vehicle					
- -	Curb / Tare	1,165	1,190	1,270	1,230
-	Gross Vehicle Mass (GVM)	1,685	1,710	1,795	1,755
-	Gross Combination Mass (GCM)	2,785	2,710	2,695	2,855
-	Maximum Mass On Front Axle	975	975	975	975
Trailer	Maximum Mass On Rear Axle	860	860	860	860
Trailer _	Braked	550	550	550	550
-	Unhraked	1 100	1 100	1 100	1 100
Payload	Unbraked	1,100 520	1,100 520	1,100 525	1,100 525
Roof Rack Load (Kg)  DIMENSIONS	Unbraked	1,100 520 -	1,100 520 80	1,100 525 80	1,100 525 80
Roof Rack Load (Kg)	Overall Length	520 - - 4,300	520 80 4,300	525 80 4,300	525 80 4,300
Roof Rack Load (Kg)  DIMENSIONS	Overall Length Overall Width	4,300 1,790	520 80 4,300 1,790	525 80 4,300 1,790	525 80 4,300 1,790
Roof Rack Load (Kg)  DIMENSIONS	Overall Length Overall Width Overall Height - Excluding Roof Rails	4,300 1,790 1,620	4,300 1,790 1,620	525 80 4,300 1,790 1,620	4,300 1,790 1,620
Roof Rack Load (Kg)  DIMENSIONS	Overall Length Overall Width	4,300 1,790 1,620 1,635	4,300 1,790 1,620 1,635	525 80 4,300 1,790 1,620 1,635	4,300 1,790 1,620 1,635
Roof Rack Load (Kg)  DIMENSIONS	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails	4,300 1,790 1,620	4,300 1,790 1,620	525 80 4,300 1,790 1,620	4,300 1,790 1,620
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase Front	4,300 1,790 1,620 1,635	4,300 1,790 1,620 1,635 2,610	525 80 4,300 1,790 1,620 1,635	4,300 1,790 1,620 1,635
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase	4,300 1,790 1,620 1,635 2,610	4,300 1,790 1,620 1,635 2,610	525 80 4,300 1,790 1,620 1,635 2,610	4,300 1,790 1,620 1,635 2,610
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear	4,300 1,790 1,620 1,635 2,610 1,571 1,575	520 80 4,300 1,790 1,620 1,635 2,610 1,559	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear	4,300 1,790 1,620 1,635 2,610 1,571 1,575	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear	4,300 1,790 1,620 1,635 2,610 1,571 1,575 840 850	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	4,300 1,790 1,620 1,635 2,610 1,559 1,564
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear	4,300 1,790 1,620 1,635 2,610 1,571 1,575	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear	4,300 1,790 1,620 1,635 2,610 1,571 1,575 840 850	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear	4,300 1,790 1,620 1,635 2,610 1,571 1,575 840 850	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row	4,300 1,790 1,620 1,635 2,610 1,571 1,575 840 850 190	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Head Room Front Row Second Row Leg Room	520 4,300 1,790 1,620 1,635 2,610 - 1,571 1,575  840 850 190 - 1,017 985	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Front Row Front Row	520 4,300 1,790 1,620 1,635 2,610 - 1,571 1,575  840 850 190 - 1,017 985	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Second Row	520 4,300 1,790 1,620 1,635 2,610 - 1,571 1,575  840 850 190 - 1,017 985	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Second Row Shoulder Room	\$20 -  4,300 1,790 1,620 1,635 2,610 1,571 1,575 840 850 190 1,017 985	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Second Row Second Row Second Row Second Row Second Row Shoulder Room Front Row	520 4,300 1,790 1,620 1,635 2,610 - 1,571 1,575  840 850 190 - 1,017 985 - 1,051 973 - 1,404	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Second Row Shoulder Room	\$20 -  4,300 1,790 1,620 1,635 2,610 1,571 1,575 840 850 190 1,017 985	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Shoulder Room Front Row Second Row Second Row Shoulder Room Front Row Second Row	520 4,300 1,790 1,620 1,635 2,610 - 1,571 1,575  840 850 190 - 1,017 985 - 1,051 973 - 1,404	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Hip Room	\$20 -  4,300 1,790 1,620 1,635 2,610 1,571 1,575 840 850 190 1,017 985 1,051 973 1,404 1,380	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Shoulder Room Front Row Second Row Second Row Hip Room Front Row Second Row	520	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380 1,312 1,310
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Hip Room Front Row Second Row Hip Room Front Row Second Row Behind First Row	520 4,300 1,790 1,620 1,635 2,610	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380 1,312 1,310
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Shoulder Room Front Row Second Row Second Row Hip Room Front Row Second Row	520	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380 1,312 1,310
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)  Cargo Area (L) - VDA	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Hip Room Front Row Second Row Hip Room Front Row Second Row Behind First Row	520 4,300 1,790 1,620 1,635 2,610	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)  Cargo Area (L) - VDA	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Hip Room Front Row Second Row Hip Room Front Row Second Row Behind First Row	520 4,300 1,790 1,620 1,635 2,610	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)  Cargo Area (L) - VDA	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Second Row Second Row Second Row Front Row Second Row Second Row Behind First Row Behind Second Row	520	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380 1,312 1,310	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380 1,312 1,310 1,401 433	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380 1,312 1,310 1,401 433
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)  Cargo Area (L) - VDA	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase  Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Hip Room Front Row Second Row Hip Room Front Row Second Row Behind First Row	520 4,300 1,790 1,620 1,635 2,610	520 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380	525 80 4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)  Cargo Area (L) - VDA  STYLING FEATURES  Bumper Styling	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Bhip Room Front Row Second Row Hip Room Front Row Second Row Behind First Row Behind Second Row	520	520 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)  Cargo Area (L) - VDA  STYLING FEATURES  Bumper Styling  Door Handles	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Bhip Room Front Row Second Row Hip Room Front Row Second Row Behind First Row Behind Second Row	520	520 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)  Cargo Area (L) - VDA  STYLING FEATURES  Bumper Styling  Door Handles Front Grill Styling	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Bhip Room Front Row Second Row Hip Room Front Row Second Row Behind First Row Behind Second Row	520	520 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black Body Colour Black Body Colour	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black Body Colour Black Body Colour Black Body Colour	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black and Chrome Artificial Leather with Orang
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)  Cargo Area (L) - VDA  STYLING FEATURES  Bumper Styling  Door Handles Front Grill Styling	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Bhip Room Front Row Second Row Hip Room Front Row Second Row Behind First Row Behind Second Row	520	520 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black Body Colour Black Artificial Leather	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black Body Colour Black Artificial Leather	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black Body Colour Black
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Bhip Room Front Row Second Row Hip Room Front Row Second Row Behind First Row Behind Second Row	520	520 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black Body Colour Black Body Colour	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black Body Colour Black Body Colour Black Body Colour	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black Body Colour Black and Chrome Artificial Leather with Orang
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)  Cargo Area (L) - VDA  STYLING FEATURES  Bumper Styling  Door Handles Front Grill Styling  Gear Lever Finish  Roof Colour	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Bhip Room Front Row Second Row Hip Room Front Row Second Row Behind First Row Behind Second Row	520	520 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black and Chrome Artificial Leather Body Colour / Black on 2 Tone OPT Body Colour & Black on 2 Tone OPT Body Colour & Black on 2 Tone OPT Body Colour & Black on 2 Tone OPT	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black and Chrome Artificial Leather Body Colour / Black on 2 Tone OPT Body Colour & Black on 2 Tone OPT	4,300 1,790 1,620 1,635 2,610 1,559 1,564 840 850 190 1,017 985 1,051 973 1,404 1,380 1,312 1,310 1,401 433  Body Colour Black Body Colour
Roof Rack Load (Kg)  DIMENSIONS  Exterior (mm)  Wheel Tread (mm)  Overhang (mm)  Ground Clearance Interior (mm)  Cargo Area (L) - VDA  STYLING FEATURES  Bumper Styling  Door Handles Front Grill Styling  Gear Lever Finish	Overall Length Overall Width Overall Height - Excluding Roof Rails Overall Height - Including Roof Rails Wheelbase Front Rear  Front Rear  Head Room Front Row Second Row Leg Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Shoulder Room Front Row Second Row Bhip Room Front Row Second Row Hip Room Front Row Second Row Behind First Row Behind Second Row	520	520 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black and Chrome Artificial Leather Body Colour / Black on 2 Tone OPT	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black Body Colour Black and Chrome Artificial Leather Body Colour / Black on 2 Tone OPT	525 80  4,300 1,790 1,620 1,635 2,610  1,559 1,564  840 850 190  1,017 985  1,051 973  1,404 1,380  1,312 1,310  1,401 433  Body Colour Black Body Colour Black and Chrome Artificial Leather with Orang Stitching

Creta SU2i 2020		Creta 1.5 Premium MT	Creta 1.5 Executive IVT	Creta 1.5 Diesel Executive AT	Creta 1.4 TGDI Executive DCT
		SUV - 4x2 Petrol	SUV - 4x2 Petrol	SUV - 4x2 Diesel	SUV - 4x2 Petrol
		6-spd Manual	IVT	6-spd Automatic	7-spd DCT
		1	ì		1
Side Sill Moulding Skid Plate (Front and Rear)		Silver Black	Silver Silver	Silver Silver	Black Black
Metallic Paint		Optional	Optional	Optional	Optional
Wotamo Fami		- Optional	Optional	Ориона	Optional
SEATS_					
Front Seats					
	Drivers Seat Adjustment				
	Slide	Manual	Manual	Manual	Manual
	Recline	Manual	Manual	Manual	Manual
	Height	Manual - Pump Type	Manual - Pump Type Height Adjustable	Manual - Pump Type	Manual - Pump Type
	Head Rests Seat Back Pockets	Height Adjustable Standard	Standard	Height Adjustable Standard	Height Adjustable Standard
	Passenger Seat Adjustment	Standard	Standard	Standard	Standard
	Slide	Manual	Manual	Manual	Manual
	Recline	Manual	Manual	Manual	Manual
	Head Rests	Height Adjustable	Height Adjustable	Height Adjustable	Height Adjustable
	Seat Back Pockets	Standard	Standard	Standard	Standard
Second Row	Floor Mats	Standard	Standard	Standard	Standard
CCCCIId NOW	Split Rear Seats	60 / 40	60 / 40	60 / 40	60 / 40
	Armrest	Standard - With Cup Holders	Standard - With Cup Holders	Standard - With Cup Holders	Standard - With Cup Holders
	Head Rests	3 x Height Adjustable	3 x Height Adjustable	3 x Height Adjustable	3 x Height Adjustable
Number of Seats		5	5	5	5
	Seating Configuration	2/3	2/3	2/3	2 / 3
Seat Trim		Cloth	Artificial Leather	Artificial Leather	Artificial Leather with Orange Stitching
Anti-submarine		All	All	All	All
SAFETY FEATURES					
Airbags					
	Driver - Depowered	Standard	Standard	Standard	Standard
	Passenger - Depowered	Standard	Standard	Standard	Standard
	Side	-	Standard	Standard	Standard
Body	Curtain	-	Standard	Standard	Standard
200)	Crumple Zones	Standard	Standard	Standard	Standard
	Side Impact Protection Beams	Standard	Standard	Standard	Standard
	Uni-body Construction	Standard	Standard	Standard	Standard
Lights	-				
	Delay Exiting On head lights	Standard	Standard	Standard	Standard
	Delay Exiting On Interior lights Fog lights Front	Standard -	Standard Standard	Standard Standard	Standard Standard
	Headlight Auto On/Off Function	Standard	Standard	Standard	Standard
	Headlight Type	Halogen	LED	LED	LED
	High Mount Stop Light	Standard	Standard	Standard	Standard
	Daytime Running Lights	Standard - Bulb	Standard - LED	Standard - LED	Standard - LED
	Rear Combination Lamp	Bulb	LED	LED	LED
Seatbelt	Side Indicators	On Side Mirror	On Side Mirror	On Side Mirror	On Side Mirror
Sealbeil	Front Seats				
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)
	Pretensioner with Load Limiter	Standard	Standard	Standard	Standard
	Height Adjustable	Standard	Standard	Standard	Standard
	Not-Inserted Warning Indicator (Driver)	Standard	Standard	Standard	Standard
	Second Row	2 x 3 Point Inertia Reel (ELR) 1 x	2 x 3 Point Inertia Reel (ELR) 1 x	2 x 3 Point Inertia Reel (ELR) 1 x	2 x 3 Point Inertia Reel (ELR) 1 x
	Seatbelt Type	Lap Strap	Lap Strap	Lap Strap	Lap Strap
	ISOFIX Child Seat Attachments	Standard	Standard	Standard	Standard
Security	Alores	0	2:	2: 1:	2: 1 :
	Alarm Auto Locking Doors	Standard Speed Sensitive 15km/h	Standard Speed Sensitive 15km/h	Standard Speed Sensitive 15km/h	Standard Speed Sensitive 15km/h
	Auto Unlocking Doors	All doors on key removal	All doors on key removal	All doors on key removal	All doors on key removal
	Central Locking	Standard	Standard	Standard	Standard
	Child Lock on Rear Doors	Standard	Standard	Standard	Standard
	Escort Lighting	30 sec Delay on locking & lights	30 sec Delay on locking & lights	30 sec Delay on locking & lights	30 sec Delay on locking & lights
	Impact Sensing Door Unlock	come on when unlocking Standard	come on when unlocking Standard	come on when unlocking Standard	come on when unlocking Standard
	Inside Handle Override	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
	Remote Keyless Entry	Standard	Standard	Standard	Standard
	Transponder Immobiliser	Standard	Standard	Standard	Standard
Windscreen	Front				
	Front	Clandord	Ctandard	Ctandard	Canadard
	Tinted Rear	Standard	Standard	Standard	Standard
	Demister	20 min timer	20 min timer	20 min timer	20 min timer
	Wiper & Washer	Standard	Standard	Standard	Standard
CONVENIENCE FEATURES					
Ventilation					
	Air-Conditioner	Manual	Manual	Manual	Manual
	Air Conditioner - Anti-bacterial Pollen Filter	Standard	Standard	Standard	Standard
Adi6	2nd Row Passenger Adjustable Air Vents	Standard	Standard	Standard	Standard
Audio system	Audio	Infotoinment Contract	Infotoinment C:t	Infotoinment C:t	Infotoinment Courter
	Screen Size	Infotainment System 8"	Infotainment System 8"	Infotainment System 8"	Infotainment System 8"
	Touch Screen	Standard	Standard	Standard	Standard
	Device Application Connect	Standard	Standard	Standard	Standard
	USB Connection	Standard	Standard	Standard	Standard

0 . 0		Creta 1.5 Premium MT	Creta 1.5 Executive IVT	Creta 1.5 Diesel Executive AT	Creta 1.4 TGDI Executive DC
Creta SU2i 20	)20	SUV - 4x2	SUV - 4x2	SUV - 4x2	SUV - 4x2
	<u></u>	Petrol	Petrol	Diesel	Petrol
		6-spd Manual	IVT	6-spd Automatic	7-spd DCT
	Callabona Drangration (inal Divistoeth)	Standard	Oten dend	Standard	Oter-de-ed
	Cellphone Preparation (incl Bluetooth)  Voice Control	Standard	Standard Standard	Standard	Standard Standard
	Antenna Location	Roof - Rear	Roof - Rear	Roof - Rear	Roof - Rear
	No of Speakers	4 Speakers + 2 Tweeters			
	Rear View Camera with dynamic guidelines	Standard	Standard	Standard	Standard
nstrumentation	real view definers with dynamic galacinies	Standard	Standard	Standard	Standard
nonuncitation	Cluster	3.5" TFT LCD	3.5" TFT LCD	3.5" TFT LCD	3.5" TFT LCD
	On-board Computer	Standard	Standard	Standard	Standard
	Ambient Temperature Display	Standard	Standard	Standard	Standard
	Digital Clock	Standard	Standard	Standard	Standard
	Illumination Rheostat	Standard	Standard	Standard	Standard
	Side Indicators: One Touch Triple Turn Signal	Standard	Standard	Standard	Standard
Courtesy Lights	Side indicators. One rouch imple rum signal	Standard	Standard	Standard	Standard
Sourcesy Lights	Cabin	Standard	Standard	Standard	Standard
	Cargo Area				Standard
		Standard	Standard	Standard	
	Door - Alert	Standard	Standard	Standard	Standard
N\( \( \frac{1}{2} \)\( \frac{1}{2} \)	Map Reading	Standard	Standard	Standard	Standard
Rear View Mirrors	Side Mirrors		<del> </del>		
		Els. :	Fig. 11	El- · ·	F1
	Adjustment	Electric	Electric	Electric	Electric
	Folding Function	Manual	Electric	Electric	Electric
	Inside Rear View Mirror	_			
	Day Night Function	Standard	Automatic - ECM	Automatic - ECM	Automatic - ECM
Vindow Operation					
	Front				
	Operation	Electric	Electric	Electric	Electric
	Electric Window Jam Protection	Driver	Driver	Driver	Driver
	One Touch Feature	Driver - Auto Up & Down			
	Rear				
	Operation	Electric	Electric	Electric	Electric
Vindscreen Wipers					
	Front				
	2 Speed Settings	Standard	Standard	Standard	Standard
	Single Wipe Function	Standard	Standard	Standard	Standard
	Variable Intermittent Function	Standard	Standard	Standard	Standard
	Rear	Ctandard	Standard	Standard	Standard
	2 Speed Settings	Standard	Standard	Standard	Standard
	Washer	Standard	Standard	Standard	Standard
Starona Camportments	Wasilei	Standard	Standard	Standard	Standard
Storage Compartments	Cup Holders	F 0 D	Front 9 Door	F+ 8 D	Front & Door
		Front & Rear	Front & Rear	Front & Rear	Front & Rear
	Front Armrest	Standard	Standard	Standard	Standard
	Glove Box	Standard	Standard	Standard	Standard
	Map Pockets: Door Panels	Front & Rear	Front & Rear	Front & Rear	Front & Rear
	Sunglass Holder	Standard	Standard	Standard	Standard
uggage Compartments					
	Cargo Screen	Standard	Standard	Standard	Standard
	Luggage Net	Standard	Standard	Standard	Standard
	Luggage Hooks	Standard	Standard	Standard	Standard
	Power Outlet	Standard	Standard	Standard	Standard
Sun Visor					
	Ticket Holder	Driver	Driver	Driver	Driver
	Vanity Mirror	Passenger	Passenger	Passenger	Passenger
Doors					
	Side	4 Doors - Front Hinged			
	Rear	Lift Type	Lift Type	Lift Type	Lift Type
Cruise Control		Standard	Standard	Standard	Standard
Park Assist - Rear		Standard	Standard	Standard	Standard
Park Camera - Rear		Standard	Standard	Standard	Standard
Power Sockets		Front & Cargo Area			
JSB Connection		Front Tray and Rear Console	Front Tray and Rear Console	Front Tray and Rear Console	Front Tray and Rear Consol
Roof Rails		-	Standard	Standard	Standard
Finted Windows		Standard	Standard	Standard	Standard
Vireless Phone Charging		Standard -	Standard	Standard	Standard
		1		- Standard	Sandard
VARRANTY & MAINTENANCE		E Voor / 150 000 km	E Voor / 150 000 km	E Voor / 150 000 km	E Voor / 450 000 l
Warranty		5 Year / 150 000 km Manufacturer's Warranty			
		Additional 2 Year / 50 000 Km	Additional 2 Year / 50 000 Km	Additional 2 Year / 50 000 Km	Additional 2 Year / 50 000 K
		Manufacturer's Powertrain	Manufacturer's Powertrain	Manufacturer's Powertrain	Manufacturer's Powertrain
		Warranty	Warranty	Warranty	Warranty
S (		5 Year / 160 000 km			
Perforation Warranty		Manufacturer's Warranty	Manufacturer's Warranty	Manufacturer's Warranty	Manufacturer's Warranty
•					