



KANVA
DIAGNOSTIC SERVICES PVT. LTD.
NAGARABHAVI BRANCH
Centre For Hi-tech Diagnostics Services and Multi-Speciality
Polyclinic Integrated with Oncology & Research
744, 11th Block, 2nd Stage, Nagarabhavi, Bangalore-560072
Phone : 080-69232222 (30 Lines) / 080-23012222 (50 Lines)
E-mail: dr.venkatappa@kanvadiagnostic.com
Website: www.kanvadiagnostic.com

Reg. No. N363469 Date 10/12/2021 07:12
Name Mr. DEEPAK D S
Age 44 Year(s) Sex Male
Corporate NON CORPORATE
Ref. By. DR. Self



SPECIAL BIOCHEMISTRY

Test Parameter **Result(s)** **Biological Reference Interval**
GENERAL HEALTH CHECKUP
THYROID STIMULATING HORMONE - T.S.H 1.81 μ U/ml 0.27 - 4.2 μ U/ml
(ECLIA)

1. Many physiological, pharmacological, pathological and genetic factors affect the interpretation of Total T3, Total T4 and TSH results.
2. For diagnostic purposes, the results obtained by immunometric assay should always be used in combination with the clinical examinations, patient medical history and other findings.

INTERPRETATION

TSH	T4	T3	INTERPRETATION
Normal	Normal	Normal	Euthyroidism
High	Normal	Normal	Mild/Subclinical hypothyroidism
High	Low	Low/Normal	Hypothyroidism
Low	Normal	Normal	Mild /Subclinical hyperthyroidism
Low	High/Normal	High/Normal	Hyperthyroidism
Low	Low/Normal	Low/Normal	Pituitary Hypothyroidism (rare)

Sample
SERUM

Received At
10/12/2021 07:16

Verified By : GIREESH
Lab Technician

Keerthi.R

DR. KEERTHI.R

Consultant Pathologist
KMCNo71205

Reported On : 10/12/2021 10:57

----- End of Report -----

HAEMATOLOGY

Test Parameter **Result(s)** **Biological Reference Interval**
COMPLETE BLOOD PICTURE
HAEMOGLOBIN(SLS) 14.7 g/dl

Adults
Female: 12-15g/dl
Male: 13-17g/dl

Children
Birth : 14 - 22g/dl
Newborn : 11.5 - 16.5g/dl
1mon to 6yrs : 11.1 - 14.1g/dl
6-12yrs : 11.5 - 15.5g/dl